

Contents

List of Contributors	ix
List of Figures	xi
List of Tables	xiii
1. The Decline of Mortality in Europe	1
<i>Roger Schofield and David Reher</i>	
2. The Attenuation of Mortality Crises and the Decline of Mortality	18
<i>Alfred Perrenoud</i>	
3. Mortality in Europe from 1720 to 1914: Long-Term Trends and Changes in Patterns by Age and Sex	38
<i>Jacques Vallin</i>	
4. Health Transition and Cause-Specific Mortality	68
<i>Graziella Caselli</i>	
5. Tuberculosis and the Decline of Mortality in Sweden	97
<i>Bi Puranen</i>	
6. Cholera: A Victory for Medicine?	118
<i>Patrice Bourdelais</i>	
7. Nutrition, Immunity, and Infection	131
<i>Peter G. Lunn</i>	
8. Medicine and the Decline of Mortality: Indicators of Nutritional Status	146
<i>Roderick Floud</i>	
9. Housing and the Decline of Mortality	158
<i>John Burnett</i>	
10. Conditions of Work and the Decline of Mortality	177
<i>Michael R. Haines</i>	
11. The Care of Children: The Influence of Medical Innovation and Medical Institutions on Infant Mortality 1750-1914	196
<i>Marie-France Morel</i>	

12. Pasteur, Pasteurization, and Medicine	220
<i>Jean Noël Biraben</i>	
13. Public Health and Public Hygiene: The Urban Environment in the Late Nineteenth and Early Twentieth Centuries	233
<i>Robert Woods</i>	
14. The Personal Physician and the Decline of Mortality	248
<i>Stephen J. Kunitz</i>	
Index	263

List of Figures

2.1. Annual fluctuations in crude death rates as a percentage of the trend values: Sweden, Denmark, France, England	30
2.2. Coefficient of variation of crude death rates for five-year periods: Sweden, Denmark, France, England	31
2.3. Truncated moving averages (11 terms) of crude death rates: Sweden, Norway, Denmark, England	32
2.4. Reductions in the amplitude of mortality cycles as measured by coefficient of variation	35
3.1. Annual changes in crude death rates 1720–1920: (a) France and England, (b) Sweden, (c) Norway and Finland	40
3.2. Annual changes in crude death rates between the mid-nineteenth century and 1920 in five European countries	46
3.3. Life expectancy at birth 1720–1920: England, Norway, and Sweden	48
3.4. Annual changes in infant mortality 1720–1920 in different European countries	50
3.5. Changes in the values of ${}_5q_x$ in France between 1740/1749 and 1913: both sexes	53
3.6. Values of ${}_5q_x$ at different ages in France, taking values in 1740–1749 as 100: both sexes	55
3.7. Values of ${}_5q_0$ plotted against values of ${}_{30}q_{25}$ 1750–1914: England and Wales, France, Italy, Norway, and Sweden	58
3.8. Comparison of age patterns of mortality for two levels of infant and childhood mortality: France, Italy, and Sweden	60
3.9. Excess mortality in France by five-year age groups since 1740–1749	65
4.1. The modern health transition: changes in life expectancy at birth in three countries representing the European transition: Norway, England and Wales, and Italy	70
4.2. Cumulative gains in life expectancy over ten-year periods resulting from the reduction of mortality from certain causes during the modern health transition: (a) females, (b) males	84
4.3. Cumulative contribution by 5-year age groups made by reductions in mortality from certain causes to increases in life expectancy: (a) females, (b) males	88

5.1. The death rate from consumption 1750–1980: Sweden and Finland	102
5.2. Numbers of registered cases of tuberculosis and numbers of deaths from the disease in Sweden in relation to the whole population	103
5.3. Mortality from tuberculosis in different European countries per 100,000 population	103
5.4. Specific death rates per 1,000 by age and sex	104
5.5. Average age-specific mortality in quintiles of life expectancy in female populations from 43 nations 1861–1964	105
6.1. Incidence of cholera and numbers of governments that have notified the disease, according to WHO	125
6.2. Probabilities of dying (all causes) in Ariège 1854: males	127
7.1. The relationship between mortality and nutritional status in rural Indian children	132
7.2. The relationship between gain in body mass and the pattern of infection in a rural Gambian infant	133
11.1. Development of endogenous, exogenous, and total infant mortality: France and Belgium	198
11.2. Changes in death rates from the principal infectious diseases affecting children between the mid-nineteenth and early twentieth centuries in different European countries	217
13.1. Statistics for Birmingham 1881–1911: (a) Infant mortality rate, (b) infant mortality from causes other than diarrhoea, (c) estimated values of ${}_4q_1$	240
13.2. Weekly deaths in Birmingham 1892	241
13.3. Weekly deaths in Birmingham 1911	242

List of Tables

2.1	Variation of crude death rates in England for 25-year periods	25
2.2	Smallpox mortality rates in Geneva	27
2.3	Frequency of crisis years in which mortality exceeded the 'normal' level by 50 per cent or more, per 1,000 years of observation	29
3.1	Life expectancy at birth on the eve of the First World War in European countries for which life tables are available	47
3.2	Comparisons of ${}_5q_0$ and ${}_{30}q_{25}$ in some life tables	56
3.3	Life tables for Italy 1862-1863 and France 1740-1749 and 1877-1881: Values of ${}_5q_x$ (per 1,000)	61
3.4	Life tables for Italy 1910-1912; France 1877-1881, 1898-1903, and 1933-1938; and Sweden 1841-1855 and 1891-1900: Values of ${}_5q_x$ (per 1,000)	62
3.5	Life expectancy at birth in France at different periods by sex	64
4.1	Changes in life expectancy at birth and fifth birthday in Norway, England and Wales, and Italy	73
4.2	Percentage distribution of deaths by cause at the beginning of the second phase of the modern transition	74
4.3	Contribution made to the difference in life expectancy between England and Wales and Italy at the beginning of the modern phase of health transition by age group and sex	76
4.4	Contribution to gains in life expectancy resulting from the reduction of mortality from specific causes in England and Wales and Italy between either 1871 or 1881 and 1951 by age group and sex	80
4.5	Changes in patterns of cause-specific mortality by major groups of causes during the modern phase of the health transition	89
4.6	Contribution made by different groups of causes of death to the difference between the life expectancies of England and Wales and Italy by age group and sex	92
4.7	Contribution made by different groups of cause of death to the difference between the life expectancies of Norway and England and Wales, and between Norway and Italy by age group and sex	94

5.1 Death rates from tuberculosis in the experimental area, compared with those in neighbouring areas, Norbotten country, and Sweden	114
7.1 Disease prevalence and its effect on weight gain of rural Gambian children aged 3-36 months	134
7.2 Infectious diseases influenced by nutritional status	137
10.1 Death rates by occupation for males aged 25-65 in England and Wales 1860/1871, 1880/1882, and 1890/1892	183
10.2 Industries with the highest mortality from selected causes in England and Wales 1880/1882	188
10.3 Standardized death rates per 1,000 and standardized mortality ratios in England and Wales 1910-1953 by social class	190
10.4 Age-standardized death rates by occupation/industry: males in the United States, Death Registration Area 1890, 1900, and 1908/1910	191
12.1 Death rates per 1,000 population in London and Paris	230
12.2 Mortality in Paris per 100,000 population from principal causes of death between 1876/1880 and 1901/1905	232