

Contents

	<i>Page</i>
Foreword	iii
List of tables	ix
List of figures	xiv
Summary	xvii
Introduction	
Geographic variation in mortality, 1979–83	
Geographic variation in mortality since 1920 for selected causes of death	
Geographic variation in infant mortality in relation to birthweight, 1983–85	
The influence of socio-economic and environmental factors on geographic variation in mortality	
The influence of migration on geographic variation in mortality	
Mortality by place of birth	
Mortality among immigrants in England and Wales, 1979–83	
Variations in perinatal, neonatal, postneonatal and infant mortality by mother's country of birth, 1982–85	
1 Introduction	
<i>M. Britton</i>	
1.1 Historical background	2
1.2 Uses of geographic studies	2
References	3
2 Sources of data and limitations	
<i>M. Britton</i>	
2.1 Deaths	6
2.2 Populations at risk	6
2.3 Usual residence	7
2.4 Cause of death	9
2.5 Birthweight information for infant deaths	9
2.6 Geography	10
2.6.1 Metropolitan counties and districts	10
2.6.2 Non-metropolitan counties and districts	10
2.6.3 Standard regions	10
2.6.4 Comparison with old (pre-1974) local authority areas	10
2.6.5 Regional and district health authorities	10
2.6.6 Aggregates of small areas	11
2.7 Country of birth	11
2.7.1 Background	11
2.7.2 Notes on selected countries and groups of countries	12
2.8 Statistical notes	13
2.8.1 Death rates	13
2.8.2 Standardised mortality ratios (SMRs)	13
2.8.3 Statistical significance	13
References	15

3	Geographic variation in mortality, 1979–83	
	<i>M. Britton</i>	
3.1	Introduction	18
3.2	Regional pattern of mortality: all causes	18
3.3	Mortality at county and district level: all causes	18
3.4	Regional pattern of mortality by cause	19
3.5	Mortality at county and metropolitan district and London borough level by cause	20
3.6	Summary and discussion	25
	References	26
4	Geographic variation in mortality since 1920 for selected causes	
	<i>M. Britton</i>	
4.1	Introduction	28
4.2	All causes mortality: 1921–30, 1950–53 and 1979–83	28
4.3	Stomach cancer: 1921–30, 1950–53 and 1979–83	28
4.4	Lung cancer in London boroughs: 1946–49 and 1979–83	28
4.5	Cardiovascular disease, ischaemic heart disease and cerebrovascular accident: 1921–30, 1950–53 and 1979–83	28
4.6	Bronchitis: 1921–30, 1950–53 and 1979–83	29
4.7	Peptic ulcer: 1921–30, 1950–53 and 1979–83	29
4.8	Summary and discussion	30
	References	30
5	Geographic variation in infant mortality in relation to birthweight, 1983–85	
	<i>B. Botting and A. J. Macfarlane</i>	
5.1	Introduction	48
5.2	Variations between regional health authorities	48
5.3	Associations between socio-economic, ethnic and biological factors and infant mortality rates	48
5.4	Variations between district health authorities	50
5.5	Summary and discussion	54
	References	55
6	The influence of socio-economic and environmental factors on geographic variation in mortality	
	<i>M. Britton, A. J. Fox, P. Goldblatt, D. R. Jones and M. Rosato</i>	
6.1	Introduction	58
6.2	Mortality in local authority districts with different socio-economic and environmental characteristics	58
6.2.1	Social class	58
6.2.2	Housing tenure	58
6.2.3	Coastal and inland localities	61
6.2.4	Altitude	61
6.3	Mortality by socio-economic cluster, 1971–81	62
6.4	Mortality by socio-economic cluster and individuals' characteristics, 1971–81	67
6.5	Mortality and environment, 1971–81	71
6.5.1	Water hardness	72
6.5.2	Water nitrates	74
6.6	Summary and discussion	76
	References	78

7	The influence of migration on geographic variation in mortality	
	<i>M. Britton, P. Goldblatt, D. R. Jones, M. Rosato</i>	
7.1	Introduction	80
7.2	Mortality during 1971–81 by distance of migration 1966–71	81
7.2.1	Distance moved	81
7.2.2	Selection effects in relation to members of non-private households and economic position	82
7.3	Mortality during 1971–81 by distance of migration, 1966–71 between wards clustered socio-economically	88
7.4	Summary	93
	References	94
8	Mortality by place of birth	
	<i>C. Osmond, J.M. Slattery and D.J.P. Barker</i>	
8.1	Introduction	96
8.2	Method of analysis	96
8.3	Place of birth and place of death effects	97
8.3.1	Proportional mortality ratios by place of birth	97
8.3.2	Effect of social class adjustment	97
8.3.3	Comparison of static and migrant populations	98
8.3.4	Comparison of place of birth PMRs with standardised mortality ratios	99
8.3.5	Size of the PMR variations	99
8.4	Summary and discussion	99
	References	100
9	Mortality among immigrants in England and Wales, 1979–83	
	<i>R. Balarajan and L. Bulusu</i>	
9.1	Introduction	104
9.2	Immigrant populations in England and Wales	104
9.2.1	Background	104
9.2.2	Age and sex structure	104
9.3	Age-adjusted mortality	106
9.3.1	Mortality among young adults	106
9.3.2	Mortality among the elderly	108
9.4	Comparisons with mortality in 1970–72	109
9.5	Trends in mortality	111
9.6	Cause-specific mortality	114
9.6.1	Major causes	114
9.7	Summary and discussion	119
	References	121
10	Variations in perinatal, neonatal, postneonatal and infant mortality by mother's country of birth, 1982–85	
	<i>R. Balarajan and V.S. Raleigh</i>	
10.1	Introduction	124
10.2	Variation by period of infancy, age and parity	124
10.3	Variation by birthweight	126
10.4	Variation by social class	129
10.5	Variation by cause of death	130
10.5.1	Congenital anomalies	130
10.5.2	Perinatal conditions	130
10.5.3	Respiratory diseases	131
10.5.4	Sudden death from unknown causes	131
10.5.5	Contribution of selected causes of death to infant mortality	132

	<i>Page</i>
10.6 Geographical differences	132
10.7 Trends since 1975	134
10.8 Summary and discussion	135
 References	 137
 Appendices	
<i>Appendix 1 Composition of geographic areas</i>	139
<i>Appendix 2 Supplementary material for Chapters 3, 5–10</i>	147
<i>Appendix 3 Availability of mortality data, 1979–83</i>	204
A Microfiche	204
B Unpublished data	204
C Cause of death lists	205
 <i>Appendix 4 Index to microfiche tables of mortality data, 1979–83</i>	 208
A Index, by area	208
B Index, by selected cause group	217
 <i>Appendix 5 Maps showing counties of England and Wales in 1921–30, 1950–53 and 1979–83</i>	 221
A 1921–30	221
B 1950–53	222
C 1979–83	223

List of the Tables

	<i>Page</i>	
Table 1.1	Tabulations of area mortality in the Decennial Supplements of the Registrar General for England and Wales, 1851–1973	2
Table 3.1	SMRs in the periods 1959–63, 1969–73, and 1979–83: all causes	18
Table 3.2	SMRs by broad age-group and sex, all causes 1979–83	19
Table 3.3	Local authorities with all cause SMRs above 115, 1979–83	19
Table 3.4	The twenty local authorities with the highest mortality due to all causes (ICD 001–999): numbers of deaths and SMRs by sex, 1979–83	21
Table 3.5	The twenty local authorities with the highest mortality due to malignant neoplasms (ICD 140–208): numbers of deaths and SMRs by sex, 1979–83	21
Table 3.6	The twenty local authorities with the highest mortality due to ischaemic heart disease (ICD 410–414): numbers of deaths and SMRs by sex, 1979–83	22
Table 3.7	The twenty local authorities with the highest mortality due to external causes of injury and poisoning (ICD E800–E999): numbers of deaths and SMRs by sex, 1979–83	22
Table 3.8	SMRs in the periods 1959–63, 1969–73 and 1979–83: all causes	26
Table 5.1	Neonatal, postneonatal and infant mortality rates per 1,000 live births by birthweight, and percentage distribution by birthweight, 1983–5	49
Table 5.2	District health authorities with significantly high or low infant mortality rates, by birthweight, 1983–85	52
Table 5.3	Infant mortality rates per 1,000 live births for DHAs classified by characteristics of parents of live births, and percentage distribution by birthweight, 1983–85	55
Table 6.1	Mortality in 1973–83 for local authorities clustered according to the proportion of households with the head in Social Class I or II	59
Table 6.2	Mortality in 1973–83 for local authorities clustered according to the proportion of households living in local authority rented accommodation	61
Table 6.3	Mortality in 1973–83 for local authorities clustered according to their proximity to the coast	62
Table 6.4	Mortality in 1973–83 for local authorities clustered according to their average altitude above sea level	62
Table 6.5	Mortality in 1971–81 by socio-economic area cluster of residence in 1971 and sex	64

Table 6.6	Distribution of male population in 1971 and male mortality in 1971–81, by socio-economic family for each region of residence in 1971	66
Table 6.7	SMRs for socio-economic ward clusters with grouped regions in 1971–81 (males)	68
Table 6.8	Male mortality in 1971–81 by socio-economic area family of residence in 1971 by selected causes	69
Table 6.9	Male mortality in 1971–81 by socio-economic area family of residence and tenure in 1971, for all causes malignant neoplasms, circulatory diseases and respiratory diseases	69
Table 6.10	Female mortality in 1971–81 by socio-economic area family of residence and tenure in 1971, for all causes, malignant neoplasms, circulatory diseases and respiratory diseases	70
Table 6.11	Male mortality in 1971–81 by socio-economic family and social class in 1971, for all causes, malignant neoplasms, circulatory diseases and respiratory diseases	71
Table 6.12	Percentage distribution of population resident in Regional Heart Study areas by grouped region and hardness of water, 1969–73	72
Table 6.13	Male mortality from cardiovascular diseases (ICD 8th Revision 400–458) in 1971–81 for those resident in Regional Heart Study areas by water hardness 1969–73 and grouped region of residence in 1971	73
Table 6.14	Male mortality from ischaemic heart diseases (ICD 8th Revision 400–429) in 1971–81 for those resident in Regional Heart Study areas by water hardness 1969–73 and grouped region of residence in 1971	73
Table 6.15	Female mortality from cardiovascular diseases (ICD 8th Revision 450–458) in 1971–81 for those resident in Regional Heart Study areas by water hardness 1969–73 and grouped region of residence in 1971	73
Table 6.16	Female mortality from ischaemic heart disease (ICD 8th Revision 400–429) in 1971–81 for those resident in Regional Heart Study areas by water hardness 1969–73 and grouped region of residence in 1971	73
Table 6.17	Scaled deviances in regression models for observed deaths by grouped region and hardness of water	74
Table 6.18	Male mortality from malignant neoplasms of the stomach (ICD 8th Revision 151) in 1971–81 for residents of Regional Heart Study areas in private households by level of water nitrate 1969–73 and housing tenure in 1971	75
Table 6.19	Female mortality from malignant neoplasms of the stomach (ICD 8th Revision 151) in 1971–81 for residents of Regional Heart Study areas in private households by level of water nitrate 1969–73 and housing tenure in 1971	75
Table 6.20	Scaled deviances in regression models for observed deaths from stomach cancer by tenure and water nitrate level	75
Table 6.21	Male mortality from malignant neoplasms of the stomach (ICD 8th Revision 151) in 1971–81 for residents of Regional Heart Study areas in private households by level of water nitrate 1969–73 and housing tenure in 1971 in South and East regions only	77

Table 6.22	Female mortality from malignant neoplasms of the stomach (ICD 8th Revision 151) in 1971–81 for residents of Regional Heart Study areas in private households by level of water nitrate 1969–73 and housing tenure in 1971 in South and East regions only	77
Table 7.1	Mortality in 1971–81 of people aged five years and over in 1971 and migration in the five years before the 1971 Census, by sex and distance moved	83
Table 7.2	Mortality in 1971–81 of people aged five years and over in 1971 and migration in the five years before the 1971 Census: SMRs by sex, selected age-group at death and distance moved	83
Table 7.3	Mortality in 1971–81 of people aged five years and over in 1971 and migration in the five years before the 1971 Census: SMRs by sex and distance moved for selected causes	85
Table 7.4	Mortality in 1971–75 and 1976–81 of people aged five years and over in 1971 and migration in the five years before the 1971 Census: SMRs by sex and distance moved	85
Table 7.5	Mortality in 1971–81 of persons aged five years and over in 1971 and migration in the five years before the 1971 Census: SMRs by sex, distance moved, type of household in 1971 and period of death	86
Table 7.6	Mortality in 1971–81 of males aged five years and over in 1971 and migration in the five years before the 1971 Census: SMRs for selected age-group at death, distance moved and economic position in 1971	87
Table 7.7	Mortality in 1971–81 of females aged five years and over in 1971 and migration in the five years before the 1971 Census: SMRs for selected age-group at death, distance moved and economic position in 1971	87
Table 7.8	Percentage distribution of males by distance moved in 1966–71 and ward cluster of residence in 1971	89
Table 7.9	Male mortality in 1971–81: SMRs for socio-economic ward cluster of residence in 1971 and distance moved in 1966–71	92
Table 7.10	Male mortality in 1971–81: SMRs for socio-economic family of residence in 1971 and distance moved in 1966–71 for selected causes	93
Table 8.1	Numbers of deaths by sex and age-group for selected causes, 1969–72	97
Table 8.2	Areas with place of birth PMRs for ischaemic heart disease in the top tenth and bottom tenth of the distribution, and statistically significantly different from unity, 1969–72	98
Table 8.3	Areas with place of birth PMRs for stroke in the top tenth and bottom tenth of the distribution, and statistically significantly different from unity, 1969–72	98
Table 8.4	Areas with place of birth PMRs for chronic bronchitis in the top tenth and bottom tenth of the distribution and statistically significantly different from unity 1969–72	98
Table 8.5	Areas with place of birth PMRs for stomach cancer in the top tenth and bottom tenth of the distribution and statistically significantly different from unity, 1969–72	98
Table 8.6	The eight largest place of birth PMRs for stomach cancer in men, with and without adjustment for social class, 1969–72	98

Table 8.7	Observed and expected deaths and PMRs for stomach cancer for Caernarvonshire AC and Exeter CB, 1969–72	98
Table 8.8	Correlation coefficients for SMRs, 1968–78 (all ages both sexes) and PMRs for place of birth and death, selected causes of death, 1969–72	99
Table 8.9	Chi-square statistics used to assess strength of PMR variations for selected causes of death, 1969–72	99
Table 9.1	Male enumerated population at 1981 Census by age and country of birth	105
Table 9.2	Female enumerated population at 1981 Census by age and country of birth	105
Table 9.3	Percentage distribution of 1981 Census enumerated population by age and sex, and sex-ratio by country of birth	106
Table 9.4	Mortality at ages 20–69 from all causes by sex and country of birth, 1979–83	107
Table 9.5	Mortality at ages 20–49 from all causes by sex and country of birth, 1979–83	107
Table 9.6	Male age-specific (20–69 years) mortality ratios for all causes by country of birth, 1979–83	108
Table 9.7	Female age-specific (20–69 years) mortality ratios for all causes by country of birth, 1979–83	108
Table 9.8	Mortality at ages 70 and over from all causes by sex and country of birth, 1979–83	110
Table 9.9	Male age-specific (70 years and over) mortality ratios for all causes by country of birth, 1979–83	110
Table 9.10	Female age-specific (70 years and over) mortality ratios for all causes by country of birth, 1979–83	110
Table 9.11	Mortality at ages 20–69 from all causes by sex and country of birth, 1970–72 and 1979–83	111
Table 9.12	Trends in male mortality at ages 20–69 from all causes by country of birth, 1970–72 and 1979–83	113
Table 9.13	Trends in female mortality at ages 20–69 from all causes by country of birth, 1970–72 and 1979–83	114
Table 9.14	Percentage distribution of cause of death for males aged 20–49 by country of birth, 1979–83	117
Table 9.15	Percentage distribution of specific causes of death from circulatory diseases for males aged 20–49 by country of birth, 1979–83	117
Table 9.16	Percentage distribution of cause of death for females aged 20–49 by country of birth, 1979–83	119
Table 9.17	Percentage distribution of specific causes of death from circulatory diseases for females aged 20–49 by country of birth, 1979–83	119
Table 10.1	Infant mortality rates by parity and mother's country of birth, 1982–85	125

Table 10.2	Perinatal mortality rates by birthweight and mother's country of birth, 1982–85	128
Table 10.3	Postneonatal mortality rates by birthweight and mother's country of birth, 1982–85	129
Table 10.4	Infant mortality rates by social class of father and mother's country of birth, 1982–85	129
Table 10.5	Perinatal and postneonatal mortality from congenital anomalies, 1982–85	130
Table 10.6	Perinatal mortality from perinatal conditions and respiratory distress syndrome, by mother's country of birth, 1982–85	131
Table 10.7	Infant mortality rates by mother's area of usual residence and country of birth, 1982–85	133
Table 10.8	Infant and perinatal mortality rates for immigrant and for UK born mothers by mother's area of usual residence, 1982–85	134
Table 10.9	Infant mortality by immigrant group and mother's area of usual residence, 1982–85	135

List of the Figures

	<i>Page</i>
Figure 2.1 Illustrations of contribution to person-years at risk: OPCS Longitudinal Study	8
Figure 3.1 Number of times the SMR for a local authority appears in the top 20 listing for selected causes, 1979–83, counties and metropolitan counties	23
Figure 3.2 Number of times the SMR for a local authority appears in the top 20 listing for selected causes, 1979–83, metropolitan districts of Tyne and Wear	24
Figure 3.3 Number of times the SMR for a local authority appears in the top 20 listing for selected causes, 1979–83, metropolitan districts of Merseyside and Greater Manchester	24
Figure 3.4 Number of times the SMR for a local authority appears in the top 20 listing for selected causes, 1979–83, London boroughs	25
Figure 3.5 All cause SMRs by sex and standard region, 1959–63, 1969–73, and 1979–83 England and Wales 1979–83 = 10000	26
Figure 4.1(a) Geographic variation in mortality of males: all causes, SMRs for 1921–30, 1950–53 and 1979–83; counties of England and Wales	32
Figure 4.1(b) Geographic variation in mortality of females: all causes, SMRs for 1921–30, 1950–53 and 1979–83; counties of England and Wales	33
Figure 4.2(a) Geographic variation in mortality of males: stomach cancer, SMRs for 1921–30, 1950–53 and 1979–83; counties of England and Wales	34
Figure 4.2(b) Geographic variation in mortality of females: stomach cancer, SMRs for 1921–30, 1950–53 and 1979–83; counties of England and Wales	35
Figure 4.3 Geographic variation in mortality of males: lung cancer, SMRs for 1946–49 and 1979–83; London boroughs	36
Figure 4.4(a) Geographic variation in mortality of males: cardiovascular disease, SMRs for 1921–30 and 1979–83; counties of England and Wales	37
Figure 4.4(b) Geographic variation in mortality of females: cardiovascular disease, SMRs for 1921–30 and 1979–83; counties of England and Wales	37
Figure 4.5(a) Geographic variation in mortality of males: ischaemic heart disease, SMRs for 1921–30, 1950–53 and 1979–83; counties of England and Wales	38
Figure 4.5(b) Geographic variation in mortality of females: ischaemic heart disease, SMRs for 1921–30, 1950–53 and 1979–83; counties of England and Wales	39
Figure 4.6(a) Geographic variation in mortality of males: cerebrovascular disease, SMRs for 1921–30, and 1979–83; counties of England and Wales	41

Figure 4.6(b) Geographic variation in mortality of females: cerebrovascular disease, SMRs for 1921–30, and 1979–83; counties of England and Wales	41
Figure 4.7(a) Geographic variation in mortality of males: bronchitis, SMRs for 1921–30, 1950–53 and 1979–83; counties of England and Wales	42
Figure 4.7(b) Geographic variation in mortality of females: bronchitis, SMRs for 1921–30, 1950–53 and 1979–83; counties of England and Wales	43
Figure 4.8(a) Geographic variation in mortality of males: peptic ulcer, SMRs for 1921–30, 1950–53 and 1979–83; counties of England and Wales	44
Figure 4.8(b) Geographic variation in mortality of females: peptic ulcer, SMRs for 1921–30, 1950–53 and 1979–83; counties of England and Wales	45
Figure 5.1 Neonatal and postneonatal components of infant mortality rates for regional health authorities of England and Wales, 1983–85 combined	48
Figure 5.2 Infant mortality rates by birthweight, 1983–85, district health authorities of England and Welsh management units	51
Figure 6.1 Proportion of private households where head is in Social Class I or II, SMRs by standard region, 1979–83	60
Figure 6.2 Proportion of private households in local authority accommodation, SMRs by standard region, 1979–83	60
Figure 6.3 SMRs by proximity to the coast, 1979–83, standard regions	63
Figure 6.4 Mortality in 1971–81 by socio-economic area cluster of residence in 1971 and sex, England and Wales	65
Figure 6.5 Male mortality by socio-economic area cluster and grouped region, 1971–81	66
Figure 7.1 Percentage distribution at each age by distance moved in the five years before the 1971 Census, England and Wales	82
Figure 7.2 Mortality in 1971–81 of people aged 5 years and over in 1971 and migration in the five years before the 1971 Census, SMRs by sex, selected age-group at death and distanced moved	84
Figure 7.3 Mortality in 1971–81 of people aged 5 years and over in 1971 and migration in the five years before the 1971 Census: SMRs by sex, selected age-group at death and distance moved, for selected causes	84
Figure 7.4 Male mortality (SMRs) in 1971–81 by socio-economic area of residence in 1971 and distance moved 1966–71, England and Wales	90
Figure 9.1 All cause mortality (SMRs ages 20–69) by sex and country of birth, 1979–83	106
Figure 9.2 All cause mortality (SMRs, ages 20–49) country of birth, 1979–83	108
Figure 9.3 Male all cause mortality: age specific ratios by country of birth, 1979–83	109
Figure 9.4 Female all cause mortality: age specific ratios by country of birth, 1979–83	109

Figure 9.5	Comparison of all cause SMRs between 1970–72 and 1979–83 by country of birth and sex, ages 20–69	112
Figure 9.6	Percentage change in all cause SMRs between 1970–72 and 1979–83 by country of birth and sex, ages 20–69	113
Figure 9.7	Distribution of deaths in each age-group by cause of death according to country of birth and sex, 1979–83	115
Figure 9.8	Distribution of deaths by cause according to country of birth and sex, 1979–83, ages 20–49	116
Figure 9.9	Distribution of deaths by cause, 1979–83: all females aged 20–49 (a) resident in England and Wales, (b) born in the Indian subcontinent, (c) born in the Caribbean Commonwealth	118
Figure 10.1	Infant, perinatal, neonatal and postneonatal mortality rates by mother’s country of birth, 1982–85, England and Wales	125
Figure 10.2	Infant mortality rates by mother’s age and country of birth, 1982–85, England and Wales	126
Figure 10.3	Perinatal mortality rates by age and parity for mothers born in the UK and the Indian subcontinent, 1982–85, England and Wales	127
Figure 10.4	Percentage birthweight distribution by mother’s country of birth, 1982–85, England and Wales	127
Figure 10.5	Perinatal mortality rates by birthweight and mother’s country of birth, 1982–85, England and Wales	128
Figure 10.6	Perinatal, postneonatal and infant mortality ratios standardised for social class (UK born = 100), by mother’s country of birth, 1982–85, England and Wales	130
Figure 10.7	Infant mortality by main causes of death and mother’s country of birth, 1982–85, England and Wales	131
Figure 10.8	Sudden infant deaths as a proportion of postneonatal deaths by mother’s country of birth, 1982–85, England and Wales	132
Figure 10.9	Percentage contribution of the main causes of death to infant mortality by mother’s country of birth, 1982–85, England and Wales	133
Figure 10.10	Trends in infant mortality by mother’s country of birth, 1975–85	135
Figure 10.11	Trends in perinatal mortality 1975–85 by country of birth of mother	135
Figure 10.12	Trends in postneonatal mortality by mother’s country of birth, 1975–85	136