

CONTENTS

| | |
|--------------------|----|
| Contributors | xi |
|--------------------|----|

Preface

| | |
|---|----|
| Naibedya Chattopadhyay and Edward M. Brown..... | xv |
|---|----|

Chapter 1

Ambrish Mithal and Edward M. Brown

A overview of extracellular calcium homeostasis and the roles of the CaR in parathyroid and C-cells

| | |
|---|----|
| <i>Introduction</i> | 1 |
| <i>Overview of Ca^{2+}_o homeostasis</i> | 2 |
| <i>Ca^{2+}_o-regulated PTH secretion</i> | 4 |
| <i>Pre 1993 evidence for a G protein-coupled, Ca^{2+}_o-sensing receptor</i> | 7 |
| <i>Cloning of the Ca^{2+}_o-sensing receptor</i> | 8 |
| <i>Structure and function of the cloned CaR</i> | 9 |
| <i>CaR: distribution and function in the parathyroid</i> | 11 |
| <i>Regulation of CaR expression in the parathyroid</i> | 12 |
| <i>Role of the CaR in C-cells</i> | 17 |
| <i>Summary and conclusions</i> | 18 |

Chapter 2

Mei Bai

Structure-function relationship of the extracellular calcium-sensing receptor

| | |
|---|----|
| <i>Introduction</i> | 29 |
| <i>N-glycosylation with complex carbohydrates is important for cell-surface expression of the CaR</i> | 33 |
| <i>The CaR dimerizes via both covalent and non-covalent interactions</i> | 33 |
| <i>CaR dimerization is functionally important</i> | 34 |
| <i>CaR interactions with its principal physiological agonist, Ca^{2+}_o is through its ECD</i> | 37 |

| | |
|---|----|
| <i>Amino acid residues in i2 and i3 of the CaR are important for receptor activation</i> | 38 |
| <i>The intact C-tail of the CaR is important for normal function of the receptor</i> | 39 |
| <i>The CaR can be regulated by PKC</i> | 40 |
| <i>Identification and characterization of naturally occurring CaR mutations provides insights into the structure-function relationships of the receptor</i> | 41 |
| <i>Conclusion</i> | 43 |

Chapter 3

Karin D. Rodland

Calcium receptor-mediated signaling

| | |
|--|----|
| <i>Introduction</i> | 53 |
| <i>Proximal signaling from the CaR</i> | 53 |
| <i>Intermediate signaling events: consequences of PLC activation</i> | 54 |
| <i>Activation of Src tyrosine kinase by the CaR</i> | 55 |
| <i>Activation of the Ras-Raf-Mek-MAP kinase Cascade</i> | 56 |
| <i>Activation of phosphatidylinositol 3' kinase</i> | 58 |
| <i>Downstream responses</i> | 58 |

Chapter 4

Daniela Riccardi and Steven C. Hebert

Extracellular Ca²⁺-sensing receptor and kidney function

| | |
|---|----|
| <i>Introduction</i> | 69 |
| <i>Plasma calcium and regulation of urinary calcium excretion</i> .. | 71 |
| <i>CaR in the kidney</i> | 72 |
| <i>CaR in the thick ascending limb of Henle</i> | 73 |
| <i>CaR in the inner medullary collecting duct</i> | 76 |
| <i>CaR in the DCT</i> | 81 |
| <i>CaR in the proximal tubule and collecting ducts</i> | 83 |
| <i>Developmental regulation of CaR expression in the kidney</i> | 86 |
| <i>CaR in the regulation of proliferation and differentiation</i> | 86 |
| <i>Inherited disorders and acquired conditions involving calcium metabolism which arise from aberrations in the structure or density of the CaR</i> | 87 |
| <i>Inherited disorders of the CaR gene</i> | 87 |

| | |
|---|----|
| <i>Acquired disorders of the CaR gene</i> | 89 |
| <i>Concluding remarks</i> | 91 |

Chapter 5

Toru Yamaguchi

Calcium-sensing receptor in bone

| | |
|--|-----|
| <i>Introduction</i> | 103 |
| <i>CaR in osteoblasts and their precursors</i> | 105 |
| <i>CaR in bone marrow-derived stromal cells</i> | 109 |
| <i>CaR in monocyte-macrophage cells</i> | 111 |
| <i>CaR in osteoclasts and their precursors</i> | 112 |
| <i>Ca²⁺_o-sensing mechanism in osteocytes</i> | 114 |
| <i>CaR in chondrocytes</i> | 114 |
| <i>Conclusion</i> | 115 |

Chapter 6

R. John MacLeod

Functions of the calcium-sensing receptor in the gastrointestinal system

| | |
|------------------------------------|-----|
| <i>Introduction</i> | 125 |
| <i>Stomach</i> | 126 |
| <i>Pancreas</i> | 130 |
| <i>Liver</i> | 131 |
| <i>Gallbladder</i> | 132 |
| <i>Small intestine</i> | 133 |
| <i>Intestinal cell lines</i> | 136 |
| <i>Colon</i> | 138 |
| <i>Summary</i> | 139 |

Chapter 7

Claudine H. Kos and Martin R. Pollak

The calcium-sensing receptor (CaR) and human disease

| | |
|---|-----|
| <i>Introduction</i> | 149 |
| <i>Disorders associated with CASR mutations</i> | 149 |
| <i>Familial hypocalciuric hypercalcemia (FHH): Mendelian inheritance in Man (MIM)</i> | 150 |

| | |
|--|-----|
| <i>The Genetics of FHH</i> | 152 |
| <i>Neonatal severe hyperparathyroidism (NSHPT)</i> | 153 |
| <i>The genetics of NSHPT</i> | 154 |
| <i>NSHPT as a result of compound heterozygous CASR mutations</i> | 155 |
| <i>Neonatal hyperparathyroidism resulting from a single heterozygous CASR mutation</i> | 156 |
| <i>Autosomal dominant hypocalcemia (ADH)</i> | 157 |
| <i>Identification and characterization of CASR mutations in FHH, NSHPT and ADH</i> | 158 |
| <i>Primary and secondary uremic hyperparathyroidism</i> | 160 |
| <i>Additional disorders associated with CaR alterations</i> | 161 |
| <i>CASR polymorphisms</i> | 162 |

Chapter 8

Edward F. Nemeth and John Fox

Compounds acting on the parathyroid calcium receptor as novel therapies for hyperparathyroidism or Osteoporosis

| | |
|--|-----|
| <i>Introduction</i> | 173 |
| <i>Pharmacology of the Calcium Receptor</i> | 174 |
| <i>Calcimimetics</i> | 174 |
| <i>Calcilytics</i> | 177 |
| <i>Primary hyperparathyroidism</i> | 178 |
| <i>Secondary hyperparathyroidism</i> | 181 |
| <i>Preclinical studies in animal models with secondary hyperparathyroidism</i> | 183 |
| <i>Clinical studies in patients with secondary hyperparathyroidism</i> | 187 |
| <i>Temporary -vs- sustained decreases in circulating levels of PTH</i> | 191 |
| <i>Osteoporosis</i> | 192 |
| <i>Conclusion</i> | 194 |

Chapter 9

Stephen J. Quinn and Arthur D. Conigrave

Alternative agonists and modulators: evidence that the calcium-sensing receptor is a multi-modal sensor

| | |
|---|-----|
| <i>Multi-modal sensing by the CaR</i> | 203 |
| <i>Introduction</i> | 205 |
| <i>Magnesium</i> | 206 |
| <i>Other inorganic polyvalent cations</i> | 207 |
| <i>Polycationic organic molecules</i> | 207 |
| <i>Spermine</i> | 208 |
| <i>Amyloid-β peptides</i> | 210 |
| <i>Modulation of the CaR by ionic strength</i> | 210 |
| <i>Possible locations of physiologically relevant ionic strength sensing by the CaR</i> | 211 |
| <i>Modulation of the CaR by extracellular pH</i> | 212 |
| <i>Possible mechanisms of pH_o modulation of the CaR</i> | 213 |
| <i>Modulation of the CaR by L-amino acids</i> | 215 |
| <i>Effects of L-amino acids on the CaR</i> | 215 |
| <i>Significance of L-amino acid sensing by the CaR</i> | 216 |

Chapter 10

Chianping Ye, Peter M. Vassilev and Naibedya Chattopadhyay

Expression and functions of calcium-sensing receptor in the central nervous system

| | |
|--|-----|
| <i>Introduction</i> | 227 |
| <i>Functions of the CaR in neurons</i> | 228 |
| <i>Functions of the CaR in glial cells</i> | 234 |
| <i>Future directions</i> | 238 |

Chapter 11

Chia-Ling Tu, Yuko Oda, Laszlo Komuves and Daniel D. Bikle

The role of the calcium receptor in calcium regulated keratinocyte differentiation

| | |
|---------------------------|-----|
| <i>Introduction</i> | 245 |
|---------------------------|-----|

| | |
|---|-----|
| <i>Keratinocytes express the full-length CaR and an alternatively spliced variant</i> | 247 |
| <i>Expression of the CaRs during keratinocyte differentiation</i> | 249 |
| <i>Blockage of CaR expression in keratinocytes inhibited $[Ca^{2+}]_i$ response and expression of terminal differentiation markers</i> | 251 |
| <i>Expression of CaR in mammalian epidermis</i> | 253 |
| <i>Car-/- mice express the alternatively spliced CaR</i> | 253 |
| <i>Complete sequence of mouse CaR</i> | 256 |
| <i>The $[Ca^{2+}]_i$ response to $[Ca^{2+}]_o$ in keratinocytes from Car-/- mice</i> | 257 |
| <i>The morphology of the epidermis is altered in the skin of Car-/- mice</i> | 258 |
| <i>Decreased expression of terminal differentiation markers in the epidermis of Car-/- mice</i> | 260 |
| <i>Conclusion</i> | 260 |

Chapter 12

Enikő Kállay, Heide S. Cross and Meinrad Peterlik

Calcium-sensing receptor and neoplastic transformation

| | |
|--|-----|
| <i>Introduction</i> | 267 |
| <i>Extracellular calcium in regulation of cellular proliferation and differentiation</i> | 268 |
| <i>The calcium-sensing receptor (CaR) is present on human colon carcinoma cells</i> | 268 |
| <i>CaR function and signal transduction in tumor cells</i> | 269 |
| <i>CaR gene expression during tumor progression</i> | 271 |
| <i>No mutations in the CaR gene during neoplastic Transformation</i> | 272 |
| <i>Conclusion and outlook</i> | 273 |