

# Contents

- 1 INTRODUCTION, 1**
  - 1.1 Nutritional assessment systems, 2**
    - 1.1.1 Nutrition surveys, 2
    - 1.1.2 Nutrition surveillance, 2
    - 1.1.3 Nutrition screening, 3
    - 1.1.4 Nutrition interventions, 3
    - 1.1.5 Assessment systems in the clinical setting, 5
  - 1.2 Nutritional assessment methods, 5**
    - 1.2.1 Dietary methods, 5
    - 1.2.2 Laboratory methods, 6
    - 1.2.3 Anthropometric methods, 6
    - 1.2.4 Clinical methods, 7
    - 1.2.5 Ecological factors, 7
  - 1.3 Nutritional assessment indices and indicators, 7**
  - 1.4 The design of nutritional assessment systems, 9**
    - 1.4.1 Study objectives, 9
    - 1.4.2 Sampling protocols, 9
    - 1.4.3 Calculating sample size, 11
    - 1.4.4 Validity, 11
    - 1.4.5 Reproducibility or precision, 11
    - 1.4.6 Accuracy, 12
    - 1.4.7 Random errors, 13
    - 1.4.8 Systematic errors or bias, 14
    - 1.4.9 Confounding, 15
    - 1.4.10 Sensitivity, 16
    - 1.4.11 Specificity, 16
    - 1.4.12 Prevalence, 17
    - 1.4.13 Predictive value, 18
    - 1.4.14 Ethical issues, 19
    - 1.4.15 Additional factors, 19
  - 1.5 Evaluation of nutritional assessment indices, 20**
    - 1.5.1 Reference distribution, 20
    - 1.5.2 Reference limits, 20
    - 1.5.3 Cutoff points, 21
    - 1.5.4 Trigger levels, 23

- 2 FOOD CONSUMPTION AT THE NATIONAL AND HOUSEHOLD LEVELS, 27**
  - 2.1 Measuring food consumption at the national level, 27**
    - 2.1.1 Food balance sheets, 27
    - 2.1.2 Total diet studies, 30
    - 2.1.3 Universal product codes and electronic scanning devices, 32
  - 2.2 Measuring food consumption at the household level, 33**
    - 2.2.1 Food account method, 34
    - 2.2.2 Household food record method, 34
    - 2.2.3 Household 24-h recall method, 35
  - 2.3 National food consumption surveys: household methods, 36**
  - 2.4 Summary, 37**
- 3 MEASURING FOOD CONSUMPTION OF INDIVIDUALS, 41**
  - 3.1 Methods for measuring food consumption of individuals, 41**
    - 3.1.1 Twenty-four-hour recall method, 41
    - 3.1.2 Repeated 24-h recalls, 44
    - 3.1.3 Estimated food records, 44
    - 3.1.4 Weighed food records, 45
    - 3.1.5 Dietary history, 45
    - 3.1.6 Food frequency questionnaire, 46
  - 3.2 Technical improvements in food consumption measurements, 50**
    - 3.2.1 Telephone, 50
    - 3.2.2 Photographs, 51
    - 3.2.3 Graduated food models, 52
    - 3.2.4 Tape recorders, 52
    - 3.2.5 Microcomputers, 53
  - 3.3 Selecting an appropriate method, 54**

- 3.3.1 Determining the mean nutrient intake of a group: level one, 55
- 3.3.2 Calculating the population percentage "at risk": level two, 56
- 3.3.3 Ranking individuals by food or nutrient intake: level three, 57
- 3.3.4 Determining usual intakes of nutrients of individuals: level four, 58
- 3.4 Summary, 59**
  
- 4 ASSESSMENT OF NUTRIENT INTAKES FROM FOOD CONSUMPTION DATA, 65**
  
- 4.1 Compiling or augmenting food composition data, 65**
- 4.1.1 Direct chemical analysis, 65
- 4.1.2 Using food composition data from other sources, 66
- 4.1.3 Calculating representative values, 66
- 4.1.4 Estimating missing food composition values, 67
- 4.1.5 Calculating nutrient values of recipes from ingredient data, 68
  
- 4.2 Food composition databases, 69**
- 4.2.1 United States Nutrient Databases, 70
- 4.2.2 Canadian Nutrient File, 71
- 4.2.3 United Kingdom National Nutritional Database, 72
- 4.2.4 European food composition databases, 72
- 4.2.5 International Minilist Nutrient Database, 72
  
- 4.3 Food composition tables, 73**
- 4.3.1 U.S. and Canadian food composition tables, 73
- 4.3.2 U.K. food composition tables, 73
- 4.3.3 European food composition tables, 74
  
- 4.4 Sources of error in food composition values, 74**
- 4.4.1 Inadequate sampling protocols, 75
- 4.4.2 Inappropriate analytical methods, 76
- 4.4.3 Analytical errors, 80
- 4.4.4 Uncertainties associated with energy and protein values, 81
- 4.4.5 Inconsistencies in terminology, 83
- 4.4.6 Incorrect description of individual foods, 86

- 4.4.7 Genetic, environmental, preparation, and processing factors, 87
- 4.5 International Network of Food Data Systems, 88**
- 4.6 Verifying nutrient values in a food composition database, 88**
- 4.7 Analysis of foods or diets, 89**
- 4.8 Assessment of available nutrient intakes, 91**
  - 4.8.1 Mosen's algorithms for available iron, 92
  - 4.8.2 FAO/WHO algorithm, 92
  - 4.8.3 Algorithm of Murphy and co-workers, 93
  - 4.8.4 Other algorithms for available iron, 94
  - 4.8.5 WHO algorithm for available zinc, 94
  - 4.8.6 Algorithm of Murphy and co-workers for available zinc, 96
  - 4.8.7 IZiNCG algorithm, 96
  - 4.8.8 Development of algorithms for other nutrients, 97
- 4.9 Summary, 99**
  
- 5 MEASUREMENT ERRORS IN DIETARY ASSESSMENT, 105**
- 5.1 Sources of measurement error, 105**
- 5.2 Assessment and control of measurement errors, 106**
  - 5.2.1 Nonresponse bias, 106
  - 5.2.2 Respondent biases, 106
  - 5.2.3 Interviewer biases, 110
  - 5.2.4 Respondent memory lapses, 111
  - 5.2.5 Incorrect estimation of portion size consumed, 113
  - 5.2.6 Measurement aids to quantify portion sizes, 113
  - 5.2.7 Omission of information on nutrient supplement usage, 117
  - 5.2.8 Coding errors, 119
  - 5.2.9 Errors in the handling of mixed dishes, 120
- 5.3 Implications of measurement errors in dietary assessment, 121**
- 5.4 Summary, 122**

## Contents

- 6 REPRODUCIBILITY IN DIETARY ASSESSMENT, 129**
  - 6.1 Assessment of reproducibility in dietary methods, 129**
    - 6.1.1 Twenty-four-hour recalls, 130
    - 6.1.2 Food records, 131
    - 6.1.3 Dietary histories, 132
    - 6.1.4 Food frequency questionnaires, 134
  - 6.2 Sources of true variability in nutrient intakes, 136**
    - 6.2.1 Between-subject variation, 136
    - 6.2.2 Age and sex effects, 137
    - 6.2.3 Within-subject variation, 137
    - 6.2.4 Day-of-the-week effects, 140
    - 6.2.5 Seasonal and other effects, 140
    - 6.2.6 Sequence effect, 141
  - 6.3 Statistical assessment of reproducibility, 141**
    - 6.3.1 Analysis of variance, 141
    - 6.3.2 Paired tests on the mean or median intake, 142
    - 6.3.3 Degree of misclassification, 142
    - 6.3.4 Mean and standard deviation of the difference, 143
    - 6.3.5 Correlation analysis, 144
  - 6.4 Summary, 145**
  
- 7 VALIDITY IN DIETARY ASSESSMENT METHODS, 149**
  - 7.1 Design of relative validity studies, 149**
    - 7.1.1 Selection of subjects for a validation study, 150
    - 7.1.2 Study objective and time frame, 150
    - 7.1.3 Sequence and spacing of test and reference methods, 150
    - 7.1.4 Independent errors, 151
    - 7.1.5 Sex and age, 151
    - 7.1.6 Socioeconomic status, ethnicity, and health status, 151
    - 7.1.7 Other factors, 152
  - 7.2 Relative validity in dietary studies, 152**
    - 7.2.1 Relative validity of 24-h recalls, 152
    - 7.2.2 Relative validity of food records, 155
    - 7.2.3 Relative validity of dietary histories, 156
    - 7.2.4 Relative validity of food frequency questionnaires, 158

- 7.3 Use of biomarkers to validate dietary intakes, 161**
  - 7.3.1 Use of doubly labeled water to validate reported energy intake, 164
  - 7.3.2 Basal metabolic rate as a biomarker for energy intakes, 167
  - 7.3.3 Cutoffs based on predicted total energy expenditure, 169
  - 7.3.4 Twenty-four-hour urinary nitrogen excretion to validate protein intake, 170
  - 7.3.5 Other uses of 24-h urine nitrogen in validation studies, 171
  - 7.3.6 Excretion of nutrients in urine, 173
  - 7.3.7 Fatty acids in adipose tissue, 174
  - 7.3.8 Fatty acids in blood fractions, 180
- 7.4 Statistical assessment of validity, 182**
  - 7.4.1 Tests on the means or medians, 182
  - 7.4.2 Pearson correlation coefficients, 183
  - 7.4.3 Other measures of correlation, 185
  - 7.4.4 Regression analysis, 185
  - 7.4.5 Cross-classification, 186
  - 7.4.6 Mean and standard deviation of the difference, 186
  - 7.4.7 Analysis of surrogate categories, 187
  - 7.4.8 New approaches, 187
- 7.5 Summary, 187**
- 8 EVALUATION OF NUTRIENT INTAKES AND DIETS, 197**
  - 8.1 Nutrient reference levels, 197**
    - 8.1.1 Underlying principles, 198
    - 8.1.2 U.K. Dietary Reference Values, 203
    - 8.1.3 U.S. and Canadian Dietary Reference Intakes, 204
    - 8.1.4 European reference values, 208
    - 8.1.5 FAO/WHO nutrient requirements, 208
    - 8.1.6 WHO Safe Range of Population Intakes for Trace Elements, 210
    - 8.1.7 WHO Recommendations for prevention of diet-related chronic diseases, 211
  - 8.2 Evaluating the nutrient intakes of individuals, 212**
    - 8.2.1 Using the EAR, 212
    - 8.2.2 Using the AI, 213
    - 8.2.3 Using the UL, 213
  - 8.3 Evaluating the nutrient intakes of population groups, 214**

- 8.3.1 Probability approach, 215
- 8.3.2 EAR cutpoint method, 217
- 8.3.3 Using 77% percent of the RDA as a cutoff value, 218
- 8.3.4 Use of AI for groups, 218
- 8.3.5 Use of UL for groups, 219
- 8.3.6 WHO lower limits of safe ranges of population mean intakes, 219
- 8.4 Food-based dietary guidelines, 220**
  - 8.4.1 Characteristics of food-based dietary guidelines, 221
  - 8.4.2 Evaluating intakes using food-based dietary guidelines, 222
- 8.5 Summary, 227**
  
- 9 ANTHROPOMETRIC ASSESSMENT, 233**
  - 9.1 Advantages and limitations of anthropometric assessment, 234**
  - 9.2 Errors in anthropometry, 234**
    - 9.2.1 Random measurement errors and precision, 235
    - 9.2.2 Systematic measurement errors and accuracy, 237
    - 9.2.3 Errors from changes in tissue composition and properties, 239
    - 9.2.4 Invalid models and errors in body composition, 239
  - 9.3 Interpretation and evaluation of anthropometric data, 240**
    - 9.3.1 Conditioning factors, 240
    - 9.3.2 Appropriate reference data, 241
    - 9.3.3 Classification systems, 242
  
- 10 ANTHROPOMETRIC ASSESSMENT OF BODY SIZE, 245**
  - 10.1 Measurements of body size, 245**
    - 10.1.1 Head circumference, 245
    - 10.1.2 Gestational age, 246
    - 10.1.3 Recumbent length, 246
    - 10.1.4 Height, 247
    - 10.1.5 Knee height in children, 248
    - 10.1.6 Lower leg length in infants, 250
    - 10.1.7 Knee height in adults, 251
    - 10.1.8 Arm span, 251
    - 10.1.9 Weight in infants and children, 252

10.1.10 Weight in older children  
and adults, 252

10.1.11 Elbow breadth, 253

**10.2 Growth indices, 253**

10.2.1 Head circumference-for-age, 254

10.2.2 Weight-for-age, 254

10.2.3 Weight-for-height, 255

10.2.4 Height-for-age, 256

10.2.5 Selecting the appropriate  
growth indices, 256

10.2.6 Weight changes, 257

**10.3 Body mass index in adults, 259**

10.3.1 BMI and measures of body fat  
and disease risk, 260

10.3.2 WHO classification of over-  
weight and obesity in adults, 261

10.3.3 Canadian classification of over-  
weight and obesity in adults, 262

10.3.4 U.S. classification of overweight  
and obesity in adults, 263

10.3.5 BMI and chronic energy  
deficiency in adults, 263

**10.4 BMI in children and  
adolescents, 264**

10.4.1 WHO classification of over-  
weight and obesity in children, 266

10.4.2 U.S. classification of over-  
weight and obesity in children, 266

10.4.3 Comparisons of overweight and  
obesity among countries, 267

**10.5 Summary, 268**

**11 ANTHROPOMETRIC ASSESS-  
MENT OF BODY COMPOS-  
ITION, 273**

**11.1 Assessment of body fat, 273**

11.1.1 Skinfold thickness measurements, 274

11.1.2 Waist-hip circumference ratio, 279

11.1.3 Waist circumference, 282

11.1.4 Limb fat area, 285

11.1.5 Calculation of body fat from  
skinfolds via body density, 286

**11.2 Assessment of the fat-free mass, 290**

11.2.1 Mid-upper-arm circumference, 290

11.2.2 Mid-upper-arm muscle  
circumference, 291

11.2.3 Mid-upper-arm muscle area, 292

**11.3 Summary, 293**



## Contents

- 12 ANTHROPOMETRIC REFERENCE DATA, 299**
- 12.1 Fetal growth reference data, 300**
- 12.2 Growth reference data for preterm infants, 301**
- 12.3 Head circumference reference data, 303**
- 12.4 Distance growth reference data for infants and children, 304**
  - 12.4.1 NCHS/WHO growth reference data, 304
  - 12.4.2 WHO multicenter growth reference data for infants and children, 305
  - 12.4.3 European growth reference data, 306
  - 12.4.4 U.S. CDC 2000 growth reference data, 307
  - 12.4.5 U.K. 1990 growth reference data, 310
  - 12.4.6 Growth reference data for children with special needs, 311
- 12.5 Parent-allowed-for growth reference data, 311**
  - 12.5.1 U.S. parent-allowed-for growth reference data, 311
  - 12.5.2 U.K. familial height chart, 312
- 12.6 Tempo-conditional growth charts, 312**
  - 12.6.1 U.S. tempo-conditional growth charts, 313
  - 12.6.2 U.K. tempo-conditional growth charts, 313
- 12.7 Growth velocity reference data, 314**
  - 12.7.1 U.S. growth velocity reference data, 315
  - 12.7.2 U.K. growth velocity reference data, 316
- 12.8 Adult height and weight reference data, 317**
  - 12.8.1 U.S. adult height and weight reference data, 317
  - 12.8.2 U.K. adult height and weight reference data, 318
- 12.9 Body mass index reference data, 318**
  - 12.9.1 U.S. BMI reference data for children, 319
  - 12.9.2 U.K. BMI reference data for children, 319
  - 12.9.3 International BMI cutoffs for children for obesity, 320

12.9.4 Other BMI reference data for children, 321

**12.10 Waist circumference reference data, 322**

12.10.1 U.S. waist circumference reference data, 323

12.10.2 U.K. waist circumference reference data for children, 323

**12.11 Triceps and subscapular skinfold reference data, 324**

12.11.1 U.S. triceps and subscapular skinfold reference data, 324

12.11.2 U.K. triceps and subscapular skinfold reference data, 325

**12.12 Mid-upper-arm circumference reference data, 326**

12.12.1 WHO MUAC reference data by age or height, 326

12.12.2 U.S. mid-upper-arm circumference reference data, 327

**12.13 Mid-upper-arm fat area reference data, 327**

12.13.1 U.S. mid-upper-arm fat area reference data, 328

**12.14 Mid-upper-arm muscle-circumference and muscle-area reference data, 328**

12.14.1 U.S. mid-upper-arm muscle circumference and mid-upper-arm muscle area reference data, 328

**12.15 Summary, 329**

**13 EVALUATION OF ANTHROPO-METRIC INDICES, 335**

**13.1 Modes of expression of anthropometric indices, 335**

13.1.1 Percentiles, 336

13.1.2 Z-scores, 337

13.1.3 Percent-of-median, 339

**13.2 Use of anthropometric indices in clinical settings, 339**

13.2.1 Screening to identify abnormal changes in growth, 340

13.2.2 Assessing response to therapy, 341

**13.3 Use of anthropometric indices in public health, 341**

- 13.3.1 Use of MUAC for children, 342
- 13.3.2 Use of MUAC for adults, 343
- 13.3.3 MUAC-for-height: QUAC stick, 343
- 13.3.4 Weight-for-height wall chart, 344
- 13.3.5 Using combinations of indices for studies of individuals, 345
- 13.4 Use of anthropometric indices in population studies, 347**
  - 13.4.1 Targeting interventions, 347
  - 13.4.2 Assessing response to an intervention, 349
  - 13.4.3 Identifying the determinants and consequences of malnutrition, 349
  - 13.4.4 Nutritional surveillance, 350
- 13.5 Summary, 350**
  
- 14 LABORATORY ASSESSMENT OF BODY COMPOSITION, 353**
  - 14.1 Chemical analysis of cadavers, 354**
  - 14.2 Total body potassium using  $^{40}\text{K}$ , 354**
  - 14.3 Total body water using isotope dilution, 355**
  - 14.4 Other body fluid compartments and isotope dilution, 357**
  - 14.5 In vivo activation analysis, 358**
    - 14.5.1 Total body nitrogen by in vivo NAA, 358
    - 14.5.2 Total body calcium by in vivo NAA, 359
  - 14.6 Densitometry, 359**
    - 14.6.1 Hydrostatic weighing, 360
    - 14.6.2 Water-displacement plethysmography, 361
    - 14.6.3 Air-displacement plethysmography, 361
    - 14.6.4 Calculation of body fat from body density, 362
  - 14.7 Total body electrical conductivity, 362**
  - 14.8 Bioelectrical impedance, 363**
  - 14.9 Computerized tomography, 365**
  - 14.10 Magnetic resonance imaging, 366**

**14.11 Dual-energy X-ray absorptiometry, 366**

**14.12 Ultrasound, 368**

**14.13 Summary, 368**

**15 LABORATORY ASSESSMENT, 373**

**15.1 Nutrients in biological fluids and tissues, 374**

15.1.1 Blood, 374

15.1.2 Erythrocytes, 375

15.1.3 Leukocytes, 377

15.1.4 Breast milk, 377

15.1.5 Saliva, 379

15.1.6 Sweat, 379

15.1.7 Adipose tissue, 380

15.1.8 Liver and bone, 380

15.1.9 Hair, 380

15.1.10 Fingernails and toenails, 382

15.1.11 Buccal mucosal cells, 382

15.1.12 Urinary excretion rate of the nutrient or its metabolite, 383

**15.2 Functional tests, 384**

15.2.1 Abnormal metabolic products in blood or urine, 386

15.2.2 Reduction in activity of enzymes, 386

15.2.3 Changes in blood components, 387

15.2.4 In vitro tests of in vivo functions, 387

15.2.5 Induced responses, load and tolerance tests in vivo, 387

15.2.6 Spontaneous in vivo responses, 388

15.2.7 Growth responses, 389

15.2.8 Developmental responses, 389

15.2.9 Sleep behavior, 390

**15.3 Characteristics of laboratory tests, 390**

15.3.1 Precision, 390

15.3.2 Analytical accuracy, 391

15.3.3 Analytical sensitivity, 392

15.3.4 Analytical specificity, 393

15.3.5 Validity, 393

15.3.6 Predictive value, 393

**15.4 Evaluation of laboratory indices, 393**

15.4.1 Reference distribution and reference limits, 394

15.4.2 Cutoff points, 396

## Contents

- 16 ASSESSMENT OF PROTEIN STATUS, 403**
  - 16.1 Assessment of somatic protein status, 407**
    - 16.1.1 Urinary creatinine excretion, 407
    - 16.1.2 Excretion of 3-methylhistidine, 409
  - 16.2 Assessment of visceral protein status, 410**
    - 16.2.1 Total serum protein, 411
    - 16.2.2 Serum albumin, 411
    - 16.2.3 Serum transferrin, 413
    - 16.2.4 Serum retinol-binding protein, 415
    - 16.2.5 Serum transthyretin, 417
    - 16.2.6 Insulin-like growth factor I, 419
    - 16.2.7 Plasma alkaline ribonuclease activity and fibronectin, 420
  - 16.3 Metabolic changes as indices of protein status, 420**
    - 16.3.1 Plasma amino acid ratio, 420
    - 16.3.2 Urinary 3-hydroxyproline excretion, 421
    - 16.3.3 Nitrogen balance, 422
    - 16.3.4 Estimated nitrogen balance and apparent net protein utilization, 423
    - 16.3.5 Urea nitrogen : creatinine ratios, 426
  - 16.4 Muscle function tests, 426**
    - 16.4.1 Skeletal muscle function after electrical stimulation, 426
    - 16.4.2 Handgrip strength, 428
  - 16.5 Immunological tests, 429**
    - 16.5.1 Lymphocyte count, 430
    - 16.5.2 Thymus-dependent lymphocytes, 431
    - 16.5.3 Lymphocyte proliferation assays, 432
    - 16.5.4 Delayed cutaneous hypersensitivity, 432
    - 16.5.5 Cytokine production, 434
    - 16.5.6 Other methods, 435
  - 16.6 Summary, 435**
- 17 ASSESSMENT OF IRON STATUS, 443**
  - 17.1 Hemoglobin, 446**
    - 17.1.1 Factors affecting hemoglobin concentrations, 446
    - 17.1.2 Interpretive criteria, 448
    - 17.1.3 Using hemoglobin distribution to assess population iron status, 449
    - 17.1.4 Measurement of hemoglobin, 450

- 17.2 Hematocrit, 450**
  - 17.2.1 Interpretive criteria, 451
  - 17.2.2 Measurement of hematocrit, 451
- 17.3 Red cell indices, 451**
  - 17.3.1 Mean cell volume, 452
  - 17.3.2 Mean cell hemoglobin, 453
  - 17.3.3 Mean cell hemoglobin concentration, 453
- 17.4 Red cell distribution width, 454**
- 17.5 Serum iron, TIBC, and transferrin saturation, 454**
  - 17.5.1 Factors influencing serum iron, TIBC, and transferrin saturation, 455
  - 17.5.2 Interpretive criteria, 457
  - 17.5.3 Measurement of serum iron and TIBC, 458
- 17.6 Serum ferritin, 459**
  - 17.6.1 Factors affecting serum ferritin, 459
  - 17.6.2 Interpretive criteria, 462
  - 17.6.3 Measurement of serum ferritin, 463
- 17.7 Zinc protoporphyrin and free erythrocyte protoporphyrin, 463**
  - 17.7.1 Factors affecting ZnPP and FEP, 464
  - 17.7.2 Interpretive criteria, 464
  - 17.7.3 Measurement of ZnPP and FEP, 464
- 17.8 Serum transferrin receptor, 466**
  - 17.8.1 Factors affecting serum TfR, 466
  - 17.8.2 Interpretive criteria, 468
  - 17.8.3 Measurement of serum TfR, 469
- 17.9 Multiple indices, 470**
- 17.10 Summary, 470**
- 18 ASSESSMENT OF THE STATUS OF VITAMINS A, D, AND E, 477**
  - 18.1 Vitamin A, 478**
    - 18.1.1 Serum retinol, 480
    - 18.1.2 Serum retinol-binding protein, 484
    - 18.1.3 Serum retinyl ester, 486
    - 18.1.4 Serum carotenoids, 486
    - 18.1.5 Breast milk retinol, 487
    - 18.1.6 Relative dose response, 488
    - 18.1.7 Modified relative dose response, 490
    - 18.1.8 Subjective assessment of night blindness, 490
    - 18.1.9 Rapid dark adaptation test, 492
    - 18.1.10 Pupillary and visual threshold test, 493

- 18.1.11 Conjunctival impression  
cytology with transfer, 494
- 18.1.12 Stable isotope methods and  
total body stores of vitamin A, 496
- 18.1.13 Multiple indices, 496

## **18.2 Vitamin D, 497**

- 18.2.1 Serum 25-hydroxyvitamin D, 501
- 18.2.2 Serum 1,25(OH)<sub>2</sub>D, 506
- 18.2.3 Serum alkaline phosphatase, 507
- 18.2.4 Serum parathyroid hormone, 508
- 18.2.5 Calcium and phosphorus in  
serum and urine, 508

## **18.3 Vitamin E, 508**

- 18.3.1 Serum  $\alpha$ -tocopherol, 511
- 18.3.2 Serum  $\alpha$ -tocopherol :  
cholesterol ratio, 514
- 18.3.3 Erythrocyte tocopherol, 514
- 18.3.4 Platelet tocopherol, 514
- 18.3.5 Tissue tocopherol, 514
- 18.3.6 Erythrocyte hemolysis test, 515
- 18.3.7 Erythrocyte malondialdehyde  
release in vitro, 515
- 18.3.8 Breath pentane and ethane, 516

## **18.4 Summary, 516**

# **19 ASSESSMENT OF VITAMIN C STATUS, 529**

## **19.1 Serum ascorbic acid, 531**

- 19.1.1 Interpretive criteria, 534
- 19.1.2 Measurement of serum  
ascorbic acid, 534

## **19.2 Ascorbic acid in leukocytes and specific cell types, 535**

- 19.2.1 Interpretive criteria for leukocytes  
and other cell types, 537
- 19.2.2 Measurement of ascorbic acid in  
leukocytes and other cell types, 537

## **19.3 Ascorbic acid in erythrocytes and whole blood, 538**

## **19.4 Urinary excretion of ascorbic acid and metabolites, 538**

## **19.5 Salivary and buccal cell ascorbic acid, 539**

## **19.6 Body pool size, 539**

## **19.7 Capillary fragility, 539**

## **19.8 Summary, 540**

- 20 ASSESSMENT OF THE STATUS OF THIAMIN, RIBOFLAVIN, AND NIACIN, 545**
  - 20.1 Thiamin, 545**
    - 20.1.1 Erythrocyte transketolase, 547
    - 20.1.2 Urinary thiamin excretion, 551
    - 20.1.3 Total thiamin in whole blood and erythrocytes, 552
  - 20.2 Riboflavin, 554**
    - 20.2.1 Erythrocyte glutathione reductase activity, 557
    - 20.2.2 Urinary riboflavin excretion, 560
    - 20.2.3 Riboflavin and FAD in blood , 562
  - 20.3 Niacin, 562**
    - 20.3.1 Urinary excretion of niacin metabolites, 565
    - 20.3.2 Niacin and niacin coenzymes in plasma and erythrocytes, 567
  - 20.4 Summary, 568**
  
- 21 ASSESSMENT OF VITAMIN B<sub>6</sub> STATUS, 575**
  - 21.1 Erythrocyte aminotransferases, 577**
    - 21.1.1 Factors affecting activity of erythrocyte aminotransferases, 579
    - 21.1.2 Interpretive criteria, 580
    - 21.1.3 Measurement of erythrocyte transaminase activities, 581
  - 21.2 Plasma pyridoxal-5'-phosphate, 581**
    - 21.2.1 Factors affecting plasma PLP levels, 582
    - 21.2.2 Interpretive criteria, 583
  - 21.3 Erythrocyte pyridoxal-5'-phosphate, 584**
  - 21.4 Urinary vitamin B<sub>6</sub>, 584**
  - 21.5 Urinary 4-pyridoxic acid, 586**
  - 21.6 Tryptophan load test, 587**
  - 21.7 Kynurenine load test, 589**
  - 21.8 Methionine load test, 589**
  - 21.9 Multiple indices, 590**
  - 21.10 Summary, 590**



## Contents

- 22 ASSESSMENT OF FOLATE AND VITAMIN B<sub>12</sub> STATUS, 595**
  - 22.1 Folate, 597**
    - 22.1.1 Red cell indices, 600
    - 22.1.2 Serum folate concentrations, 600
    - 22.1.3 Erythrocyte folate, 604
    - 22.1.4 Formiminoglutamate excretion, 608
    - 22.1.5 Serum homocysteine, 608
    - 22.1.6 Neutrophil lobe count, 613
    - 22.1.7 Multiple indices, 614
  - 22.2 Vitamin B<sub>12</sub>, 615**
    - 22.2.1 Serum vitamin B<sub>12</sub>, 618
    - 22.2.2 Erythrocyte vitamin B<sub>12</sub>, 623
    - 22.2.3 Serum holotranscobalamin II, 623
    - 22.2.4 Deoxyuridine suppression test, 624
    - 22.2.5 Methylmalonic acid excretion, 625
    - 22.2.6 Serum methylmalonic acid, 626
    - 22.2.7 The Schilling and other tests, 628
    - 22.2.8 Multiple indices, 630
  - 22.3 Summary, 631**
  
- 23 ASSESSMENT OF CALCIUM, PHOSPHORUS, AND MAGNESIUM STATUS, 641**
  - 23.1 Calcium, 642**
    - 23.1.1 Serum calcium, 645
    - 23.1.2 Serum ionized calcium, 646
    - 23.1.3 Bone alkaline phosphatase activity in serum, 647
    - 23.1.4 Serum osteocalcin, 648
    - 23.1.5 Urinary pyridinium cross-links, 650
    - 23.1.6 Radiogrammetry, 653
    - 23.1.7 Single-photon absorptiometry, 653
    - 23.1.8 Dual X-ray absorptiometry (DXA), 654
    - 23.1.9 Computerized tomography, 656
    - 23.1.10 Quantitative ultrasound, 656
    - 23.1.11 Neutron activation, 656
  - 23.2 Phosphorus, 657**
    - 23.2.1 Serum phosphorus, 659
  - 23.3 Magnesium, 661**
    - 23.3.1 Serum magnesium, 665
    - 23.3.2 Ionized magnesium in serum and erythrocytes, 666
    - 23.3.3 Erythrocyte magnesium, 668
    - 23.3.4 Magnesium in leukocytes and other cell types, 669
    - 23.3.5 Urinary magnesium and the magnesium load test, 670
    - 23.3.6 Muscle magnesium, 672
  - 23.4 Summary, 672**

## **24 ASSESSMENT OF CHROMIUM, COPPER AND ZINC STATUS, 683**

### **24.1 Chromium, 685**

- 24.1.1 Serum chromium, 688
- 24.1.2 Changes in serum chromium  
after a glucose load, 690
- 24.1.3 Erythrocyte and whole  
blood chromium, 690
- 24.1.4 Urinary chromium, 690
- 24.1.5 Changes in urinary chromium  
after a glucose load, 693
- 24.1.6 Hair chromium concentrations, 693
- 24.1.7 Oral glucose tolerance test, 694
- 24.1.8 Multiple indices, 696

### **24.2 Copper, 697**

- 24.2.1 Serum copper, 700
- 24.2.2 Serum ceruloplasmin, 703
- 24.2.3 Erythrocyte superoxide  
dismutase, 705
- 24.2.4 Cytochrome C oxidase, 707
- 24.2.5 Skin lysyl oxidase, 708
- 24.2.6 Diamine oxidase, 709
- 24.2.7 Hair copper concentrations, 710
- 24.2.8 Other indices of copper status, 710
- 24.2.9 Multiple indices, 711

### **24.3 Zinc, 711**

- 24.3.1 Serum zinc, 715
- 24.3.2 Erythrocyte zinc, 721
- 24.3.3 Leukocyte and neutrophil zinc, 721
- 24.3.4 Urine zinc concentrations, 722
- 24.3.5 Hair zinc concentrations, 723
- 24.3.6 Salivary zinc, 724
- 24.3.7 Zinc-dependent enzymes, 724
- 24.3.8 Serum thymulin, 726
- 24.3.9 Metallothionein, 726
- 24.3.10 Monocyte metallothionein  
messenger RNA, 727
- 24.3.11 Kinetic markers: pool sizes  
and turnover rates, 728
- 24.3.12 Oral zinc tolerance test, 729
- 24.3.13 Taste acuity tests, 729
- 24.3.14 Multiple indices, 730

### **24.4 Summary, 731**

## **25 ASSESSMENT OF IODINE AND SELENIUM STATUS, 749**

### **25.1 Iodine, 750**

- 25.1.1 Thyroid size by neck palpation, 754
- 25.1.2 Thyroid volume by  
ultrasonography, 755
- 25.1.3 Urinary iodine excretion, 757

- 25.1.4 Thyroid stimulating hormone  
in serum or whole blood, 760
- 25.1.5 Serum thyroglobulin, 763
- 25.1.6 Thyroxine and triiodo-  
thyronine in serum, 764
- 25.1.7 Radioactive iodine uptake, 765
- 25.1.8 Multiple indices, 766

## **25.2 Selenium, 766**

- 25.2.1 Plasma selenium, 771
- 25.2.2 Whole blood selenium  
concentrations, 774
- 25.2.3 Erythrocyte and platelet  
selenium, 775
- 25.2.4 Urinary selenium, 776
- 25.2.5 Glutathione peroxidase, 777
- 25.2.6 Selenoprotein P, 780
- 25.2.7 Hair selenium, 781
- 25.2.8 Toenail selenium, 782
- 25.2.9 Multiple indices, 783

## **26 CLINICAL ASSESSMENT, 797**

### **26.1 Medical history, 797**

### **26.2 Physical examination, 800**

- 26.2.1 Limitations of the physical  
examination, 802
- 26.2.2 Classification and interpretation  
of physical signs, 803
- 26.2.3 Functional assessment, 804

### **26.3 Summary, 805**

**27 NUTRITIONAL ASSESSMENT OF HOSPITAL PATIENTS, 809**

**27.1 Screening using a single index, 811**

27.1.1 Screening with a single biochemical index, 811

27.1.2 Screening using anthropometry, 812

27.1.3 Screening using a functional index, 812

27.1.4 Characteristics of single-index screening protocols, 812

**27.2 Multiparameter screening, 813**

27.2.1 Prognostic Nutritional Index, 814

27.2.2 Nutritional Risk Index, 816

27.2.3 Subjective Global Assessment, 816

27.2.4 Mini Nutritional Assessment, 818

27.2.5 Nutritional scores for use by nurses, 820

**27.3 The prognostic value of multiparameter scoring systems, 821**

**27.4 Summary, 822**

**APPENDIX A, 827**

**INDEX, 885**