

Contents

Series Editor's Introduction	ix
Preface	xiii
1. PRIMALS	1
1.1 Introduction	1
<i>1.1.1 Derivation of PRIMALS</i>	1
<i>1.1.2 Algebraic and Geometric Details</i>	2
<i>1.1.3 Basic Properties of PRIMALS</i>	2
<i>1.1.4 Examples</i>	3
<i>1.1.5 Variables Treated as Active or Passive</i>	3
1.2 Structure of the PRIMALS Program	4
<i>1.2.1 Single Optimal Quantification</i>	4
<i>1.2.2 PCA Step</i>	5
1.3 First PRIMALS Example: Crime and Fear	6
<i>1.3.1 Introduction</i>	6
<i>1.3.2 PRIMALS Solution</i>	6
<i>1.3.3 Passive Interactive Variable</i>	8
<i>1.3.4 PCA Results</i>	9
<i>1.3.5 Location of SC Points</i>	12
1.4 Second PRIMALS Example: Socioeconomic Variables	13

<i>1.4.1 Introduction</i>	13
<i>1.4.2 Optimal Quantification</i>	14
<i>1.4.3 Discrimination Measures and Component Loadings</i>	15
1.5 Conclusions: When PRIMALS, and What Are the Alternatives?	17
2. HOMALS	18
2.1 Introduction	18
2.2 When Is HOMALS Useful?	21
2.3 Some Special Remarks	22
<i>2.3.1 More Than Two Dimensions</i>	22
<i>2.3.2 HOMALS Not Always Fair</i>	23
<i>2.3.3 Leading Category Quantifications</i>	23
2.4 Structure of the HOMALS Program	24
2.5 First HOMALS Example: Dental Patterns of Mammals	25
2.6 Second HOMALS Example: Parliamentarians	29
2.7 Third HOMALS Example: Background Variables	35
2.8 Fourth HOMALS Example: Seriation	37
2.9 Reversed Indicator Matrix	40
2.10 Horseshoes	42
<i>2.10.1 Introduction</i>	42
<i>2.10.2 Why Horseshoes?</i>	43
<i>2.10.3 Horseshoes as a Mathematical Artifact</i>	43
3. ANACOR	45
3.1 Introduction	45
3.2 What Data Can Be Analyzed With ANACOR?	46
3.3 First ANACOR Example: Marriages in Suriname	46
3.4 ANACOR and Chi-Square	49
3.5 Further Elaboration of Chi-Square Decomposition	51
3.6 ANACOR and Indicator Matrices	52
3.7 ANACOR Criteria	53
3.8 Second ANACOR Example: Voting Behavior and Degree of Urbanization	54
3.9 Third ANACOR Example: Shoplifting	55
4. PRINCALS	59
4.1 Introduction	59
4.2 PRINCALS Options	59
<i>4.2.1 Points of Departure</i>	59
<i>4.2.2 Survey of PRINCALS Options</i>	60

4.3 Terminology and Geometric Details	62
4.3.1 Introduction	62
4.3.2 Example	62
4.3.3 PRINCALS Results for the First Variable	62
4.3.4 Recapitulation of Fit and Loss in PRINCALS	66
4.4 Multiple or Mixed Treatment of Variables	67
4.5 PRINCALS Example: Suicide Data	68
4.5.1 Introduction	68
4.5.2 PRINCALS Results	70
4.5.3 Background Variables	73
4.5.4 MC Solutions	74
5. CANALS	76
5.1 Introduction	76
5.2 Some Assumptions Underlying CA	77
5.3 Properties of CA	77
5.3.1 Canonical Correlations	77
5.3.2 Canonical Weights and Canonical Loadings	78
5.4 Graphs	80
5.5 Basic Properties of CANALS	81
5.6 Special Cases	82
5.7 First CANALS Example: Dutch Parliament	83
5.7.1 Introduction	83
5.7.2 First Analysis	83
5.7.3 CANALS Results of Second Analysis	85
5.8 Second CANALS Example: Crime and Fear	90
5.9 Third CANALS Example: Smoking and Health	91
5.9.1 Introduction	91
5.9.2 CANALS Results	93
6. OVERALS	94
6.1 Introduction	94
6.2 Properties of a Numerical OVERALS Solution	95
6.3 OVERALS With Categorical Variables	95
6.4 OVERALS Criterion	96
6.5 Nonnumerical OVERALS	98
6.6 Multiple Nominal Treatment of Variables	98
6.6.1 Broken Lattice	98
6.6.2 Relations With Numerical Solution	99
6.7 OVERALS Output	100
6.8 Multiple Quantification of Variables Treated as Single	101
6.9 OVERALS as a “Master Program”	102

6.10 OVERALS Example	103
<i>6.10.1 Introduction</i>	103
<i>6.10.2 OVERALS Example: Smoking and Health</i>	103
<i>6.10.3 Category Quantifications</i>	104
<i>6.10.4 Component Loadings</i>	104
7. Some Conclusions	107
7.1 Stability Analysis	107
7.2 Preview	108
7.3 A Final Consideration	111
Appendix: Dutch Political Parties	113
Recommended Reading	116
References	118
Author Index	120
Subject Index	122
About the Author	124