
Contents

<i>Preface</i>	<i>page</i> xiii
Prologue	1
1 Introduction	7
1.1 Multicellularity and cellular differentiation have evolved many times	8
1.2 The evolutionary origins of most forms of multicellularity are obscure	10
1.3 Desirable features of a model system for studying the origins of multicellularity	13
2 The Volvocales: Many Multicellular Innovations	16
2.1 The green algae: an ancient and inventive group	17
2.2 <i>Chlamydomonas</i> and its relatives: master colony-formers	22
2.3 The volvocine algae: a linear progression in organismic complexity?	26
2.4 The volvocacean family tree appears to have a complicated branching pattern	30
2.4.1 A single volvocacean species name can mask extensive genetic diversity	31
2.4.2 There are marked differences in developmental patterns within the genus <i>Volvox</i>	33
	vii

2.4.3	Molecular evidence indicates that most volvocacean taxa, including <i>Volvox</i> , are polyphyletic	39
2.4.4	There may have been several separate pathways leading from <i>Chlamydomonas</i> to <i>Volvox</i>	42
2.5	The genetic program for cellular differentiation in <i>Volvox</i> should be amenable to analysis	44
3	Ecological Factors Fostering the Evolution of <i>Volvox</i>	45
3.1	Volvocaceans compete for resources in transitory, eutrophic waters	46
3.2	Even in permanent bodies of water, the volvocaceans flourish only briefly each year	47
3.3	Different aspects of the environment favor green algae of different body sizes	52
3.3.1	Smaller organisms have an intrinsic advantage under “optimum” conditions	52
3.3.2	Predation favors organisms above a threshold size	54
3.3.3	The larger the colony, the more efficient the uptake and storage of essential nutrients	56
3.3.4	In field studies, volvocacean ability to exploit eutrophic conditions has been found to be correlated with size	60
3.4	In eutrophic environments, differentiation of soma and germ is reproductively advantageous	61
3.4.1	Hypothesis: The soma acts as a source for nutrients, and germ cells act as a sink	61
3.4.2	Test: Gonidia produce larger progeny in the presence of an intact soma and rich medium	62
3.5	Two major forms of source–sink relationship between soma and germ have evolved in <i>Volvox</i>	64
4	Cytological Features Fostering the Evolution of <i>Volvox</i>	68
4.1	The need to find a place in the sun imposes a rigid constraint on the structure of green flagellate cells	70
4.1.1	The photoreceptor uses calcium to signal light direction and intensity	71
4.1.2	The two flagella of <i>Chlamydomonas</i> respond oppositely to changes in calcium concentration	74

4.1.3	The difference between the two flagella is due to a difference in basal-body age	76
4.1.4	Proper orientation of the eyespot and the BBs must be maintained in each generation	78
4.2	Three kinds of cytoskeletal elements in the basal apparatus link BBs to other organelles	79
4.2.1	Microtubular rootlets link the BBs to the cortical cytoskeleton and the eyespot	81
4.2.2	Centrin-rich fibers connect the BBs to one another and to the nucleus	83
4.2.3	Assemblin-rich fibers connect the two halves of the BA to one another	86
4.3	Cell division in <i>Chlamydomonas</i> and related green algae has some unusual features	87
4.4	The BA plays a key role in segregation of organelles during division of <i>C. reinhardtii</i>	89
4.4.1	BBs are essential for coordination of karyokinesis with cytokinesis	89
4.4.2	The NBBCs couple the movements of the BBs to that of the mitotic spindle	93
4.4.3	MTRs maintain the spatial relationship between old and new BBs and define the cleavage plane	94
4.4.4	The role of the BA in cytokinesis assures orderly segregation of organelles	95
4.4.5	A new eyespot forms next to the new 4MTR emanating from the younger BB	97
4.5	The BA and cell wall established the conditions that led to germ-soma differentiation	98
4.5.1	A coherent cell wall created a dilemma for green flagellates: “the flagellation constraint”	99
4.5.2	Small algae with coherent walls exhibit three solutions to the flagellation constraint	99
4.5.3	The presence of a <i>Chlamydomonas</i> -type wall is also accompanied by multiple fission	102
4.5.4	Multiple fission facilitates colony formation	102
4.5.5	Larger algae circumvent the flagellation constraint in a new way: with sterile somatic cells	103
4.6	The extent of germ–soma differentiation increases with increasing size	104

4.7	Environment provided the stimulus and cytology provided the mechanism for germ–soma differentiation	107
5	<i>Volvox carteri</i>: A Rosetta Stone for Deciphering the Origins of Cytodifferentiation	109
5.1	Some features recommending <i>V. carteri</i> f. <i>nagariensis</i> as a developmental model	110
5.2	Two formas of <i>V. carteri</i> differ greatly in their genetic accessibility	112
5.3	An overview of <i>V. carteri</i> anatomy and reproduction	115
5.3.1	Somatic cells are polarized, but gonidia are radial in organization	116
5.3.2	The BA is arranged very differently in somatic cells and gonidia	117
5.3.3	An asymmetric BA in somatic cells is essential for motility	121
5.3.4	A complex ECM holds the organism together	122
5.3.5	The asexual reproductive cycle is simple and rapid	124
5.3.6	The sexual cycle begins with a modified asexual cycle	126
5.4	Asexual morphogenesis and cytodifferentiation	127
5.4.1	Cleavage: creating two cell lineages from one	128
5.4.2	Inversion: turning the best side out	151
5.4.3	Cytodifferentiation: converting the germ–soma dichotomy from potential to actual	159
5.4.4	ECM deposition: architectural dexterity by remote control	165
5.4.5	Hatching: breaking up the old family homestead	177
5.4.6	Phototaxis: 4,000 oars responding to the commands of a single coxswain	180
5.4.7	Programmed somatic-cell suicide: the last full measure of devotion	186
5.5	Sexual induction and differentiation	188
5.5.1	The source(s) of the sex-inducing pheromone	189
5.5.2	The nature of the sex-inducing pheromone	193
5.5.3	Developmental consequences of exposure to the pheromone	196
5.5.4	Biochemical effects of the pheromone and the riddle of its mechanism of action	200
5.5.5	Zygote formation and germination	211

6	Mutational Analysis of the <i>V. carteri</i> Developmental Program	218
6.1	Formal genetic analysis	219
6.2	Drug-resistant mutants	221
6.3	Morphogenetic mutants	224
6.3.1	Cleavage mutants	225
6.3.2	Inversion mutants	232
6.3.3	ECM mutants	234
6.3.4	Cell-orientation mutants	237
6.4	Mutations affecting sexual reproduction	239
6.4.1	Constitutive sexuality	239
6.4.2	Reduced fertility and sterility	241
6.4.3	Male potency	242
6.4.4	Female hypersensitivity	244
6.4.5	Gender reversal	244
6.5	Mutations disrupting the normal germ–soma dichotomy	246
6.5.1	Somatic-regenerator mutants	247
6.5.2	Late-gonidia mutants	251
6.5.3	Gonidialess mutants	252
6.5.4	Modifiers and suppressors	254
6.6	The genetic program for germ–soma differentiation: a working hypothesis	255
7	Molecular Analysis of <i>V. carteri</i> Genes and Development	258
7.1	Some general features of the <i>V. carteri</i> genome and its replication	259
7.1.1	A curious uncertainty: Is nuclear DNA replication tied to the mitotic cycle?	262
7.1.2	Is all chloroplast DNA of somatic cells of gonidial origin?	265
7.2	Progress in establishing a DNA-based map of the <i>V. carteri</i> nuclear genome	266
7.2.1	Strains used for mapping DNA polymorphisms	266
7.2.2	DNA modifications complicate analysis of some <i>V. carteri</i> polymorphisms	268
7.2.3	RAPDs provide many additional markers	276
7.3	General features of <i>V. carteri</i> protein-coding genes	277
7.3.1	Exon–intron structure and the question of intron origins	277
7.3.2	The role of introns in regulating gene expression	281
7.3.3	Codon bias and its evolutionary implications	282

7.3.4	Putative regulatory signals	286
7.3.5	<i>Volvox</i> genes: plant-like or animal-like?	294
7.3.6	Gene duplication and/or homogenization	296
7.4	Development of molecular-genetic tools	298
7.4.1	Transformation	299
7.4.2	Reporter genes, inducible promoters, and anti-sense constructs	300
7.4.3	Introduction and expression of foreign transgenes	301
7.4.4	Gene modification by homologous recombination	302
7.4.5	Transposon trapping	304
7.5	Transposon tagging of developmentally important genes	305
7.5.1	Tagging and cloning of the <i>regA</i> locus	307
7.5.2	Tagging and cloning of a <i>gls</i> locus	310
7.6	Patterns of differential gene expression accompanying germ–soma differentiation	313
7.6.1	Early and late gene-expression patterns in somatic cells	313
7.6.2	Two patterns of gene expression in gonidia	317
7.6.3	Additional embryo-specific genes are readily identified	318
7.7	Patterns of gene expression in a mutant lacking germ–soma differentiation	319
7.8	Control of the germ–soma dichotomy: a new molecular-genetic hypothesis	320
	Epilogue	324
	<i>References</i>	331
	<i>Index</i>	375