

---

## **Chapter 1 Introduction to Cells**

<b>Cells Under the Microscope</b>	<b>1</b>
The Invention of the Light Microscope Led to the Discovery of Cells	2
Cells, Organelles, and Even Molecules Can Be Seen Under the Microscope	3
<b>The Eucaryotic Cell</b>	<b>9</b>
The Nucleus Is the Information Store of the Cell	9
Mitochondria Generate Energy from Food to Power the Cell	10
Chloroplasts Capture Energy from Sunlight	12
Internal Membranes Create Intracellular Compartments with Different Functions	13
The Cytosol Is a Concentrated Aqueous Gel of Large and Small Molecules	15
The Cytoskeleton Is Responsible for Cell Movements	16
<b>Unity and Diversity of Cells</b>	<b>17</b>
Cells Vary Enormously in Appearance and Function	19

---

## **Chapter 2 Chemical Components**

<b>Chemical Bonds</b>	<b>37</b>
Cells Are Made of Relatively Few Types of Atoms	38
The Outermost Electrons Determine How Atoms Interact	39
Ionic Bonds Form by the Gain and Loss of Electrons	42
Covalent Bonds Form by the Sharing of Electrons	43
There Are Different Types of Covalent Bonds	45
Water Is the Most Abundant Substance in Cells	48
Some Polar Molecules Form Acids and Bases in Water	49
<b>Molecules in Cells</b>	<b>52</b>
A Cell Is Formed from Carbon Compounds	52

---

Living Cells All Have a Similar Basic Chemistry	21
All Present-Day Cells Have Apparently Evolved from the Same Ancestor	21
Bacteria Are the Smallest and Simplest Cells	22
Molecular Biologists Have Focused on <i>E. coli</i>	25
<i>Giardia</i> May Represent an Intermediate Stage in the Evolution of Eucaryotic Cells	25
Brewer's Yeast Is a Simple Eucaryotic Cell	26
Single-celled Organisms Can Be Large, Complex, and Fierce: The Protozoans	27
<i>Arabidopsis</i> Has Been Chosen Out of 300,000 Species as a Model Plant	28
The World of Animals Is Represented by a Fly, a Worm, a Mouse, and <i>Homo Sapiens</i>	29
Cells in the Same Multicellular Organism Can Be Spectacularly Different	31
<b>Essential Concepts</b>	<b>34</b>
<b>Questions</b>	<b>35</b>

---

## **of Cells**

Cells Contain Four Major Families of Small Organic Molecules	52
Sugars Are Energy Sources for Cells and Subunits of Polysaccharides	53
Fatty Acids Are Components of Cell Membranes	55
Amino Acids Are the Subunits of Proteins	60
Nucleotides Are the Subunits of DNA and RNA	61
Macromolecules Contain a Specific Sequence of Subunits	65
Noncovalent Bonds Specify the Precise Shape of a Macromolecule	69
Noncovalent Bonds Allow a Macromolecule to Bind Other Selected Molecules	72
<b>Essential Concepts</b>	<b>73</b>
<b>Questions</b>	<b>74</b>

---

## **Chapter 3 Energy, Catalysis, and**

<b>Catalysis and the Use of Energy by Cells</b>	<b>79</b>
Biological Order Is Made Possible by the Release of Heat Energy from Cells	79
Photosynthetic Organisms Use Sunlight to Synthesize Organic Molecules	82
Cells Obtain Energy by the Oxidation of Biological Molecules	83
Oxidation and Reduction Involve Electron Transfers	84
Enzymes Lower the Barriers That Block Chemical Reactions	85
How Enzymes Find Their Substrates: The Importance of Rapid Diffusion	86
The Free-Energy Change for a Reaction Determines Whether It Can Occur	89
The Concentration of Reactants Influences $\Delta G$	89
For Sequential Reactions, $\Delta G^\circ$ Values Are Additive	93

---

## **Chapter 4 How Cells Obtain Ener**

<b>The Breakdown of Sugars and Fats</b>	<b>108</b>
Food Molecules Are Broken Down in Three Stages to Produce ATP	108
Glycolysis Is a Central ATP-producing Pathway	110
Fermentations Allow ATP to Be Produced in the Absence of Oxygen	114
Glycolysis Illustrates How Enzymes Couple Oxidation to Energy Storage	114
Sugars and Fats Are Both Degraded to Acetyl CoA in Mitochondria	118
The Citric Acid Cycle Generates NADH by Oxidizing Acetyl Groups to $\text{CO}_2$	119

---

## **Chapter 5 Protein Structure and**

<b>The Shape and Structure of Proteins</b>	<b>134</b>
The Shape of a Protein Is Specified by Its Amino Acid Sequence	134
Proteins Fold into a Conformation of Lowest Energy	139
Proteins Come in a Wide Variety of Complicated Shapes	140

---

# **Biosynthesis**

<b>Activated Carrier Molecules and Biosynthesis</b>	<b>94</b>
The Formation of an Activated Carrier Is Coupled to an Energetically Favorable Reaction	95
ATP Is the Most Widely Used Activated Carrier Molecule	96
Energy Stored in ATP Is Often Harnessed to Join Two Molecules Together	97
NADH and NADPH Are Important Electron Carriers	98
There Are Many Other Activated Carrier Molecules in Cells	100
The Synthesis of Biological Polymers Requires an Energy Input	103
<b>Essential Concepts</b>	<b>105</b>
<b>Questions</b>	<b>106</b>

---

# **Energy from Food**

Electron Transport Drives the Synthesis of the Majority of the ATP in Most Cells	124
<b>Storing and Utilizing Food</b>	<b>125</b>
Organisms Store Food Molecules in Special Reservoirs	125
Many Biosynthetic Pathways Begin with Glycolysis or the Citric Acid Cycle	127
Metabolism Is Organized and Regulated	128
<b>Essential Concepts</b>	<b>129</b>
<b>Questions</b>	<b>130</b>

---

# **Protein Function**

The $\alpha$ Helix and the $\beta$ Sheet Are Common Folding Patterns	141
Proteins Have Several Levels of Organization	145
Few of the Many Possible Polypeptide Chains Will Be Useful	147
Proteins Can Be Classified into Families	147
Larger Protein Molecules Often Contain More Than One Polypeptide Chain	148

Proteins Can Assemble into Filaments, Sheets, or Spheres	149
A Helix Is a Common Structural Motif in Biological Structures	152
Some Types of Proteins Have Elongated Fibrous Shapes	152
Extracellular Proteins Are Often Stabilized by Covalent Cross-Linkages	154
<b>How Proteins Work</b>	<b>154</b>
Proteins Bind to Other Molecules	155
The Binding Sites of Antibodies Are Especially Versatile	156
Binding Strength Is Measured by the Equilibrium Constant	157
Enzymes Are Powerful and Highly Specific Catalysts	167
Lysozyme Illustrates How an Enzyme Works	167

---

## **Chapter 6 DNA**

<b>The Structure and Function of DNA</b>	<b>184</b>
Genes Are Made of DNA	185
A DNA Molecule Consists of Two Complementary Chains of Nucleotides	185
The Structure of DNA Provides a Mechanism for Heredity	188
<b>DNA Replication</b>	<b>189</b>
DNA Synthesis Begins at Replication Origins	190
New DNA Synthesis Occurs at Replication Forks	191
The Replication Fork Is Asymmetrical	193
DNA Polymerase Is Self-correcting	194
Short Lengths of RNA Act as Primers for DNA Synthesis	194

---

## **Chapter 7 From DNA to Protein**

<b>From DNA to RNA</b>	<b>212</b>
Portions of DNA Sequence Are Transcribed into RNA	212
Transcription Produces RNA Complementary to One Strand of DNA	213
Several Types of RNA Are Produced in Cells	215
Signals in DNA Tell RNA Polymerase Where to Start and Finish	216

$V_{\max}$ and $K_M$ Measure Enzyme Performance	169
Tightly Bound Small Molecules Add Extra Functions to Proteins	171
The Catalytic Activities of Enzymes Are Regulated	172
Allosteric Enzymes Have Two Binding Sites That Interact	173
A Conformational Change Can Be Driven by Protein Phosphorylation	174
GTP-binding Proteins Can Undergo Dramatic Conformational Changes	176
Motor Proteins Produce Large Movements in Cells	176
Proteins Often Form Large Complexes That Function as Protein Machines	178
<b>Essential Concepts</b>	<b>179</b>
<b>Questions</b>	<b>180</b>

---

Proteins at a Replication Fork Cooperate to Form a Replication Machine	196
<b>DNA Repair</b>	<b>198</b>
Changes in DNA Are the Cause of Mutations	198
A DNA Mismatch Repair System Removes Replication Errors That Escape from the Replication Machine	200
DNA Is Continually Suffering Damage in Cells	201
The Stability of Genes Depends on DNA Repair	202
The High Fidelity with Which DNA Is Maintained Means That Closely Related Species Have Proteins with Very Similar Sequences	205
<b>Essential Concepts</b>	<b>206</b>
<b>Questions</b>	<b>207</b>

---

Eucaryotic RNAs Undergo Processing in the Nucleus	218
Eucaryotic Genes Are Interrupted by Noncoding Sequences	219
Introns Are Removed by RNA Splicing	220
mRNA Molecules Are Eventually Degraded by the Cell	222
The Earliest Cells May Have Had Introns in Their Genes	223

<b>From RNA to Protein</b>	<b>224</b>
An mRNA Sequence Is Decoded in Sets of Three Nucleotides	224
tRNA Molecules Match Amino Acids to Codons in mRNA	225
Specific Enzymes Couple tRNAs to the Correct Amino Acid	227
The RNA Message Is Decoded on Ribosomes	227
Codons in mRNA Signal Where to Start and to Stop Protein Synthesis	230
Proteins Are Made on Polyribosomes	232

---

## **Chapter 8 Chromosomes and Genes**

<b>The Structure of Eucaryotic Chromosomes</b>	<b>246</b>
Eucaryotic DNA Is Packaged into Chromosomes	246
Chromosomes Exist in Different States Throughout the Life of a Cell	247
Specialized DNA Sequences Ensure That Chromosomes Replicate Efficiently	249
Nucleosomes Are the Basic Units of Chromatin Structure	250
Chromosomes Have Several Levels of DNA Packing	252
Interphase Chromosomes Contain Both Condensed and More Extended Forms of Chromatin	253
Position Effects on Gene Expression Reveal Differences in Interphase Chromosome Packing	256
Interphase Chromosomes Are Organized Within the Nucleus	256
<b>Gene Regulation</b>	<b>257</b>
Cells Regulate the Expression of Their Genes	258
Transcription Is Controlled by Proteins Binding to Regulatory DNA Sequences	259

---

## **Chapter 9 Genetic Variation**

<b>Genetic Variation in Bacteria</b>	<b>278</b>
The Rapid Rate of Bacterial Division Means That Mutation Will Occur Over a Short Time Period	279

Carefully Controlled Protein Breakdown Helps Regulate the Amount of Each Protein in a Cell	232
There Are Many Steps Between DNA and Protein	234
<b>RNA and the Origins of Life</b>	<b>234</b>
Simple Biological Molecules Can Form Under Prebiotic Conditions	235
RNA Can Both Store Information and Catalyze Chemical Reactions	237
RNA Is Thought to Predate DNA in Evolution	239
<b>Essential Concepts</b>	<b>240</b>
<b>Questions</b>	<b>241</b>

---

## **Gene Regulation**

Repressors Turn Genes Off and Activators Turn Them On	261
Initiation of Eucaryotic Gene Transcription Is a Complex Process	263
Eucaryotic RNA Polymerase Requires General Transcription Factors	264
Eucaryotic Gene Regulatory Proteins Control Gene Expression from a Distance	265
Packing of Promoter DNA into Nucleosomes Can Affect Initiation of Transcription	266
Eucaryotic Genes Are Regulated by Combinations of Proteins	267
The Expression of Different Genes Can Be Coordinated by a Single Protein	268
Combinatorial Control Can Create Different Cell Types	269
Stable Patterns of Gene Expression Can Be Transmitted to Daughter Cells	271
The Formation of an Entire Organ Can Be Triggered by a Single Gene Regulatory Protein	273
<b>Essential Concepts</b>	<b>274</b>
<b>Questions</b>	<b>275</b>

---

Mutation in Bacteria Can Be Selected by a Change in Environmental Conditions	280
Bacterial Cells Can Acquire Genes from Other Bacteria	281



Bacterial Genes Can Be Transferred by a Process Called Bacterial Mating	282
Some Bacteria Can Take Up DNA from Their Surroundings	284
Gene Exchange Occurs by Homologous Recombination Between Two DNA Molecules of Similar Nucleotide Sequence	285
Genes Can Be Transferred Between Bacteria by Bacterial Viruses	288
Transposable Elements Create Genetic Diversity	289
<b>Sources of Genetic Change in Eucaryotic Genomes</b>	<b>291</b>
Random DNA Duplications Create Families of Related Genes	292
Genes Encoding New Proteins Can Be Created by the Recombination of Exons	293
A Large Part of the DNA of Multicellular Eucaryotes Consists of Repeated, Noncoding Sequences	294
About 10% of the Human Genome Consists of Two Families of Transposable Sequences	295

---

## **Chapter 10 DNA Technology**

<b>How DNA Molecules Are Analyzed</b>	<b>315</b>
Restriction Nucleases Cut DNA Molecules at Specific Sites	315
Gel Electrophoresis Separates DNA Fragments of Different Sizes	317
The Nucleotide Sequence of DNA Fragments Can Be Determined	320
<b>Nucleic Acid Hybridization</b>	<b>320</b>
DNA Hybridization Facilitates the Prenatal Diagnosis of Genetic Diseases	321
<i>In Situ</i> Hybridization Locates Nucleic Acid Sequences in Cells or on Chromosomes	323
<b>DNA Cloning</b>	<b>324</b>
DNA Ligase Joins DNA Fragments Together to Produce a Recombinant DNA Molecule	325
Bacterial Plasmids Can Be Used to Clone DNA	326
Human Genes Are Isolated by DNA Cloning	327

The Evolution of Genomes Has Been Accelerated by Transposable Elements	296
Viruses Are Fully Mobile Genetic Elements That Can Escape from Cells	297
Retroviruses Reverse the Normal Flow of Genetic Information	300
Retroviruses That Have Picked Up Host Genes Can Make Cells Cancerous	302
<b>Sexual Reproduction and the Reassortment of Genes</b>	<b>304</b>
Sexual Reproduction Gives a Competitive Advantage to Organisms in an Unpredictably Variable Environment	304
Sexual Reproduction Involves Both Diploid and Haploid Cells	305
Meiosis Generates Haploid Cells from Diploid Cells	306
Meiosis Generates Enormous Genetic Variation	307
<b>Essential Concepts</b>	<b>309</b>
<b>Questions</b>	<b>310</b>

---

cDNA Libraries Represent the mRNA Produced by a Particular Tissue	329
Hybridization Allows Even Distantly Related Genes to Be Identified	331
The Polymerase Chain Reaction Amplifies Selected DNA Sequences	332
<b>DNA Engineering</b>	<b>335</b>
Completely Novel DNA Molecules Can Be Constructed	335
Rare Cellular Proteins Can Be Made in Large Amounts Using Cloned DNA	337
RNAs Can Be Produced by Transcription <i>in Vitro</i>	338
Mutant Organisms Best Reveal the Function of a Gene	339
Transgenic Animals Carry Engineered Genes	340
<b>Essential Concepts</b>	<b>342</b>
<b>Questions</b>	<b>343</b>

## **Chapter 11 Membrane Structure**

<b>The Lipid Bilayer</b>	<b>348</b>
Membrane Lipids Form Bilayers in Water	349
The Lipid Bilayer Is a Two-dimensional Fluid	352
The Fluidity of a Lipid Bilayer Depends on Its Composition	353
The Lipid Bilayer Is Asymmetrical	354
Lipid Asymmetry Is Generated Inside the Cell	355
Lipid Bilayers Are Impermeable to Solutes and Ions	356
<b>Membrane Proteins</b>	<b>357</b>
Membrane Proteins Associate with the Lipid Bilayer in Various Ways	358

---

## **Chapter 12 Membrane Transport**

The Ion Concentrations Inside a Cell Are Very Different from Those Outside	372
<b>Carrier Proteins and Their Functions</b>	<b>373</b>
Solutes Cross Membranes by Passive or Active Transport	375
Electrical Forces as Well as Concentration Gradients Can Drive Passive Transport	375
Active Transport Moves Solutes Against Their Electrochemical Gradients	377
Animal Cells Use the Energy of ATP Hydrolysis to Pump Out $\text{Na}^+$	378
The $\text{Na}^+$ - $\text{K}^+$ Pump Is Driven by the Transient Addition of a Phosphate Group	379
Animal Cells Use the $\text{Na}^+$ Gradient to Take Up Nutrients Actively	380
The $\text{Na}^+$ - $\text{K}^+$ Pump Helps Maintain the Osmotic Balance of Animal Cells	381
Intracellular $\text{Ca}^{2+}$ Concentrations Are Kept Low by $\text{Ca}^{2+}$ Pumps	383
$\text{H}^+$ Gradients Are Used to Drive Membrane Transport in Plants, Fungi, and Bacteria	384
<b>Ion Channels and the Membrane Potential</b>	<b>385</b>
Ion Channels Are Ion Selective and Gated	386

---

A Polypeptide Chain Usually Crosses the Bilayer as an $\alpha$ Helix	358
Membrane Proteins Can Be Solubilized in Detergents and Purified	360
The Complete Structure Is Known for Very Few Membrane Proteins	361
The Plasma Membrane Is Reinforced by the Cell Cortex	363
The Cell Surface Is Coated with Carbohydrate	364
Cells Can Restrict the Movement of Membrane Proteins	366
<b>Essential Concepts</b>	<b>368</b>
<b>Questions</b>	<b>368</b>

---

Ion Channels Randomly Snap Between Open and Closed States	388
Voltage-gated Ion Channels Respond to the Membrane Potential	390
The Membrane Potential Is Governed by Membrane Permeability to Specific Ions	391
<b>Ion Channels and Signaling in Nerve Cells</b>	<b>394</b>
Action Potentials Provide for Rapid Long-Distance Communication	395
Action Potentials Are Usually Mediated by Voltage-gated $\text{Na}^+$ Channels	395
Voltage-gated $\text{Ca}^{2+}$ Channels Convert Electrical Signals into Chemical Signals at Nerve Terminals	397
Transmitter-gated Channels in Target Cells Convert Chemical Signals Back into Electrical Signals	399
Neurons Receive Both Excitatory and Inhibitory Inputs	400
Synaptic Connections Enable You to Think, Act, and Remember	401
<b>Essential Concepts</b>	<b>404</b>
<b>Questions</b>	<b>405</b>

---

## **Chapter 13 Energy Generation in**

Cells Obtain Most of Their Energy by a Membrane-based Mechanism	409
<b>Mitochondria and Oxidative Phosphorylation</b>	<b>410</b>
A Mitochondrion Contains Two Membrane-bounded Compartments	411
High-Energy Electrons Are Generated via the Citric Acid Cycle	413
Electrons Are Transferred Along a Chain of Proteins in the Inner Mitochondrial Membrane	414
Electron Transport Generates a Proton Gradient Across the Membrane	415
The Proton Gradient Drives ATP Synthesis	417
Coupled Transport Across the Inner Mitochondrial Membrane Is Driven by the Electrochemical Proton Gradient	419
Proton Gradients Produce Most of the Cell's ATP	419
The Rapid Conversion of ADP to ATP in Mitochondria Maintains a High ATP:ADP Ratio in Cells	421
<b>Electron-Transport Chains and Proton Pumping</b>	<b>421</b>
Protons Are Readily Moved by the Transfer of Electrons	422
The Redox Potential Is a Measure of Electron Affinities	422
Electron Transfers Release Large Amounts of Energy	423

---

## **Chapter 14 Intracellular Compar**

<b>Membrane-bounded Organelles</b>	<b>448</b>
Eucaryotic Cells Contain a Basic Set of Membrane-bounded Organelles	449
Membrane-bounded Organelles Evolved in Different Ways	450
<b>Protein Sorting</b>	<b>452</b>
Proteins Are Imported into Organelles by Three Mechanisms	453
Signal Sequences Direct Proteins to the Correct Compartment	453
Proteins Enter the Nucleus Through Nuclear Pores	455

---

# Mitochondria and Chloroplasts

Metals Tightly Bound to Proteins Form Versatile Electron Carriers	425
Protons Are Pumped Across the Membrane by the Three Respiratory Enzyme Complexes	427
Respiration Is Amazingly Efficient	429
<b>Chloroplasts and Photosynthesis</b>	<b>430</b>
Chloroplasts Resemble Mitochondria but Have an Extra Compartment	430
Chloroplasts Capture Energy from Sunlight and Use It to Fix Carbon	432
Excited Chlorophyll Molecules Funnel Energy into a Reaction Center	433
Light Energy Drives the Synthesis of ATP and NADPH	434
Carbon Fixation Is Catalyzed by Ribulose Bisphosphate Carboxylase	436
Carbon Fixation in Chloroplasts Generates Sucrose and Starch	438
The Genetic Systems of Mitochondria and Chloroplasts Reflect Their Procaryotic Origin	438
<b>Our Single-celled Ancestors</b>	<b>439</b>
RNA Sequences Reveal Evolutionary History	439
Ancient Cells Probably Arose in Hot Environments	440
<i>Methanococcus</i> Lives in the Dark, Using Only Inorganic Materials as Food	441
<b>Essential Concepts</b>	<b>443</b>
<b>Questions</b>	<b>444</b>

---

# Membranes and Transport

Proteins Unfold to Enter Mitochondria and Chloroplasts	457
Proteins Enter the Endoplasmic Reticulum While Being Synthesized	458
Soluble Proteins Are Released into the ER Lumen	459
Start and Stop Signals Determine the Arrangement of a Transmembrane Protein in the Lipid Bilayer	461
<b>Vesicular Transport</b>	<b>462</b>
Transport Vesicles Carry Soluble Proteins and Membrane Between Compartments	463

Vesicle Budding Is Driven by the Assembly of a Protein Coat	463
The Specificity of Vesicle Docking Depends on SNAREs	465
<b>Secretory Pathways</b>	<b>467</b>
Most Proteins Are Covalently Modified in the ER	467
Exit from the ER Is Controlled to Ensure Protein Quality	468
Proteins Are Further Modified and Sorted in the Golgi Apparatus	469
Secretory Proteins Are Released from the Cell by Exocytosis	470

---

## **Chapter 15 Cell Communication**

<b>General Principles of Cell Signaling</b>	<b>482</b>
Signals Can Act over Long or Short Range	482
Each Cell Responds to a Limited Set of Signals	484
Receptors Relay Signals via Intracellular Signaling Pathways	486
Some Signal Molecules Can Cross the Plasma Membrane	488
Nitric Oxide Can Enter Cells to Activate Enzymes Directly	489
There Are Three Main Classes of Cell-Surface Receptors	490
Ion-Channel-linked Receptors Convert Chemical Signals into Electrical Ones	491
Intracellular Signaling Cascades Act as a Series of Molecular Switches	492
<b>G-Protein-linked Receptors</b>	<b>493</b>
Stimulation of G-Protein-linked Receptors Activates G-Protein Subunits	493
Some G Proteins Regulate Ion Channels	495

---

## **Chapter 16 Cytoskeleton**

<b>Intermediate Filaments</b>	<b>514</b>
Intermediate Filaments Are Strong and Durable	515
Intermediate Filaments Strengthen Cells Against Mechanical Stress	516
<b>Microtubules</b>	<b>518</b>

<b>Endocytic Pathways</b>	<b>472</b>
Specialized Phagocytic Cells Ingest Large Particles	472
Fluid and Macromolecules Are Taken Up by Pinocytosis	473
Receptor-mediated Endocytosis Provides a Specific Route into Animal Cells	474
Endocytosed Macromolecules Are Sorted in Endosomes	475
Lysosomes Are the Principal Sites of Intracellular Digestion	476
<b>Essential Concepts</b>	<b>478</b>
<b>Questions</b>	<b>479</b>

---

Some G Proteins Activate Membrane-bound Enzymes	496
The Cyclic AMP Pathway Can Activate Enzymes and Turn On Genes	497
The Pathway Through Phospholipase C Results in a Rise in Intracellular $Ca^{2+}$	499
A $Ca^{2+}$ Signal Triggers Many Biological Processes	501
Intracellular Signaling Cascades Can Achieve Astonishing Speed, Sensitivity, and Adaptability: Photoreceptors in the Eye	502
<b>Enzyme-linked Receptors</b>	<b>504</b>
Activated Receptor Tyrosine Kinases Assemble a Complex of Intracellular Signaling Proteins	505
Receptor Tyrosine Kinases Activate the GTP-binding Protein Ras	506
Protein Kinase Networks Integrate Information to Control Complex Cell Behaviors	508
<b>Essential Concepts</b>	<b>510</b>
<b>Questions</b>	<b>511</b>

---

Microtubules Are Hollow Tubes with Structurally Distinct Ends	519
Microtubules Are Maintained by a Balance of Assembly and Disassembly	519
The Centrosome Is the Major Microtubule-organizing Center in Animal Cells	521



Growing Microtubules Show Dynamic Instability	522
Microtubules Organize the Interior of the Cell	523
Motor Proteins Drive Intracellular Transport	525
Organelles Move Along Microtubules	526
Cilia and Flagella Contain Stable Microtubules Moved by Dynein	527
<b>Actin Filaments</b>	<b>529</b>
Actin Filaments Are Thin and Flexible	530
Actin and Tubulin Polymerize by Similar Mechanisms	531
Many Proteins Bind to Actin and Modify Its Properties	532

---

## **Chapter 17 Cell Division**

<b>Overview of the Cell Cycle</b>	<b>549</b>
The Eucaryotic Cell Cycle Is Divided into Four Phases	549
The Cytoskeleton Carries Out Both Mitosis and Cytokinesis	551
Some Organelles Fragment at Mitosis	551
<b>Mitosis</b>	<b>552</b>
The Mitotic Spindle Starts to Assemble in Prophase	552
Chromosomes Attach to the Mitotic Spindle at Prometaphase	553
Chromosomes Line Up at the Spindle Equator at Metaphase	557
Daughter Chromosomes Segregate at Anaphase	557
The Nuclear Envelope Re-forms at Telophase	559

---

## **Chapter 18 Cell-Cycle Control and**

<b>The Cell-Cycle Control System</b>	<b>572</b>
A Central Control System Triggers the Major Processes of the Cell Cycle	572
The Cell-Cycle Control System Is Based on Cyclically Activated Protein Kinases	574
MPF Is the Cyclin-Cdk Complex That Controls Entry into M Phase	575
Cyclin-dependent Protein Kinases Are Regulated by the Accumulation and Destruction of Cyclin	576
The Activity of Cdks Is Further Regulated by Their Phosphorylation and Dephosphorylation	578

An Actin-rich Cortex Underlies the Plasma Membrane of Most Eucaryotic Cells	533
Cell Crawling Depends on Actin	533
Actin Associates with Myosin to Form Contractile Structures	536
During Muscle Contraction Actin Filaments Slide Against Myosin Filaments	538
Muscle Contraction Is Triggered by a Sudden Rise in $\text{Ca}^{2+}$	539
<b>Essential Concepts</b>	<b>543</b>
<b>Questions</b>	<b>544</b>

---

<b>Cytokinesis</b>	<b>560</b>
The Mitotic Spindle Determines the Plane of Cytoplasmic Cleavage	560
The Contractile Ring of Animal Cells Is Made of Actin and Myosin	561
Cytokinesis in Plant Cells Involves New Cell-Wall Formation	562
<b>Meiosis</b>	<b>563</b>
Homologous Chromosomes Pair Off During Meiosis	563
Meiosis Involves Two Cell Divisions Rather Than One	564
<b>Essential Concepts</b>	<b>567</b>
<b>Questions</b>	<b>568</b>

---

## **1 Cell Death**

Different Cyclin-Cdk Complexes Trigger Different Steps in the Cell Cycle	578
The Cell Cycle Can Be Halted in $G_1$ by Cdk Inhibitor Proteins	580
Cells Can Dismantle Their Control System and Withdraw from the Cell Cycle	581
<b>Control of Cell Numbers in Multicellular Organisms</b>	<b>582</b>
Cell Proliferation Depends on Signals from Other Cells	582
Animal Cells Have a Built-in Limitation on the Number of Times They Will Divide	584

Animal Cells Require Signals from Other Cells to Avoid Programmed Cell Death	584
Programmed Cell Death Is Mediated by an Intracellular Proteolytic Cascade	585

---

## **Chapter 19 Tissues**

<b>Extracellular Matrix and Connective Tissues</b>	<b>594</b>
Plant Cells Have Tough External Walls	594
Cellulose Fibers Give the Plant Cell Wall Its Tensile Strength	596
Animal Connective Tissues Consist Largely of Extracellular Matrix	600
Collagen Provides Tensile Strength in Animal Connective Tissues	600
Cells Organize the Collagen That They Secrete	602
Integrins Couple the Matrix Outside a Cell to the Cytoskeleton Inside It	603
Gels of Polysaccharide and Protein Fill Spaces and Resist Compression	604
<b>Epithelial Sheets and Cell-Cell Junctions</b>	<b>605</b>
Epithelial Sheets Are Polarized and Rest on a Basal Lamina	606
Tight Junctions Make an Epithelium Leak- proof and Separate Its Apical and Basal Surfaces	607
Cytoskeleton-linked Junctions Bind Epithelial Cells Robustly to One Another and to the Basal Lamina	609
Gap Junctions Allow Ions and Small Molecules to Pass from Cell to Cell	612

Cancer Cells Disobey the Social Controls on  
Cell Proliferation and Survival 587

**Essential Concepts 589**

**Questions 590**

---

**Tissue Maintenance and Renewal,  
and Its Disruption by Cancer 613**

Different Tissues Are Renewed at Different Rates 615

Stem Cells Generate a Continuous Supply of  
Terminally Differentiated Cells 615

Mutations in a Single Dividing Cell Can Cause  
It and Its Progeny to Violate the Normal  
Controls 618

Cancer Is a Consequence of Mutation and  
Natural Selection Within the Population  
of Cells That Form the Body 619

Cancer Requires an Accumulation of Mutations 620

**Development 621**

Programmed Cell Movements Create the  
Animal Body Plan 622

Cells Switch On Different Sets of Genes  
According to Their Position and Their  
History 622

Diffusible Signals Can Provide Cells with  
Positional Information 624

Studies in *Drosophila* Have Given a Key to  
Vertebrate Development 626

Similar Genes Are Used Throughout the  
Animal Kingdom to Give Cells an  
Internal Record of Their Position 627

**Essential Concepts 628**

**Questions 629**