

# Contents

<b>1 Nonlinear Propagation Theory for Few-to-Mono Optical-Cycle Pulses Beyond the Slowly-Varying-Envelope Approximation (SVEA)</b>	
<i>N. Karasawa, Y. Mizuta, X. Fang</i> . . . . .	1
1.1 Wave Equations for Nonlinear Pulse Propagation . . . . .	1
1.1.1 Introduction . . . . .	1
1.1.2 Dispersion Terms . . . . .	5
1.1.3 Nonlinear Terms . . . . .	6
1.1.4 Induced Phase Modulation . . . . .	7
1.1.5 Comparison with the Previous Derivation . . . . .	8
1.2 Different Numerical Methods . . . . .	9
1.2.1 Split-Step Fourier Method . . . . .	10
1.2.2 Finite-Difference in the Frequency Domain Method . . . . .	12
1.2.3 Finite-Difference Time-Domain Method . . . . .	13
1.2.4 Fourier Direct Method . . . . .	14
1.3 Comparison between Theoretical and Experimental Results . . . . .	24
1.3.1 Split-Step Fourier Analysis beyond SVEA . . . . .	24
1.3.2 Finite-Difference Frequency-Domain Analysis . . . . .	34
1.3.3 Finite-Difference Time-Domain Analysis . . . . .	38
1.3.4 Analysis by Fourier Direct Method . . . . .	41
1.4 Conclusion . . . . .	60
References . . . . .	64
<b>2 Generation of Ultrabroadband Optical Pulses</b>	
<i>M. Yamashita, N. Karasawa, M. Adachi, X. Fang</i> . . . . .	67
2.1 Introduction . . . . .	67
2.2 Conventional Glass Fiber Technique Using IPM . . . . .	68
2.2.1 Theoretical Prediction . . . . .	68
2.2.2 Experiment . . . . .	74
2.3 Gas-Filled Hollow Fiber Technique using IPM . . . . .	81
2.3.1 Theoretical Prediction . . . . .	82
2.3.2 Experiment . . . . .	85
2.3.3 The Oscillatory Spectrum Due to Only IPM . . . . .	88
2.4 Unconventional Glass Fiber Technique Using SPM . . . . .	91
2.4.1 Photonic Crystal Fiber . . . . .	91

2.4.2	Tapered Fiber .....	94
2.5	Concluding Remarks .....	98
	References .....	99
<b>3</b>	<b>Active Chirp Compensation</b>	
	<b>for Ultrabroadband Optical Pulses</b>	
	<i>M. Yamashita, R. Morita, N. Karasawa</i> .....	103
3.1	Introduction .....	103
3.2	Principle and Theory: Chirp Compensator with Spatial Light Modulator (SLM) .....	106
3.3	Programmable Chirp Compensator for Generation of Few-Optical Cycle Pulses .....	119
3.3.1	Grating-Pair-Formed Compensator with SLM .....	119
3.3.2	Prism-Pair-Formed Compensator with SLM .....	141
3.4	Conclusion .....	147
	References .....	149
<b>4</b>	<b>Amplitude and Phase Characterization</b>	
	<b>of Few-to-Mono Optical-Cycle Pulses</b>	
	<i>R. Morita, K. Yamane, Z. Zhang</i> .....	153
4.1	Introduction .....	153
4.2	Experimental and Theoretical Demonstration of Limitation in Fringe-Resolved Autocorrelation (FRAC) Measurements .....	156
4.2.1	Equations for FRAC Signals .....	156
4.2.2	Numerical Analysis: Deviation of Practical FRAC Signal from Ideal FRAC Signal .....	158
4.2.3	Experiments .....	162
4.2.4	Comparison between TL-Pulse FRAC Signals Based on Measured and Corresponding Gaussian Spectra .....	163
4.2.5	Experimental Comparison between Directly-Measured and Modified-SPIDER-Retrieved FRAC Signals .....	165
4.3	Frequency Resolved Optical Gating (FROG) .....	166
4.3.1	Principle .....	166
4.3.2	Apparatus and Characteristics .....	171
4.4	Spectral Interferometry for Direct Electric-Field Reconstruction (SPIDER) .....	176
4.4.1	Principle .....	176
4.4.2	Apparatus and Characteristics .....	180
4.5	Modified SPIDER .....	185
4.5.1	Principle and Effect of Parameter Error .....	185
4.5.2	Apparatus and Characteristics .....	186
4.6	Comparison and Characteristics .....	194
4.7	Conclusion .....	196
	References .....	197

**5 Feedback Field Control for Optical Pulse Generation in the Monocycle Region**

*M. Yamashita, K. Yamane, Z. Zhang, M. Adachi, R. Morita* . . . . . 199

5.1 Basic Concept: Combination of Spectral Phase Compensation and Characterization . . . . . 199

5.2 Feedback Spectral-Phase Control Technique . . . . . 201

5.2.1 Conventional Glass Fiber Experiment . . . . . 201

5.2.2 Unconventional Glass Fiber Experiment . . . . . 213

5.2.3 Gas-Filled Hollow Fiber Experiment . . . . . 224

5.3 Characterization of Monocycle-Like Optical Pulses Based on Wigner Distribution Function . . . . . 238

5.4 Conclusion . . . . . 246

References . . . . . 247

**6 Field Manipulation of Ultrabroadband Optical Pulses**

*R. Morita, Y. Toda* . . . . . 251

6.1 Principle and Theory . . . . . 251

6.2 Two-Color Beam Generation with Tunable THz-Pulse Trains . . . 256

6.3 Three-Color Beam Generation with Tunable THz-Pulse Trains . . 259

6.4 Application for Vibrational Motion Control of Molecules . . . . . 263

6.4.1 Principle and Theory . . . . . 263

6.4.2 Experiment . . . . . 274

6.5 Future Direction . . . . . 280

References . . . . . 282

**7 Fundamental of Laser-Assisted Scanning Tunneling Microscopy (STM)**

*O. Takeuchi, H. Shigekawa* . . . . . 285

7.1 Introduction . . . . . 285

7.2 Potentialities of Laser Combined STM . . . . . 286

7.3 Fundamental of Scanning Probe Microscopy . . . . . 289

7.3.1 How to Visualize the Nanoscopic World . . . . . 289

7.3.2 Tunnel Current as a Probe Signal . . . . . 292

7.3.3 Scanning Tunneling Spectroscopy . . . . . 294

7.3.4 Characteristic of the STM Measurement System . . . . . 295

7.4 Previous STM Studies in Various Fields . . . . . 299

7.5 Development of Laser-Assisted STM . . . . . 307

7.5.1 Performance of Optical Measurements . . . . . 307

7.5.2 Combination of STM with Optical Methods . . . . . 308

7.5.3 How to Combine the Two Techniques? . . . . . 309

7.5.4 Specific Issues in Combining Light Irradiation and STM . . 312

References . . . . . 315

**8 Spatially-Resolved Surface Photovoltage Measurement**

*O. Takeuchi, H. Shigekawa* . . . . . 317

8.1 Background . . . . . 317

8.2 Surface Photovoltage (SPV) . . . . . 318

8.3 Macroscopic Measurement of SPV . . . . . 321

8.4 Photovoltage and Photocurrent Measurement by STM . . . . . 322

8.5 Light-Modulated Scanning Tunneling Spectroscopy . . . . . 327

8.6 Point Spectroscopy . . . . . 329

8.7 Nanoscale Spatial Variation of SPV . . . . . 331

8.8 Conclusion . . . . . 333

References . . . . . 334

**9 Atomic-Level Surface Phenomena  
Controlled by Femtosecond Optical Pulses**

*D.N. Futaba* . . . . . 335

9.1 Introduction . . . . . 335

9.2 Femtosecond Pulse Pair Controlled Phenomena at Surfaces . . . . . 336

    9.2.1 Experiment: Site-Selective Silicon Adatom Desorption  
        Using Femtosecond Laser Pulse Pairs and STM . . . . . 338

    9.2.2 Interpretation . . . . . 342

9.3 Future Directions . . . . . 345

References . . . . . 345

**10 Femtosecond-Time-Resolved Scanning  
Tunneling Microscopy**

*O. Takeuchi, H. Shigekawa* . . . . . 349

10.1 Femtosecond-Ångstrom Technology . . . . . 349

10.2 Previous Studies in This Field . . . . . 350

10.3 Fundamentals of the Pulse-Pair-Excited STM . . . . . 353

10.4 Design of the Measurement System . . . . . 356

10.5 Shaker Method . . . . . 358

10.6 Performance of the System . . . . . 359

    10.6.1 Discussion of the Interference Effect . . . . . 361

10.7 Time-Resolved STM Experiment on GaNAs . . . . . 363

    10.7.1 Sample Preparation . . . . . 363

    10.7.2 Analysis by the Optical Pump-Probe Technique . . . . . 365

    10.7.3 Results Obtained by the SPPX-STM . . . . . 366

    10.7.4 Localized Sensitivity  
        of Time-Resolved Tunnel Current Signal . . . . . 368

    10.7.5 Relative Intensity of Pump and Probe Pulses . . . . . 369

    10.7.6 Accurate Fitting Procedure  
        of Time-Resolved Current Signal . . . . . 372

10.8 Conclusion . . . . . 376

References . . . . . 377

**11 Outlook**

*M. Yamashita, H. Shigekawa, R. Morita* ..... 379

References ..... 382

**Index** ..... 385