

# Contents

<b>1. Introduction</b> .....	1
<b>2. Nonlinear Electrodynamics: Quantum Theory</b> .....	3
2.1 Introduction to Proper-Time Methods .....	3
2.2 Polarization Tensor in External Fields .....	12
2.2.1 Derivation of $\Pi^{\mu\nu}$ .....	14
2.2.2 Applications .....	20
2.3 Induced Electromagnetic Current .....	32
2.4 Schwinger's Equivalence Theorem and the Axial-Vector Anomaly .....	46
2.4.1 Equivalence Theorem .....	46
2.4.2 Axial-Vector Anomaly .....	57
<b>3. Nonlinear Electrodynamics:   Effective-Action Approach</b> .....	61
3.1 A First Look at Light Propagation .....	62
3.2 Light Cone Condition .....	65
3.2.1 Effective-Action Charge .....	69
3.2.2 Weak Electromagnetic Fields .....	70
3.2.3 Strong Magnetic Fields .....	71
3.2.4 Superstrong Magnetic Fields .....	74
3.3 Light Cone Condition for Various Vacua .....	79
3.3.1 "Unified Formula" .....	79
3.3.2 Light Cone Condition for Low-Energy Phenomena .....	83
3.3.3 Light Cone Conditions for High-Energy Phenomena ..	88
3.3.4 Measurability and Causality .....	89
3.4 Photon Splitting .....	93
3.5 QED Effective Action at Finite Temperature to One Loop .....	99
3.5.1 Imaginary-Time Formalism .....	101
3.5.2 Covariant Formulation .....	107
3.5.3 Effective Action .....	109
3.5.4 The $\bar{A}_\nu$ Field .....	114
3.5.5 Temperature-Induced Pair Production at One Loop? ..	117

3.5.6	Discussion	118
3.6	QED Effective Action at Finite Temperature: Two-Loop Dominance	119
3.6.1	Two-Loop Effective Action of QED at Low Temperature	121
3.6.2	Light Propagation	131
3.6.3	Photon Splitting	145
3.6.4	Pair Production	150
3.6.5	Discussion	153
<b>4.</b>	<b>QED in Two Spatial Dimensions</b>	155
4.1	General Features of QED <sub>2+1</sub>	156
4.1.1	Classical Properties	156
4.1.2	Quantum Theory	158
4.2	Parity-Invariant QED <sub>2+1</sub>	161
4.3	The Effective Action for Irreducible QED <sub>2+1</sub>	165
4.3.1	QED <sub>2+1</sub> for Nonconstant Fields	174
<b>5.</b>	<b>Scattering of Light by Light</b>	181
5.1	Photon–Photon Scattering at Low Energies	181
5.2	High-Energy Photon Scattering Close to the Forward Direction	184
<b>Appendices</b>		191
A	Units, Metric and the Gamma Matrices	191
B	Invariants and Spectral Representation of the Maxwell Field Strength Tensor	193
B.1	Invariants	193
B.2	Spectral Representation of $F^{\mu\nu}$	195
B.3	Applications	197
C	More about the Commutator $\sigma^{\mu\nu}$ of Dirac Matrices	198
D	Elementary Calculations	204
D.1	$\epsilon$ expansions	204
D.2	Identities for Special Functions	204
D.3	Nonstandard Integrals	205
D.4	$\epsilon$ -Integration Techniques	205
D.5	$\Pi^{\mu\nu}$ for Strong Magnetic Fields	209
D.6	Generalized Gamma Function and Hurwitz Zeta Function	213
D.7	$Q$ Factor for Strong Magnetic Fields	215
D.8	Summation Techniques for Finite-Temperature Physics	218
E	Finite-Temperature Coordinate Frame	221
E.1	Application 1 (Sect. 3.5)	224
E.2	Application 2 (Sect. 3.6)	227

F	Two-Loop Effective Action of QED at Zero Temperature .....	227
<b>References</b> .....		230
<b>Index</b> .....		237