

Contents

| | |
|---|-------|
| Foreword | v |
| Preface | vii |
| Overview | ix |
| List of Figures | xxiii |
| List of Tables | xxvii |
| Introduction | 1 |
| 1. Fundamentals | 7 |
| 1.1 Document models | 7 |
| 1.1.1 Multimedia | 8 |
| 1.1.2 Hypermedia | 9 |
| 1.1.3 Distribution | 11 |
| 1.2 Web history | 12 |
| 1.2.1 Organizational history | 13 |
| 1.2.2 Technical history | 14 |
| 1.3 Terminology | 16 |
| 1.4 The Internet | 18 |
| 1.4.1 The Internet environment | 19 |
| 1.4.1.1 Connecting to the Internet | 19 |
| 1.4.1.2 Names and addresses | 20 |
| 1.4.2 Transferring data | 24 |
| 1.4.2.1 Underlying networks | 26 |
| 1.4.2.2 Internet Protocol (IP) | 26 |
| 1.4.2.3 Transmission Control Protocol (TCP) | 28 |
| 1.4.2.4 Application protocols | 28 |
| 1.4.3 Data types | 29 |
| 1.4.3.1 Identification of data types | 29 |
| 1.4.3.2 Multipurpose Internet Mail Extensions | 30 |

Part I. Basics

| | |
|--|-----|
| 2. Universal Resource Identifier (URI) | 35 |
| 2.1 The need for resource identification | 35 |
| 2.1.1 Web identifiers from a user perspective | 36 |
| 2.1.2 The design of web identifiers | 38 |
| 2.2 URI syntax | 42 |
| 2.3 URI semantics | 44 |
| 2.3.1 Uniform Resource Name (URN) | 44 |
| 2.3.2 Uniform Resource Locator (URL) | 47 |
| 2.4 The future of URI | 50 |
| | |
| 3. Hypertext Transfer Protocol (HTTP) | 53 |
| 3.1 History | 54 |
| 3.1.1 HTTP/0.9 | 55 |
| 3.1.2 HTTP/1.0 | 55 |
| 3.1.3 HTTP/1.1 | 56 |
| 3.2 Hypertext Transfer Protocol 1.1 (HTTP/1.1) | 58 |
| 3.2.1 Messages | 61 |
| 3.2.2 General and entity headers | 62 |
| 3.2.2.1 General headers | 62 |
| 3.2.2.2 Entity headers | 66 |
| 3.2.3 Request | 69 |
| 3.2.3.1 Request methods | 70 |
| 3.2.3.2 Request headers | 74 |
| 3.2.4 Response | 80 |
| 3.2.4.1 Status code definitions | 81 |
| 3.2.4.2 Response headers | 82 |
| 3.2.5 Content negotiation | 85 |
| 3.2.5.1 Server-driven negotiation | 86 |
| 3.2.5.2 Agent-driven negotiation | 88 |
| 3.2.5.3 Transparent negotiation | 89 |
| 3.2.6 Authentication | 90 |
| 3.2.6.1 Basic authentication | 92 |
| 3.2.6.2 Digest access authentication | 93 |
| 3.2.7 Persistent connections | 95 |
| 3.2.8 Chunked encoding | 98 |
| 3.2.9 Caching | 99 |
| 3.2.9.1 History of HTTP caching | 103 |
| 3.2.9.2 Expiration model | 104 |
| 3.2.9.3 Validation model | 107 |

| | | |
|-----------|--|------------|
| 3.2.9.4 | Cache control | 109 |
| 3.2.9.5 | Implementation of caching | 114 |
| 3.3 | Security | 116 |
| 3.3.1 | HTTP over SSL (HTTPS) | 117 |
| 3.3.1.1 | Secure Sockets Layer (SSL) | 118 |
| 3.3.1.2 | Combining HTTP and SSL | 120 |
| 3.3.2 | Secure HTTP (S-HTTP) | 122 |
| 3.4 | Cookies | 122 |
| 3.5 | Usage of HTTP | 126 |
| 3.6 | Non-standard HTTP extensions | 128 |
| 3.6.1 | Refreshing web pages | 128 |
| 3.6.2 | Interpage transitions | 129 |
| 3.7 | The future of HTTP | 130 |
| 3.7.1 | Protocol Extension Protocol (PEP) | 133 |
| 3.7.2 | HTTP next generation (HTTP-ng) | 134 |
| 3.7.3 | Multiplexing Protocol (SMUX) | 134 |
| 4. | Standard Generalized Markup Language (SGML) | 137 |
| 4.1 | SGML concepts | 138 |
| 4.1.1 | Content and presentation | 139 |
| 4.1.2 | Using markup for structuring | 141 |
| 4.1.3 | Document classes | 144 |
| 4.1.4 | The presentation of content | 147 |
| 4.2 | The SGML standard | 150 |
| 4.2.1 | SGML declaration | 153 |
| 4.2.1.1 | Defining a concrete syntax | 153 |
| 4.2.1.2 | Used character sets | 155 |
| 4.2.1.3 | Processing capacities | 155 |
| 4.2.1.4 | Features | 155 |
| 4.2.2 | Document Type Definition (DTD) | 157 |
| 4.2.2.1 | Elements | 158 |
| 4.2.2.2 | Model groups | 159 |
| 4.2.2.3 | Text elements | 161 |
| 4.2.2.4 | Exceptions | 161 |
| 4.2.2.5 | Attributes | 162 |
| 4.2.2.6 | Entities | 164 |
| 4.2.3 | SGML documents | 166 |
| 4.3 | Usage of SGML | 167 |
| 4.3.1 | SGML profiles | 167 |
| 4.3.2 | SGML applications | 168 |
| 4.3.3 | SGML validation | 169 |
| 4.4 | The future of SGML | 171 |

| | |
|--|-----|
| 5. Hypertext Markup Language (HTML) | 173 |
| 5.1 History | 174 |
| 5.1.1 Early versions | 175 |
| 5.1.2 HTML 2.0 | 175 |
| 5.1.3 HTML 3.2 | 176 |
| 5.1.4 HTML 4.0 | 176 |
| 5.2 Hypertext Markup Language 4.0 (HTML 4.0) | 177 |
| 5.2.1 HTML 4.0 DTDs | 178 |
| 5.2.2 Common attributes | 179 |
| 5.2.3 Basic structure of an HTML document | 184 |
| 5.2.3.1 Document head | 186 |
| 5.2.3.2 Document body | 195 |
| 5.2.4 Simple and structured text | 197 |
| 5.2.4.1 Text | 197 |
| 5.2.4.2 Lists | 204 |
| 5.2.4.3 Tables | 206 |
| 5.2.5 Images and image maps | 211 |
| 5.2.5.1 Images | 213 |
| 5.2.5.2 Image maps | 214 |
| 5.2.6 Links | 221 |
| 5.2.6.1 Source anchors | 223 |
| 5.2.6.2 Destination anchors | 223 |
| 5.2.7 Frames and forms | 224 |
| 5.2.7.1 Frames | 225 |
| 5.2.7.2 Forms | 234 |
| 5.2.8 Dynamic documents | 245 |
| 5.2.8.1 Scripts | 245 |
| 5.2.8.2 Objects | 246 |
| 5.3 Publishing with HTML | 254 |
| 5.4 Usage of HTML | 259 |
| 5.5 The future of HTML | 261 |

Part II. Advanced

| | |
|--|-----|
| 6. Cascading Style Sheets (CSS) | 265 |
| 6.1 Principles of CSS | 265 |
| 6.2 History | 269 |
| 6.3 Cascading Style Sheets, level 1 (CSS1) | 270 |
| 6.3.1 Inheritance | 271 |
| 6.3.2 Selectors | 274 |
| 6.3.2.1 Type selectors | 274 |

| | | |
|-----------|--|------------|
| 6.3.2.2 | Attribute selectors | 275 |
| 6.3.2.3 | Contextual selectors | 278 |
| 6.3.2.4 | External selectors | 278 |
| 6.3.2.5 | New elements | 282 |
| 6.3.2.6 | Combining selector types | 283 |
| 6.3.3 | Units | 283 |
| 6.3.3.1 | Colors | 284 |
| 6.3.3.2 | Lengths | 285 |
| 6.3.4 | Declarations | 286 |
| 6.3.4.1 | Fonts | 286 |
| 6.3.4.2 | Space | 291 |
| 6.3.4.3 | Images | 301 |
| 6.3.4.4 | Colors and backgrounds | 303 |
| 6.3.4.5 | Classification properties | 307 |
| 6.3.5 | Using multiple style sheets | 311 |
| 6.3.5.1 | Cascading | 312 |
| 6.3.5.2 | Conflicts | 316 |
| 6.3.5.3 | Conflict resolution | 317 |
| 6.4 | Related approaches | 318 |
| 6.5 | Converting to CSS | 319 |
| 6.6 | The future of CSS | 320 |
| 6.6.1 | Cascading Style Sheets Positioning (CSS-P) | 320 |
| 6.6.2 | Cascading Style Sheets, level 2 (CSS2) | 321 |
| 7. | Extensible Markup Language (XML) | 325 |
| 7.1 | Principles of XML | 326 |
| 7.1.1 | Creating document types | 327 |
| 7.1.2 | Formatting of XML documents | 329 |
| 7.1.2.1 | Focusing on content | 329 |
| 7.1.2.2 | Using style sheet languages | 331 |
| 7.1.3 | Conversion | 333 |
| 7.1.3.1 | Other formats to XML | 334 |
| 7.1.3.2 | XML to XML | 335 |
| 7.1.3.3 | XML to other formats | 336 |
| 7.1.3.4 | HTML and XML | 336 |
| 7.2 | Extensible Markup Language 1.0 (XML 1.0) | 338 |
| 7.2.1 | Differences to SGML | 340 |
| 7.3 | XML Linking Language (XLink) | 341 |
| 7.3.1 | Linking concepts | 342 |
| 7.3.1.1 | Link location | 343 |
| 7.3.1.2 | Link topology | 345 |
| 7.3.2 | Link information | 347 |

| | | |
|-----------|---|------------|
| 7.3.3 | Link types | 349 |
| 7.3.3.1 | Simple links | 349 |
| 7.3.3.2 | Extended links | 349 |
| 7.3.3.3 | Extended link groups | 350 |
| 7.3.4 | Attributes | 350 |
| 7.4 | XML Pointer Language (XPointer) | 354 |
| 7.4.1 | Concepts | 355 |
| 7.4.2 | Location terms | 356 |
| 7.4.2.1 | Absolute term | 356 |
| 7.4.2.2 | Relative term | 357 |
| 7.4.2.3 | Spanning term | 361 |
| 7.4.2.4 | Attribute term | 361 |
| 7.4.2.5 | String term | 361 |
| 7.4.3 | Spanning locators | 362 |
| 7.4.4 | Persistence | 362 |
| 7.5 | Extensible Style Language (XSL) | 364 |
| 7.5.1 | Concepts | 365 |
| 7.5.1.1 | Tree construction | 366 |
| 7.5.1.2 | Formatting | 367 |
| 7.5.2 | Style sheets | 368 |
| 7.6 | XML and other markup languages | 369 |
| 7.6.1 | Comparison of XML and HTML | 369 |
| 7.6.2 | Comparison of XML and SGML | 370 |
| 7.6.2.1 | Restrictions of XML | 371 |
| 7.6.2.2 | Converting SGML documents to XML | 371 |
| 7.6.2.3 | Converting SGML environments to XML | 371 |
| 7.7 | The future of XML | 372 |
| 8. | Scripting and Programming | 375 |
| 8.1 | Scripting languages | 375 |
| 8.1.1 | ECMAScript | 377 |
| 8.1.2 | VBScript | 378 |
| 8.2 | Programming languages | 378 |
| 8.2.1 | Java | 379 |
| 8.3 | Distributed programming | 381 |
| 8.3.1 | Remote Method Invocation (RMI) | 382 |
| 8.3.2 | Common Object Request Broker Architecture | 382 |
| 8.3.3 | Distributed Component Object Model (DCOM) | 384 |
| 8.3.4 | Interworking | 384 |

| | |
|---|-----|
| 9. HTTP Servers | 387 |
| 9.1 Server performance | 388 |
| 9.2 Server configuration | 389 |
| 9.2.1 Server start | 389 |
| 9.2.1.1 Started on request | 390 |
| 9.2.1.2 Permanently running | 391 |
| 9.2.2 Virtual hosts | 391 |
| 9.2.2.1 IP-based virtual hosts | 392 |
| 9.2.2.2 Non IP-based virtual hosts | 393 |
| 9.2.3 Origin servers | 394 |
| 9.2.3.1 General file system layout | 395 |
| 9.2.3.2 User specific web pages | 396 |
| 9.2.3.3 Handling requests | 397 |
| 9.2.3.4 CGI scripts | 399 |
| 9.2.4 Proxies | 400 |
| 9.2.4.1 Caching | 400 |
| 9.2.4.2 Security | 401 |
| 9.3 The Apache HTTP server | 403 |
| 9.3.1 Installation | 404 |
| 9.3.1.1 Program installation | 404 |
| 9.3.1.2 Startup installation | 405 |
| 9.3.2 Configuration | 406 |
| 9.3.2.1 Virtual hosts | 406 |
| 9.3.2.2 Authentication | 407 |
| 9.3.2.3 Content negotiation | 408 |
| 9.3.2.4 Proxies | 409 |
| 9.3.2.5 Server-Side Includes (SSI) | 409 |
| 9.4 Common Gateway Interface (CGI) | 411 |
| 9.4.1 Communication with the server | 413 |
| 9.4.1.1 Environment variables | 413 |
| 9.4.1.2 Command line | 416 |
| 9.4.1.3 Standard input | 416 |
| 9.4.1.4 Standard output | 417 |
| 9.4.2 Forms and CGI | 418 |
| 9.4.3 Server-Side Includes (SSI) | 419 |
| 10. Miscellaneous | 421 |
| 10.1 Server-side technologies | 421 |
| 10.1.1 FastCGI | 422 |
| 10.1.2 Java servlets | 423 |
| 10.2 Browsers | 423 |
| 10.2.1 Integration | 424 |

| | | |
|------------|--|------------|
| 10.2.2 | Prefetching | 426 |
| 10.2.2.1 | Reducing user-perceived latency | 427 |
| 10.2.2.2 | Reducing network load | 427 |
| 10.3 | Search engines | 428 |
| 10.4 | New content types | 430 |
| 10.4.1 | Virtual Reality Modeling Language (VRML) | 430 |
| 10.4.2 | Mathematical Markup Language (MathML) | 432 |
| 10.4.3 | Portable Network Graphics (PNG) | 434 |
| 10.4.4 | Vector graphics | 436 |
| 10.4.5 | RealMedia Architecture (RMA) | 437 |
| 10.5 | New architectural components | 437 |
| 10.5.1 | Platform for Internet Content Selection (PICS) | 438 |
| 10.5.1.1 | Services and ratings | 439 |
| 10.5.1.2 | Label distribution | 439 |
| 10.5.1.3 | PICSRules | 440 |
| 10.5.2 | Digital Signature Initiative (DSig) | 441 |
| 10.5.3 | Resource Description Framework (RDF) | 442 |
| 10.5.4 | Dynamic fonts | 443 |
| 10.5.4.1 | Embedded TrueType | 443 |
| 10.5.4.2 | TrueDoc | 444 |
| 10.5.5 | Document Object Model (DOM) | 445 |
| 10.5.6 | Synchronized Multimedia Integration Language | 446 |
| 11. | Related Technology | 449 |
| 11.1 | Electronic mail | 450 |
| 11.1.1 | Sending electronic mail | 451 |
| 11.1.1.1 | Simple Mail Transfer Protocol (SMTP) | 452 |
| 11.1.1.2 | Extended SMTP (ESMTP) | 452 |
| 11.1.2 | Receiving electronic mail | 453 |
| 11.1.2.1 | Post Office Protocol (POP) | 454 |
| 11.1.2.2 | Internet Message Access Protocol (IMAP) | 455 |
| 11.2 | Directory services | 456 |
| 11.2.1 | Directory Access Protocol (DAP) | 459 |
| 11.2.2 | Lightweight Directory Access Protocol (LDAP) | 459 |
| 11.3 | Usenet news | 460 |
| 11.3.1 | Network News Transfer Protocol (NNTP) | 461 |

Part III. Appendices

| | |
|---|-----|
| A. HTTP/1.1 Definitions | 465 |
| A.1 Messages | 465 |
| A.1.1 General definitions | 465 |
| A.1.2 Request | 466 |
| A.1.3 Response | 467 |
| A.2 Status codes | 467 |
| A.2.1 Informational (1xx) | 467 |
| A.2.2 Successful (2xx) | 468 |
| A.2.3 Redirection (3xx) | 468 |
| A.2.4 Client error (4xx) | 468 |
| A.2.5 Server error (5xx) | 469 |
| A.3 Warn codes | 469 |
| A.3.1 Temporary warnings (1xx) | 469 |
| A.3.2 Persistent warnings (2xx) | 470 |
| B. HTML 4.0 Definitions | 471 |
| B.1 SGML declaration | 471 |
| B.2 DTD Entities | 473 |
| B.3 HTML 4.0 table DTD | 485 |
| B.4 HTML 4.0 form DTD | 487 |
| C. XML 1.0 Definitions | 491 |
| C.1 SGML declaration | 491 |
| C.2 XML DTD for SMIL | 495 |
| References | 501 |
| Glossary | 515 |
| Index | 577 |