

## Volume 2 – Table of Contents

Page

### Authors List

#### Tu1.2 – System Impairments

Chair: **Jean-Pierre Hamaide**, *Alcatel Research and Innovation, France*

**Tu1.2.1** 121

##### **Nonlinear Phase Noise and Distortion in 42.7-Gbit/s RZ-DPSK Systems**

M Ohm, *University of Stuttgart, Germany*, R-J Essiambre, P J Winzer, *Bell Laboratories, Lucent Technologies, United States*

**Tu1.2.2** 123

##### **Influence of Cross-Phase Modulation Induced Nonlinear Phase Noise on DQPSK Signals from Neighbouring OOK Channels**

H Griesser, J-P Elbers, *Marconi Communications GmbH, Germany*

**Tu1.2.3** 125

##### **Performance Improvement of NRZ-DPSK Transmission by Means of Optical Limiters Using Four-Wave Mixing in a Fibre**

M Matsumoto, *Osaka University, Japan*

**Tu1.2.4** 127

##### **Combined Constrained and Error Control Coding in Suppression of Intrachannel Fibre Nonlinearities**

I B Djordjevic, B Vasic, *University of Arizona, United States*

**Tu1.2.5** 129

##### **Optimum Fibre Dispersion for 40 Gbit/s DPSK Transmission**

J K Fischer, S Randel, A Denzin, K Petermann, *Technische Universität Berlin, Germany*

**Tu1.2.6** 131

##### **Mitigation of Fibre Nonlinearity and Chromatic Dispersion in 40 Gbit/s NRZ WDM Transmission using a Multichannel Optical Equaliser**

V Mikhailov, S Appathurai, R I Killey, P Bayvel, *University College London, United Kingdom*, C R Doerr, *Bell Laboratories, Lucent Technologies, United States*

**Tu1.2.7** 133

##### **Relative Impact of the Different Intrachannel Nonlinear Effects over 43 Gb/s Transmissions with Varying Fibre Dispersion**

M Lefrançois, E Barnasson, G Charlet, J-C Antona, S Bigo, *Alcatel Research and Innovation, France*

#### Tu1.3 – High-Speed PONs

Chair: **Gert Schiellerup**, *Tellabs Denmark, Denmark*

**Tu1.3.1** 135

##### **Invited - 10 Gbit/s Bidirectional Transmission in 1024-Way Split, 110 km Reach, PON System using Commercial Transceiver Modules, Super FEC and EDC**

D Nettet, R P Davey, *BT, United Kingdom*, D Shea, *University College London, United Kingdom*, P Kirkpatrick, S Q Shang, *Intel Corporation, United States*, M Lobel, B Christensen, *Intel Corporation, Denmark*

**Tu1.3.2** 139

##### **Experimental Study on 10Gbit/s E-PON System Using XENPAK-Based Burst-Mode Transceivers**

K Tanaka, N Edagawa, *KDDI R&D Laboratories Inc., Japan*

**Tu1.3.3** 141

##### **First Demonstration of Full Burst Optical Amplified GE-PON Uplink with Extended System Budget of up to 128 ONU Splits and 58 km Reach**

N Suzuki, J Nakagawa, *Mitsubishi Electric Corporation, Japan*

<b>Tu1.3.4</b> <b>Development of Optical Interfaces for GE-PON PX-20 Supporting a 64x Split Ratio and 20km Transmission Range</b> J Nakagawa, N Suzuki, C Han, T Uo, <i>Mitsubishi Electric Corporation, Japan</i>	<b>143</b>
<b>Tu1.3.5</b> <b>Influence of Stimulated Raman Scattering in Video Overlay EPON Systems on Downstream Data Signal</b> A Agata, A Murakami, K Imai, Y Horiuchi, N Edagawa, <i>KDDI R&amp;D Laboratories Inc., Japan</i>	<b>145</b>
<b>Tu1.3.6</b> <b>Colourless ONU Modules in TDM-PON and WDM-PON Architectures for Optical Carrier Remote Modulation</b> N Genay, P Chanclou, M Moignard, F Payoux, <i>France Telecom R&amp;D, France</i> , R Brenot, <i>Alcatel-Thales III-V Lab, France</i>	<b>147</b>
 <b>Tu1.4 – Microstructured Fibres I</b> Chair: <b>David Richardson</b> , <i>Optoelectronics Research Center, United Kingdom</i>	
<b>Tu1.4.1</b> Invited - <b>Highly Birefringent Lamellar Core Fibre</b> A Wang, A K George, J F Liu, J C Knight, P St J Russell, <i>University of Bath, United Kingdom</i>	<b>149</b>
<b>Tu1.4.2</b> <b>A New Photonic Bandgap Fibre with Extended Triangular Lattice and Capillary Core</b> K Takenaga, N Guan, R Goto, S Matsuo, K Himeno, <i>Fujikura Ltd., Japan</i>	<b>153</b>
<b>Tu1.4.3</b> <b>Singlemode Low-Index Liquid Core Holey Fibre</b> S Février, P Viale, M Lelek, F Louradour, J-L Auguste, P Roy, J-M Blondy, <i>IRCOM, France</i>	<b>155</b>
<b>Tu1.4.4</b> <b>Characterisation of Microstructured Fibre Hole Diameter and Pitch With Fourier Domain Optical Coherence Tomography</b> J C Jasapara, <i>OFS Laboratories, United States</i>	<b>157</b>
<b>Tu1.4.5</b> <b>Using Modulation Instability to Determine the Propagation Constant in a Photonic Crystal Fibre</b> G K L Wong, A Y H Chen, S Ha, R J Kruhlak, S G Murdoch, R Leonhardt, J D Harvey, <i>University of Auckland, New Zealand</i> , N Y Joly, J C Knight, W J Wadsworth, P St J Russell, <i>University of Bath, United Kingdom</i>	<b>159</b>
<b>Tu1.4.6</b> <b>A High Performance GeO<sub>2</sub>/SiO<sub>2</sub> NZ-DSF and the Prospects for Future Improvement using Holey Fibre Technology</b> K Mukasa, F Poletti, D Richardson, <i>University of Southampton, United Kingdom</i> , K Imamura, N Kumano, T Yagi, <i>Furukawa Electric Co., Ltd., Japan</i>	<b>161</b>
 <b>Tu1.5 – Mode Locking and Pulse Generation</b> Chair: <b>Liam Barry</b> , <i>Dublin City University, Ireland</i>	
<b>Tu1.5.1</b> Invited - <b>Thermodynamic-Like Nature of Mode-Locking and Pulse Formation</b> A Gordon, R Weill, B Vodonos, A Rosen, M Katz, O Gat, B Fischer, <i>Technion – Israel Institute of Technology, Israel</i>	<b>163</b>
<b>Tu1.5.2</b> <b>High-Power, High Repetition Rate, Short-Pulse Mode-Locking using Flared Waveguide Quantum-Dot Lasers at 1.3<math>\mu</math>m</b> M G Thompson, F K Lau, R L Sellin, C Marinelli, R V Penty, I H White, <i>University of Cambridge, United Kingdom</i> , A R Kovsh, S S Mikhlin, D A Livshits, N N Ledenstov, I L Krestnikov, <i>NL Nanosemiconductor GmbH, Germany</i>	<b>165</b>

<b>Tu1.5.3</b>	<b>167</b>
<b>40 GHz Semiconductor Mode-Locked Laser Pulse Source for 160 Gbit/s RZ-DPSK Data Transmission</b>	
C Schubert, S Ferber, M Kroh, C Schmidt-Langhorst, R Ludwig, B Hüttl, R Kaiser, H G Weber, <i>Fraunhofer Institute for Telecommunications, Heinrich-Hertz-Institut, Germany</i>	
<b>Tu1.5.4</b>	<b>169</b>
<b>Sub-Picosecond Pulse Generation at 1.56 <math>\mu\text{m}</math> Using a Mode-Locked Quantum Dot Laser</b>	
A Martinez, C Gosset, K Merghem, G Aubin, A Ramdane, <i>CNRS Laboratory Of Photonics And Nanostructures, France</i> , F Lelarge, J Landreau, <i>Alcatel Thales III-V Lab, France</i>	
<b>Tu1.5.5</b>	<b>171</b>
<b>High Extinction Ratio Picosecond Pulses at 40GHz Rate Over 40nm with an AlGaInAs EAM Characterised by a Spectrogram Acquisition Method</b>	
J-G Provost, C Kazmierski, F Blache, J Decobert, <i>Alcatel Thales III-V Lab, France</i>	
<b>Tu1.5.6</b>	<b>173</b>
<b>Optical Comb Generator Using Pulse Compression in Ultra-Long Semiconductor Amplifiers</b>	
C Bornholdt, J Slovak, B Sartorius, M Schlak, Ch Schmidt, <i>Fraunhofer Institute for Telecommunications, Heinrich-Hertz-Institut, Germany</i>	
<b>Tu1.6 – Planar Photonic Crystals</b>	
Chair: Hanne Ludvigsen, <i>Helsinki University of Technology, Finland</i>	
<b>Tu1.6.1</b>	<b>175</b>
<b>Low Loss and Low Crosstalk Waveguide Crossings with Small Angles Designed by Wavefront Matching Method</b>	
T Saida, Y Sakamaki, M Tamura, T Hashimoto, H Takahashi, <i>NTT Corporation, Japan</i>	
<b>Tu1.6.2</b>	<b>177</b>
<b>A Compact and Highly Accurate DOP Monitor Using Photonic Crystal Polarizer Array</b>	
N Hashimoto, Y Homma, <i>Innovation plaza Miyagi, JST, Japan</i> , T Sato, T Aoyama, <i>Photonic-Lattice Inc, Japan</i> , T Chiba, H Uetsuka, <i>Hitachi Cable, Ltd, Japan</i> , S Kawakami, <i>Sendai Foundation for Applied Information Sciences, Japan</i>	
<b>Tu1.6.3</b>	<b>179</b>
<b>Broad Band Superprism Effect of Triangular One-dimensional Ta<sub>2</sub>O<sub>5</sub> Photonic Crystal Embedded in Slab Waveguide</b>	
K Oya, <i>New Glass Forum, Japan</i> , T Nakazawa, S Kittaka, K Tsunetomo, <i>Nippon Sheet Glass Co., Ltd., Japan</i> , K Kintaka, J Nishii, <i>AIST Kansai, Japan</i> , K Hirao, <i>Kyoto University, Japan</i>	
<b>Tu1.6.4</b>	<b>181</b>
<b>Experimental Results and 3D Analysis of a High Efficiency Coupling Technique for Planar Photonic Crystals</b>	
P Sanchis, J Marti, <i>Nanophotonics Technology Center, Universidad Politécnica de Valencia, Spain</i> , W Bogaerts, P Dumon, R Baets, <i>Ghent University-IMEC, Belgium</i>	
<b>Tu1.6.5</b>	<b>183</b>
<b>Air Hole Photonic Crystal Beamsplitters Integrated in Ridge Waveguide Configuration</b>	
P Pottier, S Mastroiacovo, R M De La Rue, <i>University of Glasgow, United Kingdom</i>	
<b>Tu1.6.6</b>	<b>185</b>
<b>Experimental Demonstration of a Vertically Coupled Photonic Crystal Filter</b>	
M Dainese, Z Zhang, L Wosinski, M Qiu, L Thylen, <i>Royal Institute of Technology, Sweden</i> , M Swillo, <i>PhoXtal Communications AB, Sweden</i>	
<b>Tu1.6.7</b>	<b>187</b>
<b>Photo-Patternable Polymer Waveguides for Microring Resonators</b>	
R Dekker, M B J Diemeer, E J Klein, L T H Hilderink, K Wörhoff, A Driessen, <i>University of Twente, Integrated Optical Micro Systems, The Netherlands</i>	

**Tu3.2 – Electronic Mitigation of Impairments I**

Chair: **Giancarlo Prati**, *CNIT, Italy*

**Tu3.2.1 Invited - Electronic Dispersion Compensation Techniques for Optical Communication Systems** **189**

M O'Sullivan, K Roberts, C Bontu, *Nortel Networks, United States*

**Tu3.2.2** **191**

**Invited - Fibre Nonlinearities in Electronically Pre-Distorted Transmission**

R-J Essiambre, P J Winzer, *Bell Laboratories, Lucent Technologies, United States*

**Tu3.2.3** **193**

**Skewed Coding for Suppression of Pattern-Dependent Errors**

A Shafarenko, *University of Hertfordshire, United Kingdom*, K S Turitsyn, *Landau Institute for Theoretical Physics, Russia*, S K Turitsyn, *Aston University, United Kingdom*

**Tu3.2.4** **195**

**8.4 dB Net Coding Gain Achieved with a Serially Concatenated Coding Scheme for Differential Quadrature Phase Shift Keyed Optical Systems**

P Faraj, S Schöllmann, J Leibrich, W Rosenkranz, *University of Kiel, Germany*

**Tu3.2.5** **197**

**Performance Evaluation of FEC Codes in Highly Spectrally Efficient 42.6 Gbit/s Coherent WDM Optical Transmission System**

T Healy, F C Garcia Gunning, A D Ellis, *University College Cork, Ireland*

**Tu3.3 – Wavelength Conversion and Regeneration**

Chair: **Peter Andrekson**, *Chalmers University of Technology, Sweden*

**Tu3.3.1** **199**

**All-Optical Regeneration of 40-Gb/s Low-Q Signal Using XPM-Induced Wavelength Shift in Highly-Nonlinear Fibre**

J Suzuki, T Tanemura, K Kikuchi, *The University of Tokyo, Japan*

**Tu3.3.2** **201**

**Investigation of Fibre Launch Power Margin in 40 Gb/s Transmission with All-Optical Regeneration**

G Gavioli, B Thomsen, V Mikhailov, P Bayvel, *University College London, United Kingdom*

**Tu3.3.3** **203**

**Performance Limits of Electronic Feed-Forward and Decision Feedback Equalizers for Single Mode Fibre Links**

P M Watts, V Mikhailov, S Savory, P Bayvel, R I Kitley, *University College London, United Kingdom*, M Glick, *Intel Research Cambridge, United Kingdom*, M Lobel, B Christensen, *Intel Copenhagen ApS, Denmark*, P Kirkpatrick, S Shang, *Intel Corporation, United States*

**Tu3.3.4** **205**

**Wavelength Conversion of a 6 x 40 Gb/s DPSK WDM Signal using FWM in a Highly Non-linear Photonic Crystal Fibre**

Y Geng, P A Andersen, T Tokle, C Peucheret, P Jeppesen, *Technical University of Denmark, Denmark*

**Tu3.3.5** **207**

**Wavelength-Conversion and Demultiplexing of an 80 Gbit/s Signal Using XPM-induced Wavelength Shift in Bismuth Oxide-Based Nonlinear Fibre**

J H Lee, T Nagashima, T Hasegawa, S Ohara, N Sugimoto, *Asahi Glass Co., Ltd, Japan*, K Kikuchi, *University of Tokyo, Japan*

**Tu3.3.6** **209**

**Invited - Trends in the Field of All-Optical Wavelength Conversion and Regeneration for Communication up to 160 Gb/s**

J Leuthold, W Freude, G Boettger, J Wang, P Vorreau, A Marculescu, *University of Karlsruhe, Germany*

**Tu3.4 – Network Control and GMPLS**Chair: **Ken-ichi Sato**, *University of Nagoya, Japan***Tu3.4.1** 211Invited - **Nationwide Field Trial of GMPLS Optical Networking**T Otani, *KDDI R&D Laboratories, Japan***Tu3.4.2** 215**A GMPLS-Controlled Multi-Vendor Optical Network Demonstrating a Variety of Switching, Control, and Protection Mechanisms**M Mir, H Sheikh, G Galimberti, R Ati, S Liem, R Gyurek, M Tatipamula, O Gerstel, *Cisco Systems, United States*, A Banerjee, L Mao, E McGinnis, O Jerphagnon, *Calient Networks, United States***Tu3.4.3** 217**Experiments on Optical Link Capacity Adjustment for Photonic IX**I Shake, M Fukutoku, O Moriwaki, Y Tsukishima, W Imajuku, *NTT Corporation, Japan*, T Kurahashi, *Internet Initiative Japan Inc., Japan*, Y Tarui, *Internet Multifeed Co., Japan***Tu3.4.4** 219**Dynamic Bandwidth Modification for L2 Switches by Interacting with Traffic Monitoring and GMPLS Control Plane**T Tsuritani, M Miyazawa, T Otani, H Tanaka, *KDDI R&D Laboratories Inc., Japan***Tu3.4.5** 221**Migration of a GMPLS Network into an Existing IP/MPLS Network by Border-Peer Router Model**K Ogaki, T Otani, H Tanaka, *KDDI R&D Laboratories Inc., Japan*, M Tatipamula, Z Ali, *Cisco Systems Inc., United States*, K Kumaki, *KDDI Corporation, Japan***Tu3.4.6** 223**Experimental in-Fibre GMPLS Fault Management for 1:1 OUPSR R-OADM Networks**R Muñoz, R Martinez, C Pinart, *Centre Tecnològic de Telecomunicacions de Catalunya (CTTC), Spain*, J Sorribes, G Junyent, *Universitat Politècnica de Catalunya (UPC), Spain***Tu3.5 – All-Optical Logic**Chair: **Tony Kelly**, *University of Glasgow, United Kingdom***Tu3.5.1** 225**All-Optical 40Gb/s Logic XOR Gate with Dual Ultrafast Nonlinear Interferometers**R P Webb, X Yang, R J Manning, R Giller, *University College Cork, Ireland***Tu3.5.2** 227**Demonstration of an All-Optical Three-Input Exclusive-OR Logic Gate for High-Speed Optical DPSK Signals**N Deng, C-K Chan, L K Chen, *The Chinese University of Hong Kong, China***Tu3.5.3** 229**All-Optical Logic Gates Based on an SOA and an Optical Filter**Z Li, Y Liu, S Zhang, H Ju, H de Waardt, G D Khoe, *Eindhoven, University of Technology, The Netherlands*, D Lenstra, *Vrije Universiteit, The Netherlands***Tu3.5.4** 231**Experimental Investigation of Pattern-Dependent Phase Fluctuation in Wavelength Conversion and XOR Operation Using Semiconductor Optical Amplifiers**I Kang, C Dorrer, L Zhang, A Bhardwaj, L Buhl, M Dinu, D T Neilson, M Rasras, S Cabot, M Cappuzzo, L Gomez, A Wong-Foy, Y F Chen, S Patel, J Jaques, *Bell Laboratories, Lucent Technologies, United States***Tu3.5.5** 233**Optical Shift Register Based on an Optical Flip-Flop Memory with a Single Active Element**S Zhang, Z Li, Y Liu, R Geldenhuys, H Ju, G D Khoe, H J S Dorren, *Eindhoven University of Technology, The Netherlands*, D Lenstra, *Vrije Universiteit, The Netherlands*

<b>Tu3.5.6</b>	<b>235</b>
<b>1.3<math>\mu</math>m Optical Encoder/Correlators on GaAs-based Photonic Integrated Circuits</b>	
K Koyama, J Hashimoto, Y Tsuji, T Katsuyama, A Ishida, <i>Sumitomo Electric Industries, Ltd., Japan</i>	
<b>Tu3.5.7</b>	<b>237</b>
<b>Bandwidth Enhancement of SOA-Based Switches Using Optical Filtering: Theory and Experiment</b>	
M L Nielsen, J Mørk, <i>Technical University of Denmark, Denmark</i>	
 <b>Tu3.6 – Silicon and High Index Contrast Integrated Components</b>	
Chair: <b>Edwin Pun</b> , <i>City University of Hong Kong, Hong Kong</i>	
<b>Tu3.6.1</b>	<b>239</b>
Invited - <b>All-Optical and Electro-Optical Control of Light on a Silicon Chip</b>	
M Lipson, <i>Cornell University, United States</i>	
<b>Tu3.6.2</b>	<b>241</b>
Invited - <b>Recent Progress in SOI Nanophotonic Waveguides</b>	
D Van Thourhout, P Dumon, W Bogaerts, G Roelkens, D Taillaert, G Priem, R Baets, <i>IMEC-Ghent University, Belgium</i>	
<b>Tu3.6.3</b>	<b>245</b>
<b>Reconfigurable Optical Add-Drop Multiplexer Based on Silicon Nano-Wire Waveguides</b>	
T Chu, H Yamada, <i>Optoelectronic Industry and Technology Development Association (OITDA), Japan</i> , S Ishida, Y Arakawa, <i>The University of Tokyo, Japan</i>	
<b>Tu3.6.4</b>	<b>247</b>
<b>First Demonstration of a Semiconductor-Integrated Optical Digital-to-Analog Converter</b>	
H Uenohara, R Kurosawa, <i>Tokyo Institute of Technology, Japan</i>	
<b>Tu3.6.5</b>	<b>249</b>
<b>A Compact Fibre-to-Waveguide Coupler Based on Angled Slots.</b>	
F Van Laere, D Taillaert, D Van Thourhout, R Baets, <i>Ghent University - IMEC, Belgium</i> , M V Kotlyar, T F Krauss, <i>University of St. Andrews, United Kingdom</i>	
 <b>Tu4.2 – Electronic Mitigation of Impairments II</b>	
Chair: <b>Michel Joindot</b> , <i>France Telecom R&amp;D/RTA, France</i>	
<b>Tu4.2.1</b>	<b>251</b>
Invited - <b>Electronic Precompensation Techniques to Combat Dispersion and Nonlinearities in Optical Transmission</b>	
R Killey, P Watts, P Bayvel, <i>University College London, United Kingdom</i> , M Glick, <i>Intel Research, United Kingdom</i>	
<b>Tu4.2.2</b>	<b>255</b>
<b>Electronic Pre-Distortion for Advanced Modulation Formats</b>	
P J Winzer, R-J Essiambre, <i>Bell Labs, Lucent Technologies, United States</i>	
<b>Tu4.2.3</b>	<b>257</b>
<b>Performance Enhancement for Duobinary Modulation Through Nonlinear Electrical Equalization</b>	
C Xia, W Rosenkranz, <i>University of Kiel, Germany</i>	
<b>Tu4.2.4</b>	<b>259</b>
<b>Performance of Optical Single Sideband Signal Transmission Systems Using Adaptive Electronic Dispersion Compensators</b>	
P M Watts, V Mikhailov, P Bayvel, R I Killey, <i>University College London, United Kingdom</i> , M Glick, <i>Intel Research Cambridge, United Kingdom</i>	

<b>Tu4.2.5</b>	<b>261</b>
<b>Laser FM Noise Impact on DCF-Free Transmission Utilising Electronic Dispersion Compensation</b>	
R A Griffin, G Busico, <i>Bookham, United Kingdom</i>	
<b>Tu4.2.6</b>	<b>263</b>
<b>Accurate Digital Phase Estimation Process for Coherent Detection Using a Parallel Digital Processor</b>	
M G Taylor, <i>University College London, United Kingdom</i>	
<b>Tu4.3 – Network Design</b>	
Chair: <b>Andreas Gladisch</b> , <i>T-Systems, Germany</i>	
<b>Tu4.3.1</b>	<b>265</b>
<b>Invited - Multi-Layered Photonic Network Design Considering Incremental Traffic Growth and Different Service Contract Terms</b>	
K Kanie, H Hasegawa, K Sato, <i>Nagoya University, Japan</i>	
<b>Tu4.3.2</b>	<b>269</b>
<b>Demonstration of PCE-Controlled Dynamic Traffic Engineering for GMPLS-Based Multilayer Service Network</b>	
T Miyamura, T Kurimoto, R Hayashi, I Inoue, K Shiomoto, S Urushidani, <i>NTT Network Service Systems Laboratories, Japan</i>	
<b>Tu4.3.3</b>	<b>271</b>
<b>Emulation of Overspill Routing in Optical Networks</b>	
E Van Breusegem, J Cheyns, D Colle, M Pickavet, P Demeester, <i>Ghent University - IMEC, Belgium</i> , D De Winter, J Moreau, <i>Hogeschool Ghent, Belgium</i>	
<b>Tu4.3.4</b>	<b>273</b>
<b>Dynamic vs. Static Lightpath Allocation in WDM Networks</b>	
A Zapata, <i>Universidad Técnica Federico Santa María, Chile &amp; University College London, United Kingdom</i> , P Bayvel, <i>University College London, United Kingdom</i>	
<b>Tu4.3.5</b>	<b>275</b>
<b>Fast Segmented-Path Restoration Using TCM-Based Fault Detection and OTN Signalling for GMPLS Optical Transport Networks</b>	
Y Fukashiro, T Hirai, H Tsushima, <i>Hitachi Communication Technologies, Ltd., Japan</i> , K Kusama, <i>Systems Development Laboratory, Hitachi Ltd, Japan</i>	
<b>Tu4.3.6</b>	<b>277</b>
<b>Hybrid Protection in WDM Networks with Shared Risk Link Groups</b>	
X Shao, L Zhou, X Cheng, Y Wang, <i>Institute for Infocomm Research, Singapore</i> , G Xiao, <i>Nanyang Technological University, Singapore</i>	
<b>Tu4.4 – Microstructured Fibres II</b>	
Chair: <b>Tim Birks</b> , <i>University of Bath, UK</i>	
<b>Tu4.4.1</b>	<b>279</b>
<b>Invited - Reducing the Losses in Photonic Crystal Fibres</b>	
K Kurokawa, K Tajima, K Tsujikawa, K Nakajima, <i>NTT Access Network Service Systems Laboratories, Japan</i>	
<b>Tu4.4.2</b>	<b>283</b>
<b>Penalty-free 10 Gb/s Transmission in 1.0 <math>\mu\text{m}</math> Band over 24 km Low Loss PCF</b>	
K Tsujikawa, K Kurokawa, K Tajima, K Nakajima, T Matsui, I Sankawa, <i>NTT Access Network Service Systems Laboratories, United Kingdom</i>	
<b>Tu4.4.3</b>	<b>285</b>
<b>Distributed Raman Amplification at 850 nm in a Low Loss Photonic Crystal Fibre</b>	
K Nakajima, C Fukai, K Kurokawa, K Tajima, T Matsui, I Sankawa, <i>NTT Access Network Service Systems Laboratories, Japan</i>	

<b>Tu4.4.4</b>	<b>287</b>
<b>Microstructured Fibres for High Power Beam Delivery Applications</b>	
E J O'Driscoll, M A Watson, T Delmonte, <i>BAE SYSTEMS, United Kingdom</i> , M N Petrovich, V Finazzi, J C Baggett, D J Richardson, <i>University of Southampton, United Kingdom</i> , T M Monro, <i>University of Adelaide, Australia</i>	
<b>Tu4.4.5</b>	<b>289</b>
<b>Enhancement of Nonlinear Effect in Tellurite Photonic Crystal Fibre Realized by Amplification with Er<sup>3+</sup></b>	
S Aozasa, A Mori, M Kato, K Oikawa, M Yamada, K Naganuma, H Ono, <i>NTT Corporation, Japan</i>	
<b>Tu4.4.6</b>	<b>291</b>
<b>Widely Tunable Wavelength Conversion with Extinction Ratio Enhancement Using PCF Based NOLM</b>	
C H Kwok, S H Lee, K K Chow, C Shu, C L Lin, <i>The Chinese University of Hong Kong, Hong Kong</i>	
 <b>Tu4.5 – Semiconductor Laser Diodes</b>	
Chair, <b>Piero Gambini</b> , <i>Agilent Technologies, Italy</i>	
<b>Tu4.5.1</b>	<b>293</b>
<b>A 1310-nm InGaAlAs Short-Cavity DBR laser for 100°C, 10-Gbit/s Operations with a 14-mApp Current Drive</b>	
M Aoki, K Shinoda, T Kitatani, T Tsuchiya, <i>Hitachi Ltd., Japan</i> , M Mukaikubo, K Uchida, K Uomi, <i>Opnext Japan Inc, Japan</i>	
<b>Tu4.5.2</b>	<b>295</b>
<b>Ru-doped Semi-Insulating Buried Heterostructure Laser Operating up to 100 °C for 10-Gbit/s Direct Modulation</b>	
R Iga, Y Kondo, T Takeshita, K Kishi, M Yuda, <i>NTT Photonics Labs., Japan</i>	
<b>Tu4.5.3</b>	<b>297</b>
<b>Experimental Evaluation of Carrier Transport, Gain, T<sub>0</sub> and Chirp of 1.55 μm MQW Structures with Different Barrier Compositions</b>	
M N Akram, R Schatz, S Marcinkevicius, O Kjebon, J Berggren, <i>Royal Institute of Technology, Sweden</i>	
<b>Tu4.5.4</b>	<b>299</b>
<b>High Single-Mode Yield, Tapered 1.55 μm DFB Lasers for CWDM Applications</b>	
M Möhrle, A Sigmund, A Suna, L Mörl, W Fürst, A Dounia, W-D Molzow, <i>Fraunhofer Institute for Telecommunication, Heinrich-Hertz-Institute, Germany</i>	
<b>Tu4.5.5</b>	<b>301</b>
<b>High Power InAs/GaInAs Quantum Dot Lasers with Enhanced Temperature Stability for Uncooled Pump Applications</b>	
R Debusmann, S Deubert, A Forchel, <i>University of Wuerzburg, Germany</i> , J P Reithmaier, <i>University of Kassel, Germany</i>	
<b>Tu4.5.6</b>	<b>303</b>
<b>High-Power and High-Brightness Lasers with an Al-free Active Region at 915 nm</b>	
N Michel, M Calligaro, M Lecomte, O Parillaud, M Krakowski, <i>Thales Research and Technology &amp; Alcatel Thales III-V Lab, France</i> , L Borruel, I Esquivias, P Moreno, <i>Universidad Politécnica de Madrid, Spain</i> , S Sujecki, J Wykes, E C Larkins, <i>University of Nottingham, United Kingdom</i>	
<b>Tu4.5.7</b>	<b>305</b>
<b>Ultralow Threshold Long Wavelength Single-Mode Quantum Dot VCSELs on GaAs Substrates</b>	
C Möller, S S Mikhlin, A V Kozhukhov, I L Krestnikov, D A Livshits, A R Kovsh, N N Ledentsov, <i>NL Nanosemiconductor GmbH, Germany</i> , H J Hensel, W D Molzow, R Gibis, D Schmidt, A Paraskevopoulos, <i>Fraunhofer Institute for Telecommunications, Heinrich-Hertz-Institut, Germany</i>	



**Tu4.6 – Bragg Gratings and UV Poling**Chair: **Walter Margulis**, *Acreo, Sweden*

- Tu4.6.1** **307**  
**A Matrix of Poling Evolution Data Showing the Effects of Voltage and Temperature in Optical Fibre and a Numerical Model Comparison**  
K Lee, J L Blows, S Fleming, *University of Sydney, Australia*
- Tu4.6.2** **309**  
**Application of a Conductive Polyimide Coating in Thermal Poling of Long Lengths of Fibre**  
K Lee, P Hu, J L Blows, S Fleming, *University of Sydney, Australia*
- Tu4.6.3** **311**  
**UV Poling of Pure Fused Silica by High-Intensity Femtosecond Radiation**  
C Corbari, P G Kazansky, *University of Southampton, United Kingdom*, S A Slattery, D N Nikogosyan, *University College Cork, Ireland*
- Tu4.6.4** **313**  
**A Novel XPM Based Pulse Retiming System Incorporating a Fibre Grating Based Parabolic Pulse Shaper**  
F Parmigiani, P Petropoulos, M Ibsen, M A F Roelens, D J Richardson, *University of Southampton, United Kingdom*
- Tu4.6.5** **315**  
**Full Characterisation of the Temporal Response of Complex Phase Shifted Bragg Gratings for OCDMA Using Frequency Resolved Optical Gating**  
M A F Roelens, C Tian, Z Zhang, P Petropoulos, M Ibsen, D J Richardson, *University of Southampton, United Kingdom*
- Tu4.6.6** **317**  
**Co-Propagating Cladding Modes Coupling Assisted by Tilted Bragg Grating with Large Tilting Angle**  
K Zhou, X Chen, L Zhang, I Bennion, *Aston University, United Kingdom*
- Tu4.6.7** **319**  
**All-Fibre Dual-Direction Gires-Tournois Etalon Realised with Single Complex Fiber Bragg Grating Structure**  
X Shu, K Sugden, I Bennion, *Aston University, United Kingdom*