

## Volume 3 – Table of Contents

**Page**

### **Author List**

#### **We1.2 – Transmission Impairment and Optical Mitigation Techniques**

Chair: **Mattias Berger**, *Lucent Technologies Network Systems GmbH, Germany*

##### **We1.2.1**

##### **Invited - Optical Single Channel Dispersion Compensation Devices and their Application**

G Shabtay, D Mendlovic, Y Itzhar, *Civcom, Israel*

321

##### **We1.2.2**

##### **Additional All-Optical Decision Element Improving the Performance of Band-Limited Receivers in RZ Systems**

P Ghelfi, A Bogoni, L Poti, *Photonic Network National Laboratory – CNIT, Italy*

M Scaffardi, M Secondini, *CEIRC - Scuola Superiore Sant'Anna, Italy*

M F Matchouani, *Pisa University, Italy*

323

##### **We1.2.3**

##### **Real-time Monitoring and Fast Adaptive Compensation of Chromatic Dispersion in a 40Gbps Optical Cross-Connect Network**

Y Hirota, Y Takushima, *University of Tokyo, Japan*

S Matsumoto, K Yoshiara, *Mitsubishi Electric Corp., Japan*

325

##### **We1.2.4**

##### **Compensation of Multimode Fibre Dispersion using Adaptive Optics**

X Shen, J M Kahn, M A Horowitz, *Stanford University, United States*

327

##### **We1.2.5**

##### **5.94 Tb/s Capacity of a Multichannel Tunable –700 to –1200 ps/nm Dispersion Compensator**

A Hidayat, A Fauzi Abas, D Sandel, S Bhandare, H Zhang, F Wüst, B Milivojevic, R Noé, *University of Paderborn, Germany*

329

##### **We1.2.6**

##### **Automatic Per-Packet Dynamic Power Equalisation in a 4 x 4 Active Vertical Coupler Optical Crosspoint Switch Matrix**

S C Lee, R Varraza, S Yu, *University of Bristol, United Kingdom*

331

#### **We1.3 – Polarisation Mode Dispersion (PMD)**

Chair: **Mark Shtaif**, *Tel Aviv University, Israel*

##### **We1.3.1**

##### **43 Gbit/s SiGe Based Electronic Equaliser for PMD and Chromatic Dispersion Mitigation**

B Franz, D Rösener, R Dischler, F Buchali, B Junginger, *Alcatel Research & Innovation, Germany*

333

##### **We1.3.2**

##### **Dispersion Compensation Module as a Polarisation Hinge**

M Brodsky, N J Frigo, *AT&T Labs Research, United States*

335

##### **We1.3.3**

##### **A Statistical Theory of PMD-Induced Power Penalty**

C Antonelli, A Mecozzi, *University of L'Aquila, Italy*

337

##### **We1.3.4**

##### **Modelling PMD-Induced System Penalties**

K E Cornick, S Finch, P M Farrell, S D Dods, *University of Melbourne, Australia*

339

<b>We1.3.5</b>	341
<b>Broadband PMD Mitigation using a Mid-span Polarisation Controller</b>	
M Boroditsky, AT&T Labs Research, United States, C Antonelli, A Mecozzi, University of L'Aquila, Italy	
<b>We1.3.6</b>	343
<b>Improved PMD Tolerance in Systems Using Enhanced Forward Error Correction through Distributed Fast Polarisation Scrambling</b>	
X Liu, C R Giles, X Wei, C Xie, L Möller, A J van Wijngaarden, Bell Laboratories, Lucent Technologies, United States, Y-H Kao, Optical Networking Group, Lucent Technologies, United States	
<b>We1.3.7</b>	345
<b>System Penalties Induced by Second-Order Polarisation Mode Dispersion</b>	
C Xie, L Möller, Bell Laboratories, Lucent Technologies, United States	
<b>We1.4 – Optical Packet Switching II</b>	
Chair: Keren Bergman, Columbia University, United States	
<b>We1.4.1</b>	347
<b>Invited - 160Gbit/s/port Optical Packet Switch Prototype with Variable-Length Packet BER and Loss Real-time Measurement</b>	
N Wada, H Furukawa, T Miyazaki, NICT, Japan, K Fujinuma, T Wada, Anritsu Co., Japan	
<b>We1.4.2</b>	351
<b>A QoS Optical Packet-Switching System for Metro WDM Networks</b>	
M C Yuang, J Shih, S S W Lee, Yu-Min Lin, J J Chen, Po L Tien, National Chiao Tung University, Taiwan	
<b>We1.4.3</b>	353
<b>Hybrid IP/Optical Packet Transceiver Mechanism for Wavelength Routed Asynchronous Optical Packet Switched Networks</b>	
R Nejabati, D Klonidis, D Simeonidou, M O'Mahony, University of Essex, United Kingdom	
<b>We1.4.4</b>	355
<b>Dynamic Injection Control Module for Optical Packet Switching Fabrics</b>	
A Shacham, B G Lee, K Bergman, Columbia University, United States	
<b>We1.4.5</b>	357
<b>Demonstration of OCDMA Traffic over Optical Packet Switching Networks with PLC and SSFBG En/decoders for Time Domain OC Processing</b>	
X Wang, N Wada, National Institute of Information and Communication Technology (NICT), Japan	
<b>We1.4.6</b>	359
<b>Cross-Channel Interference Due to Wavelength Switching Events in Wavelength Packed Switched WDM Networks</b>	
E Connolly, A Kaszubowska-Anandarajh, L P Barry, Dublin City University, Ireland, J Dunne, T Mullane, D McDonald, Intune Technologies Ltd., Ireland	
<b>We1.5 – Wavelength Conversion and Parallel Optics</b>	
Chair: Ian White, Cambridge University, United Kingdom	
<b>We1.5.1</b>	361
<b>A Novel Monolithically Integrated Mach-Zehnder Wavelength Converter Using Cross Modulation in Electro-Absorber</b>	
Y Du, T Tekin, R G Broeke, N Chubun, C Ji, J Cao, S J B Yoo, University of California, Davis, United States, K Y Liou, J R Lothian, S Vatanapradit, S N G Chu, B Patel, W S Hobson, D V Tishinin, W T Tsang, Multiplex, Inc, United States	
<b>We1.5.2</b>	363
<b>All-Optical 2R Regenerative Wavelength Conversion of 40 Gbit/s RZ Data using Electro-Absorption Modulator with Shifted Band-Pass Filter</b>	
N El Dahdah, B Charbonnier, R Coquillé, M Joindot, E Pincemin, France Telecom R&D, France	

<b>We1.5.3</b>	<b>365</b>
<b>Performance Assessment of 1310 to 1550 nm Wavelength Conversion</b>	
J P Turkiewicz, J J Vegas Olmos, G D Khoe, H de Waardt, <i>Eindhoven University of Technology, The Netherlands</i>	
<b>We1.5.4</b>	<b>367</b>
<b>160 Gbit/s Wavelength Conversion Using Ultra-fast Dynamics in an SOA</b>	
Y Liu, E Tangdiongga, Z Li, S Zhang, H de Waardt, G D Khoe, H J S Dorren, <i>Eindhoven University of Technology, The Netherlands</i>	
<b>We1.5.5</b>	<b>369</b>
<b>Invited - "Terabus" – A Waveguide-Based Parallel Optical Interconnect for Tb/s-Class On-Board Data Transfers in Computer Systems</b>	
L Schares, C Schow, F Doany, C Schuster, J Kash, D Kuchta, P Pepeljugoski, J Schaub, J Trewella, C Baks, R John, L Shan, S Hedge, Y Kwark, D Rogers, F Libsch, R Budd, P Chiniwalla, J Rosner, C Tsang, C Patel, D Kucharski, D Guckenberger, <i>IBM-Research, United States</i> , R Dangel, B Offrein, <i>IBM-Research, Switzerland</i> , M Tan, G Trott, M Nystrom, A Tandon, C K Lin, D Dolfi, <i>Agilent Technologies, United States</i>	
<b>We1.5.6</b>	<b>373</b>
<b>Compact Low-Cost Four-Channel × 10Gbit/s Parallel Optical Transceiver for Short-Distance Optical Interconnections</b>	
T Ban, R Mita, Y Matsuoka, M Shishikura, <i>Hitachi, Ltd., Central Research Laboratory, Japan</i>	
<b>We2.2– High-Speed Transmission I</b>	
Chair: <b>Andrew Ellis, UCC, Ireland</b>	
<b>We2.2.1</b>	<b>375</b>
<b>Invited - 160 Gbit/s-based Field Transmission Experiments with Single-Polarisation RZ-DPSK Signals and Simple PMD Compensator</b>	
M D Daikoku, I M Morita, H T Tanaka, M Suzuki, <i>KDDI R&amp;D Laboratories Inc, Japan</i> , T M Miyazaki, F Kubota, <i>National Institute of Information and Communications Technology, Japan</i>	
<b>We2.2.2</b>	<b>379</b>
<b>8x85.4 Gbit/s WDM Field Transmission over 421 km SSMF Link Applying an 85.4 Gbit/s ETDM Receiver</b>	
K Schuh, B Junginger, E Lach, <i>Alcatel Research &amp; Innovation, Germany</i> S Vorbeck, R Leppla, M Schneiders, <i>T-Systems International GmbH, Germany</i>	
<b>We2.2.3</b>	<b>381</b>
<b>80 Gbit/s DPSK Transmission over 480 km Dispersion-managed Fibre with Balanced Detection ETDM Receiver</b>	
R Ludwig, C Schubert, S Ferber, C Börner, C Schmidt-Langhorst, H G Weber, <i>Fraunhofer Institute for Telecommunications, Germany</i> , W S Lee, <i>SHF Communication Technologies AG, Germany</i>	
<b>We2.2.4</b>	<b>383</b>
<b>Implementation of an 80 GBit/s Full ETDM Multi-format ASK Optical Transmitter</b>	
W S Lee, V Filsinger, L Klaproth, <i>SHF Communication Technologies AG, Germany</i> , H-G Bach, A Beiling, <i>HHI, Germany</i>	
<b>We2.2.5</b>	<b>385</b>
<b>Burst Switching Capability of Electro-optical PLL-Based Clock Recovery for 170 Gbit/s</b>	
C Boerner, R Ludwig, S Ferber, H G Weber, <i>Fraunhofer Institute for Telecommunications, Germany</i> , S Weisser, A Benz, L Raddatz, <i>Lucent Technologies, Germany</i>	
<b>We2.2.6</b>	<b>387</b>
<b>160-Gb/s Optical Demultiplexing with Enhanced Timing Margin by Unequally Aligning Pulse Position</b>	
F Futami, S Ono, S Watanabe, <i>FUJITSU LABS, Japan</i>	

<b>We2.3 – Measurement Techniques</b>	
Chair: Mike O'Mahoney, University of Essex, United Kingdom	
<b>We2.3.1</b>	389
<b>An Accurate Optical Frequency Measurement System Using an Optical Frequency Comb and an Acetylene-Stabilised Laser</b>	
A Onae, F Hong, K Okumura, H Matsumoto, <i>National Institute of Advanced Industrial Science and Technology (AIST), Japan</i> , K Nakagawa, <i>University of Electro-Communications, Japan</i> , Y Tachikawa, <i>Yokogawa Electric Corporation, Japan</i>	
<b>We2.3.2</b>	391
<b>Time-Resolved Waveform Measurement of High-Speed Phase-Modulated Optical Signals Using Self-Homodyne Interferometry</b>	
N Kikuchi, K Sekine, S Sasaki, <i>Hitachi Ltd, Japan</i>	
<b>We2.3.3</b>	393
<b>Simple Autocorrelation Technique by Tuning a DGD Element and Measuring a Pulse's Degree-of-Polarisation</b>	
T Luo, C Yu, L S Yan, S Kumar, A E Willner, <i>University of Southern California, United States</i> , Z Pan, <i>University of Louisiana, United States</i> , S Yao, <i>General Photonics Co, United States</i>	
<b>We2.3.4</b>	395
<b>Time-Resolved Measurements of Q-factor in 560-km Transmission Link with Transient Control Amplifiers</b>	
A V Turukhin, D Al-Salameh, E Gonzales, S Lumish, <i>JDS Uniphase Corporation, United States</i> , P M Krummrich, L Rapp, <i>Siemens AG, Germany</i>	
<b>We2.3.5</b>	397
<b>High Quality Pulse and Device Characterisation Using EAM-Based Frequency Resolved Optical Gating</b>	
M A F Roelens, P Petropoulos, D J Richardson, <i>University of Southampton, United Kingdom</i> , M Forzati, A Djupsjöbacka, A Berntson, <i>Acro AB, Sweden</i>	
<b>We2.3.6</b>	399
<b>Invited - Measuring the Intensity and Phase of 1.5-μm Ultrashort Laser Pulses</b>	
S Akturk, X Gu, R Trebino, <i>Georgia Institute of Technology, United States</i>	
<b>We2.4 – All-Optical Regeneration and Processing</b>	
Chair – Eugenio Iannone, <i>Pirelli Labs and Pirelli Telecom Systems, Italy</i>	
<b>We2.4.1</b>	403
<b>An All-Optical Regenerator that Discriminates Noise from Signal</b>	
M Rochette, J L Blows, B J Eggleton, <i>University of Sydney, Australia</i>	
<b>We2.4.2</b>	405
<b>Triple 640km Cascade of Tuneable All Optical Regenerators in a 10Gb/s WDM Field Trial Over 160km Per Span Distance in MCI's Metro Network</b>	
D Chen, TJ Xia, G Wellbrock, <i>MCI, United States</i> , G B Davis, <i>Optovia, United States</i> , S B Ezra, S Tsadka, <i>Kailight, United States</i>	
<b>We2.4.3</b>	407
<b>Integrated All-Optical Regenerator in Chalcogenide Glass</b>	
M Rochette, V G Ta'eед, D J Moss, L B Fu, M Shokooh-Saremi, I C Littler, B J Eggleton, <i>University of Sydney, Australia</i> , Y Ruan, B Luther-Davies, <i>Australian National University, Australia</i>	
<b>We2.4.4</b>	409
<b>40Gb/s All-Optical Shift Register Using Hybrid Integrated Optical Logic Gate</b>	
R McDougall, A Poustie, G Maxwell, B Harmon, J Reed, P Townley, M Harlow, I Lealman, L Rivers, <i>Centre for Integrated Photonics, United Kingdom</i>	
<b>We2.4.5</b>	411
<b>All-Optical SOA-based Packet Detection for Packet-Rate Synchronisation</b>	
P Bakopoulos, D Tsikos, D Apostolopoulos, D Petrantonakis, E Kehayas, H Avramopoulos, <i>National Technical University of Athens, Greece</i>	

<b>We2.4.6</b>	<b>413</b>
<b>Optical Timing Jitter Transfer Characteristics of a 40Gb/s Hybrid Integrated SOA-Mach-Zehnder Interferometer All-optical Regenerator</b>	
A Poustie, R Wyatt, R McDougall, G Maxwell, <i>Centre for Integrated Photonics, United Kingdom</i> , B R Hemenway, <i>Corning, United States</i>	
<b>We2.4.7</b>	<b>415</b>
<b>All Optical Regeneration by Cross Gain Compression in Semiconductor Amplifiers</b>	
G Contestabile, R Proietti, N Calabretta, E Ciaramella, <i>Scuola Superiore Sant'Anna, Italy</i>	
<b>We2.5 – Dispersion in Fibres</b>	
Chair – Lars Grüner-Nielsen, <i>OFS Denmark, Denmark</i>	
<b>We2.5.1</b>	<b>417</b>
<b>Low Residual, Large Effective Area Dispersion Compensation Fibre</b>	
W A Wood, R B Desorcie, <i>Corning Incorporated, United States</i> , K W Bennett, <i>Avanex Corporation, United States</i>	
<b>We2.5.2</b>	<b>419</b>
<b>Grating Superposition Encoded into a Phase Mask for Efficient Fabrication of Dispersion Slope Compensators</b>	
Y Painchaud, M Poulin, M Morin, <i>TeraXion, Canada</i>	
<b>We2.5.3</b>	<b>421</b>
<b>Multi-Channel Tunable Chromatic Dispersion Compensator and Profiler</b>	
S Doucet, S LaRochelle, <i>Laval University, Canada</i> M Morin, <i>TeraXion inc., Canada</i>	
<b>We2.5.4</b>	<b>423</b>
<b>In-line Dispersion Compensation Free WDM Transmission with Low-slope Non-zero Dispersion-shifted Fibre for Introduction of 40-Gbit/s</b>	
M Tanaka, K Makihara, K Sohma, K Matsushita, T Okuno, T Sasaki, E Sasaoka, M Onishi, <i>Sumitomo Electric Industries, Ltd., Japan</i>	
<b>We2.5.5</b>	<b>425</b>
<b>Experimental Investigation of Inter-Band Raman Effect on S+L Band Non-Dispersion-Compensated WDM Transmission over Ultra Low Slope NZ-DSF</b>	
Y Emori, N Kumano, K Mukasa, R Sugizaki , M Sakano, <i>Furukawa Electric Co. Ltd, Japan</i> , L E Nelson, <i>OFS Laboratories, United States</i>	
<b>We2.5.6</b>	<b>427</b>
<b>On-Spool PMD Estimation Method for Low PMD Fibres with High Repeatability by Local DGD Measurement Using POTDR</b>	
R G Goto, S M Matuso, K H Himeno, K O Ohashi, <i>Fujikura Ltd., Japan</i>	
<b>We2.5.7</b>	<b>429</b>
<b>Chromatic Dispersion Insensitive PMD Monitor without Fast Electronics</b>	
J L Blows, P Hu, I C M Littler, M Rochette, B J Eggleton, <i>The University of Sydney, Australia</i>	
<b>We2.6 – Special Session</b>	
Chair: Nick Doran, <i>TPC Co-Chair, United Kingdom</i>	
<b>We2.6.1</b>	<b>431</b>
<b>Invited - Advanced Topics in Optics</b>	
J Pendry, <i>Imperial College London, United Kingdom</i>	

## We3.2– High-speed Transmission II

Chair: Nick Doran, TPC Co-Chair, United Kingdom

### We3.2.1

**Invited - Long Haul Field Transmission Experiment of 8x170 Gbit/s over 421 km**

433

**Installed Legacy SSMF Fibre Infrastructure**

S Vorbeck, R Leppla, W Weiershausen, M Schneiders, *T-Systems International GmbH, Germany*, M Schmidt, E Lach, *Alcatel Research & Innovation, Germany*

### We3.2.2

**640 Gbit/s DQPSK Single-channel Transmission over 480 km Fibre Link**

437

S Ferber, C Schubert, R Ludwig, C Boerner, C Schmidt-Langhorst, H G Weber, *Fraunhofer Institute for Telecommunications, Heinrich-Hertz-Institut, Germany*

### We3.2.3

**Single-Channel 170 Gbit/s Transmission up to 4000 km using Dispersion-Managed Fibre Spans and all-Raman Amplification**

439

S Weisser, L Raddatz, A Benz, *Lucent Technologies, Germany*, R Ludwig, S Ferber, C Boerner, H G Weber, *Fraunhofer Institute for Telecommunications, Heinrich-Hertz Institut, Germany*

### We3.2.4

**160 Gbit/s OTDM Channel Identification using Optical Phase Index with 40 Gbit/s Clock Recovery Circuit**

441

M Kagawa, H Murai, H Tsuji, K Fujii, *Oki Electric Industry Co. Ltd, Japan*

### We3.2.5

**160 Gbit/s Single Channel Data Generation using Multilevel Optical RZ-DPSK-ASK Modulation and Optical Time Division Multiplexing**

443

T Tokle, L K Oxenløwe, J Seoane, A T Clausen, P Jeppesen, *Research Center COM, Denmark*

### We3.2.6

**298 Gbit/s Coherent WDM Transmission Over 80 km of SMF at 1 bit/s/Hz Spectral Efficiency**

445

F C Garcia Gunning, T Healy, A D Ellis, *Photonic Systems Group, Tyndall National Institute/UCC, Ireland*

## We3.3– WDM PON Approaches

Chair: Stephane Gosselin, *France Telecom R&D/RTA, France*

### We3.3.1

**A New Bidirectional WDM-PON Using DWDM Channels Generated by Optical Carrier Suppression and Separation Technique**

447

O Akanbi, J Yu, G K Chang, *Georgia Institute of Technology, United States*

### We3.3.2

**Coherent WDM-PON using Directly Modulated Local Laser for Simple Heterodyne Transceiver**

449

S Narikawa, H Sanjoh, N Sakurai, K Kumozaki, T Imai, *NTT Access Network Service Systems Laboratories, Japan*

### We3.3.3

**Direct-Modulated Upstream Signal Transmission Using a Self-Injection Locked F-P LD for WDM-PON**

451

S Hann, T-Y Kim, C-S Park, *GIST, South Korea*

### We3.3.4

**Colorless Operation of WDM-PON based on Wavelength Locked Fabry-Perot Laser Diode**

453

K M Choi, C H Lee, *KAIST, South Korea*

<b>We3.3.5</b>	<b>455</b>
<b>Gigabit Optical Access using WDM PON based on Spectrum Slicing and Reflective SOA</b>	
F Payoux , P Chanclou, M Moignard, <i>France Telecom R&amp;D, France</i> , R Brenot, <i>Alcatel-Thales III-V Lab, France</i>	
<b>We3.3.6</b>	<b>457</b>
<b>WDM-PON system based on the Laser Light Injected Reflective Semiconductor Optical Amplifier</b>	
S-J Park, G-Y Kim, T Park, E-H Choi, <i>KT Telecommunication Network Labs, South Korea</i> , S-H Oh, Y S Baek, K-R Oh, Y-J Park, J-U Shin, H-K Sung, <i>ETRI, South Korea</i>	
<b>We3.3.7</b>	<b>459</b>
<b>Spectrally Pre-composed ASE Injection for a Wavelength-seeded Reflective SOA in a WDM-PON</b>	
H S Shin, D K Jung, H S Kim, D J Shin, S B Park, S T Hwang, Y J Oh, C S Shim, <i>Samsung Electronics, South Korea</i>	
<b>We3.4 – Speciality Fibres</b>	
Chair: <b>Patrice Megret, Faculté Polytechnique de Mons, Belgium</b>	
<b>We3.4.1</b>	<b>461</b>
<b>Invited - Specialty Fibres for Optical Signal Processing</b>	
A A Sysoliatin, <i>Russian Academy of Sciences, Russia</i>	
<b>We3.4.2</b>	<b>465</b>
<b>Study of Down-Sized Silica Highly Non-Linear Fibre</b>	
M Takahashi, Y Mimura, J Hiroishi, R Sugizaki, M Sakano, T Yagi, <i>Furukawa Electric Co. Ltd, Japan</i>	
<b>We3.4.3</b>	<b>467</b>
<b>Comparison of Kerr Nonlinearity Figure-of-Merit Including Stimulated Brillouin Scattering for Bismuth Oxide- and Silica-based Nonlinear Fibres</b>	
J H Lee, T Tanemura, <i>University of Tokyo, Japan</i> , T Nagashima, T Hasegawa, S Ohara, N Sugimoto, K Kikuchi, <i>Asahi Glass Co, Ltd, Japan</i>	
<b>We3.4.4</b>	<b>469</b>
<b>Temperature of Optical Discharge under Action of Laser Radiation in Silica-Based Fibres</b>	
E M Dianov, I A Bufetov, A E Rakitin, M A Melkumov, A A Frolov, <i>Russian Academy of Sciences, Russia</i> , V E Fortov, V P Efremov, M I Kulish, <i>Institute for High Energy Density, Russia</i>	
<b>We3.4.5</b>	<b>471</b>
<b>Optical Fibres Resilient to Failure in Bending under High Power</b>	
I M Davis, <i>Corning Optical Fiber, United Kingdom</i> , G S Glaesemann, S Ten, M J Waddington, <i>Corning Optical Fiber, United States</i>	
<b>We3.4.6</b>	<b>473</b>
<b>High Energy (nanojoule) Femtosecond Pulse Delivery with Highly Dispersive Higher Order Mode Fibres</b>	
S Ramachandran, M F Yan, J Jasapara, P Wisk, S Ghalmi, E Monberg, F V Dimarcello, <i>OFS Laboratories, United States</i>	
<b>We3.5 – All-Optical Signal Processing</b>	
Chair: <b>Andrew Lord, BT, United Kingdom</b>	
<b>We3.5.1</b>	<b>475</b>
<b>Invited - Semiconductor Devices for All-optical Signal Processing</b>	
A Poustie, <i>Centre for Integrated Photonics (CIP), United Kingdom</i>	

<b>We3.5.2</b>	<b>479</b>
<b>All-Optical OTDM Demultiplexing in a High-Yield Manufacturable Monolithic 3-bandgap SOA-MZI Switch by Regrowth-Free Selective Area MOVPE</b>	
X Song, F Yi, H Song, M Sugiyama, Y Nakano, <i>The University of Tokyo, Japan</i>	
<b>We3.5.3</b>	<b>481</b>
<b>2R Regeneration in a Novel Ultra-Compact Integrated Mach-Zehnder Interferometer</b>	
D Reading-Picopoulos, E Moll, Y J Chai, X Zhao, K Williams, R V Penty, I H White, <i>University of Cambridge, United Kingdom</i>	
<b>We3.5.4</b>	<b>483</b>
<b>Highly-Efficient Optical Sampling of a 100Gbit/s OTDM Data Signal via Two-Photon Absorption in a Semiconductor Microcavity</b>	
P J Maguire, L P Barry, <i>Dublin City University, Ireland</i> , T Krug, J O'Dowd, M Lynch, A L Bradley, J F Donegan, <i>Trinity College Dublin, Ireland</i> , H Folliot, <i>INSA, France</i>	
<b>We3.5.5</b>	<b>485</b>
<b>Filtering-Assisted Cross-Phase Modulation in a Semiconductor Optical Amplifier Enabling 320 Gb/s Clock Recovery</b>	
L K Oxenløwe, D Zibar, M Galili, A T Clausen, L J Christiansen, P Jeppesen, <i>Research Center COM, Denmark</i>	
<b>We3.5.6</b>	<b>487</b>
<b>Widely Pulsewidth-Tunable Multiwavelength Optical Pulse Generator with a Single SOA-Based Delayed Interferometric Switch</b>	
M Matsuura, N Kishi, T Miki, <i>University of Electro-Communications, Japan</i>	
<b>We3.6 – Photodetectors and Optical Receivers</b>	
Chair: Harm Dorren, <i>Eindhoven University of Technology, The Netherlands</i>	
<b>We3.6.1</b>	<b>489</b>
<b>Highly Productive and Reliable 10 Gb/s AlInAs Avalanche Photodiodes</b>	
E Yagyu, Y Tokuda, <i>Advanced Technology R&amp;D Center, Mitsubishi Electric Corp, Japan</i> , E Ishimura, M Nakaji, T Aoyagi, <i>High Frequency &amp; Optical Device Works, Mitsubishi Electric Corp, Japan</i>	
<b>We3.6.2</b>	<b>491</b>
<b>Novel Method to Determine the Unity Gain Responsivity of Avalanche Photodiodes</b>	
H Kamiyama, T Toyonaka, K Motoda, Y Sakuma, K Okamoto, <i>Opnext Japan Inc, Japan</i> , S Tanaka, S Fujisaki, S Tsuji, <i>Central Research Laboratory, Hitachi, Ltd, Japan</i>	
<b>We3.6.3</b>	<b>493</b>
<b>Invited - High-Speed Photodetectors</b>	
J C Campbell, S Demiguel, N Li, <i>University of Texas at Austin, United States</i>	
<b>We3.6.4</b>	<b>497</b>
<b>Integrated Limiting Balanced Photoreceiver for 43 Gbit/s DPSK Transmission</b>	
A Umbach, C Schramm, G Jacumeit, <i>u2t Photonics AG, Germany</i> , J H Sinsky, A L Adamiecki, <i>Lucent Technologies Inc, Bell Laboratories, United States</i> , A Benz, P Paschke, <i>Lucent Technologies Network Systems GmbH, Germany</i>	
<b>We3.6.5</b>	<b>499</b>
<b>Filtering and High-Speed Switching Characteristics of a C-band Rapidly Tunable Wavelength-Selective MSM Detector</b>	
P Ebrahimi, A E Willner, <i>University of Southern California, United States</i> , R Chen, D A B Miller, <i>Stanford University, United States</i>	
<b>We3.6.6</b>	<b>501</b>
<b>Spectral Encoding and Decoding of Monolithic InP OCDMA Encoder</b>	
J Cao, R G Broeke, C Ji, Y Du, N Chubun, P Bjeletich, T Tekin, S J B Yoo, <i>University of California, United States</i> , P L Stephan, F Olsson, <i>Lawrence Livermore National Laboratory, United States</i> , S Lourduoss, <i>Royal Institute of Technology, Sweden</i>	

**We4.P - Poster Session**

<b>We4.P.001</b>	<b>503</b>
<b>PMD-Insensitive Chromatic Dispersion Monitoring</b>	
N Liu, W-D Zhong, <i>Nanyang Technological University, Singapore</i> , Y J Wen, Y Wang, <i>Institute for Infocomm Research, Singapore</i>	
<b>We4.P.002</b>	<b>505</b>
<b>16-Channel x 1.25 Gbit/s External Cavity Laser Module for WDM-PON OLT Source by Silica PLC Hybrid Integration</b>	
S H Oh, J U Shin, S H Park, Y J Park, Y T Han, D J Kim, S Park, S B Kim, H K Sung, Y S Baek, K R Oh, <i>Electronics and Telecommunications Research Institute, South Korea</i> , C H Park, <i>Wooriro Optical Telecom Company, South Korea</i> , W Y Hwang, <i>Lightron Fibre Optic Devices Inc, South Korea</i>	
<b>We4.P.003</b>	<b>507</b>
<b>10 Gb/s InAs/InP(001) Quantum Dot Lasers Operation on C-Band up to 75°C</b>	
B Dagens, F Lelarge, L Morel, D Make, B Rousseau, O Le Gouezigou, J G Provost, F Poingt, L Le Gouezigou, F Pommereau, J Landreau, A Accard, B Thedrez, <i>Alcatel Thales III-V Laboratory, France</i>	
<b>We4.P.004</b>	<b>509</b>
<b>Geometric Freedom for Constructing Variable Size Photonic Bandgap Structures</b>	
J Zarbakhsh, F G Isfahani, V Rinnerbauer, K Hingerl, <i>Universität Linz, Austria</i> , J Chaloupka, <i>Masaryk University Brno, Czech Republic</i>	
<b>We4.P.005</b>	<b>511</b>
<b>Distributed Fibre-Optic Temperature Sensing Using Rayleigh Backscatter</b>	
D K Gifford, B J Soller, M S Wolfe, M E Froggatt, <i>Luna Technologies, United States</i>	
<b>We4.P.006</b>	<b>513</b>
<b>Supercontinuum Generation in Large Mode-Area Microstructured Fibres</b>	
G Genty, T Ritari, H Ludvigsen, <i>Helsinki University of Technology, Finland</i>	
<b>We4.P.007</b>	<b>515</b>
<b>Dispersion-Managed Fibre (DMF): Experimental &amp; Economic Evaluation</b>	
M Gunkel, D Breuer, H Reiner, H Cremer, <i>Deutsche Telekom, Germany</i> , R Freund, C Caspar, F Raub, <i>Fraunhofer-Institute for Telecommunications, Heinrich-Hertz-Institut, Germany</i> , D Mrito, L Nederlof, S Ten, <i>Corning Incorporated, Science and Technology, United States</i>	
<b>We4.P.008</b>	<b>517</b>
<b>Waveguide-Type Saturable Absorber Based on Carbon Nanotubes</b>	
K Kashiwagi, S Yamashita, <i>The University of Tokyo, Japan</i> , Y Nasu, <i>NTT Corporation, Japan</i> , H Yaguchi, C S Goh, S Y Set, <i>Alnair Labs Corporation, Japan</i>	
<b>We4.P.009</b>	<b>519</b>
<b>Monolithic Integration of Electroabsorption Modulator with Spot Size Converter Based on Dual Waveguide Structure</b>	
Y-S Kang, S-B Kim, Y-D Chung, J Kim, <i>ETRI, South Korea</i>	
<b>We4.P.010</b>	<b>521</b>
<b>Coding Gain of FEC Encoded 21.42Gb/s RZ-DQPSK Using an Electrical Differential Quaternary Precoder</b>	
M Serbay, W Rosenkranz, <i>University of Kiel, Germany</i> , C Wree, <i>Discovery Semiconductors, Inc., United States</i> , A Schöpflin, C-J Weiske, P Krummrich, P Leisching, <i>Siemens AG COM, Germany</i> , D van den Borne, S L Jansen, G D Khoe, <i>Eindhoven University of Technology, The Netherlands</i>	
<b>We4.P.011</b>	<b>523</b>
<b>Introduction to the Concept of Nonlinear Diffusion Bandwidth</b>	
H Louchet, K Petermann, <i>Technische Universität Berlin, Germany</i> , A Robinson, R Epworth, <i>Nortel Networks, United Kingdom</i>	
<b>We4.P.012</b>	<b>525</b>
<b>InP-Based Photonic Integrated Circuit Triplexer for FTTP Applications</b>	
V Tolstikhin, F Wu, A Densmore, K Pimenov, Y Logvin, <i>MetroPhotonics Inc, Canada</i>	

<b>We4.P.013</b>	<b>527</b>
<b>Wavelength Tuneable Reconfigurable Optical Interconnection Network for Shared-Memory Machines</b>	
W Heirman, J Dambre, J Van Campenhout, <i>University of Ghent, Belgium</i> , I Artundo, D Carvajal, L Desmet, C Debaes, H Thienpont, <i>Vrije Universiteit Brussel, Belgium</i>	
<b>We4.P.014</b>	<b>529</b>
<b>3 Gbit/s Data Transmission with Monolithically Integrated Optical Transceiver Chips For Very Short Reach Applications</b>	
M Stach, L Stöferle, F Rinaldi, R Michalzik, <i>University of Ulm, Germany</i>	
<b>We4.P.015</b>	<b>531</b>
<b>Resonant Coupling for Distributed Filtering in an Optical Fibre</b>	
R T Bise, J M Fini, M F Yan, A D Yablon, P W Wisk, <i>OFS Laboratories, United States</i>	
<b>We4.P.016</b>	<b>533</b>
<b>Self-Optimization and Stabilization of DelayedMZI in DPSK Receiver</b>	
Y S Jang, H Park, K J Kim, <i>Electronics and Telecommunications Research Institute, South Korea</i>	
<b>We4.P.017</b>	<b>535</b>
<b>Fully Active Optical Backplane System</b>	
I K Cho, <i>ETRI &amp; Pusan National University, South Korea</i> , S Ahn, W J Lee, S P Han, <i>ETRI, South Korea</i> , K Shin, <i>Samsung Electro-Mechanics Company, South Korea</i> , K B Yoon, <i>Kyungpook National University, South Korea</i> , M Y Jeong, <i>Pusan National University, South Korea</i> , H H Park, <i>ICU, South Korea</i>	
<b>We4.P.018</b>	<b>537</b>
<b>All-Optical Extinction Ratio Enhancement of a 160-GHz Pulse Train Using a Saturable Absorber Vertical Microcavity</b>	
D Massoudre, J L Oudar, <i>LPN-CNRS, France</i> , J Fatome, S Pitois, G Millot, <i>LPUB-CNRS, France</i> , J Landreau, J Decobert, <i>Alcatel-Thales III-V Laboratory, France</i>	
<b>We4.P.019</b>	<b>539</b>
<b>Implementation of Local Re-broadcasting and LAN Services over an Ethernet Passive Optical Network</b>	
T C Jayasinghe, <i>University of Melbourne &amp; National ICT Australia Ltd, Australia</i> , C J Chae, <i>National ICT Australia Ltd, Australia</i>	
<b>We4.P.020</b>	<b>541</b>
<b>Distributed Gain Monitoring in a Raman Amplifier Based on a Germania-Glass-Core Silica-Glass-Cladding Optical Fibre</b>	
G Ravet, M Wuilpart, M Blondel, P Mégret, <i>Faculte Polytechnique de Mons, Belgium</i> , A A Fotiadi, <i>Faculte Polytechnique de Mons, Belgium &amp; Ioffe Physico Technical Institute of Russian Academy of Sciences, Russia</i> , V M Mashinsky, E M Dianov, <i>Russian Academy of Sciences, Russia</i>	
<b>We4.P.021</b>	<b>543</b>
<b>First Single-Fibre Bi-Directional XFP Transceiver for Optical Metro/Access Networks</b>	
T Yoshida, S Kimura, K Kumozaki, T Imai, <i>NTT Corporation, Japan</i>	
<b>We4.P.22</b>	<b>545</b>
<b>Integrated MZI Based All-Optical Clock and Data Recovery for Asynchronous Variable Packet Length Traffic</b>	
D Tsikos, P Bakopoulos, O Zouraraki, H Avramopoulos, <i>National Technical University of Athens, Greece</i> , G Maxwell, A Poustie, <i>Centre for Integrated Photonics, United Kingdom</i>	
<b>We4.P.023</b>	<b>547</b>
<b>Wide Temperature (25°C – 85°C), Coolerless Operation of 100Gb/s DWDM Transmitter Photonic Integrated Circuit</b>	
R Nagarajan, M Kato, C H Joyner, R P Schneider Jr, J Bäck, A G Dentai, T Desikan, V G Dominic, P W Evans, M Kauffman, D J H Lambert, S K Hurtt, A Mathur, M L Mitchell, M J Missey, S Murthy, A C Nilsson, F H Peters, J L Pleumeekers, R A Salvatore, R B Taylor, M F Van Leeuwen, J Webjorn, M Ziari, S G Grubb, D Perkins, M Reffle, D G Mehuys, F A Kish, D F Welch, <i>Infinera, United States</i>	

<b>We4.P.024</b>	<b>549</b>
<b>A Broadcast and Select WDM-PON and its Protection</b>	
Z X Wang, B Zhang, C Lin, C K Chan, <i>The Chinese University of Hong Kong, China</i>	
<b>We4.P.025</b>	<b>551</b>
<b>Double-Cavity Raman Fibre Laser with Improved Tolerance against High-RIN Pump Lasers</b>	
M Krause, R Stanslovaityte, S Cierullies, H Renner, E Brinkmeyer, <i>Technische Universität Hamburg-Harburg, Germany</i>	
<b>We4.P.026</b>	<b>553</b>
<b>Double-Pumped Parametric Amplifier with Flat Gain Over 47 nm Bandwidth Using a Conventional Dispersion Shifted Fibre</b>	
J M Chavez Boggio, J D Marconi, H L Fragnito, <i>State University of Campinas, Brazil</i>	
<b>We4.P.027</b>	<b>555</b>
<b>Development of an Ultra High-Secure and 1 Gbps Optical Transmission System Using Quantum Noise Diffusion Cryptography</b>	
M Fuse, S Furusawa, T Ikushima, <i>Matsushita Electric Industrial Company Ltd, Japan</i> , O Hirota, <i>Tamagawa University, Japan</i>	
<b>We4.P.028</b>	<b>557</b>
<b>OPLEAF High Density Fibre Array for Minimized Lateral Device Spacing Optical ICs</b>	
T Sonobe, N Hiroi, <i>Namiki Precision Jewel Company Ltd, Japan</i> , M Takenaka, Y Nakano, H Fujita, <i>University of Tokyo, Japan</i>	
<b>We4.P.029</b>	<b>559</b>
<b>Laterally Coupled DFB Lasers Based on InAs/InP-QDash Structures for Broadband Applications</b>	
W Kaiser, K Mathwig, S Deubert, A Somers, A Forchel, <i>University of Wuerzburg, Germany</i> , J P Reithmaier, <i>University of Kassel, Germany</i> , O Parillaud, M Krakowski, <i>Thales Research and Technology, France</i> , D Hadass, V Mikhelashvili, G Eisenstein, <i>Technion, Israel</i> , M Legge, <i>nanoplus, Nanosystems and Technologies GmbH, Germany</i>	
<b>We4.P.030</b>	<b>561</b>
<b>10 Gbit/s Terminal Solution for Transmission over 600km</b>	
L Zheng, V Goel, D Yang, G Barbarossa, <i>Avanex Corporation, United States</i>	
<b>We4.P.031</b>	<b>563</b>
<b>Type IIA Gratings Recorded in B-Ge Codoped Optical Fibre Using 213nm Nd:YAG Radiation</b>	
S Pissadakis, M Konstantaki, <i>FORTH-IESL, Greece</i>	
<b>We4.P.032</b>	<b>565</b>
<b>A Spectral Channel Order Preserving Technique for Wavelength Conversion Based on FWM and its Application in Label Switching Optical Network</b>	
J Yu, Z Jia, Y Yeo, G K Chang, <i>Georgia Institute of Technology, United States</i>	
<b>We4.P.033</b>	<b>567</b>
<b>High Wavelength Accuracy of a Full C-band External Cavity Wavelength Tunable Laser Using an Intracavity Wavelength Reference Etalon</b>	
J De Merlier, K Mizutani, S Sudo, S Watanabe, K Sato, K Kudo, <i>NEC Corporation, Japan</i>	
<b>We4.P.034</b>	<b>569</b>
<b>Transparent Interconnection between Metro-Core and Metro-Access Network by using SOA-MZI Based 2R Wavelength Converter</b>	
H S Chung, R Inohara, K Nishimura, M Usami, <i>KDDI R&amp;D Labs, Japan</i>	
<b>We4.P.035</b>	<b>571</b>
<b>Active and Passive Mode-Locking in Buried Ridge Mode-Locked Quantum Dots Fabry-Perot Semiconductor Lasers</b>	
J Renaudier, <i>Alcatel Thales III-V Lab, France &amp; ENST, France</i> , R Brenot, B Dagens, F Lelarge, B Rousseau, O Le Gouezigou, F Poingt, F Pommereau, A Acard, G-H Duan, <i>Alcatel Thales III-V Lab, France</i> , C Gosset, J-L Oudar, LPN, CNRS, France, P Gallion, ENST, France	

<b>We4.P.036</b>	<b>573</b>
<b>Fast, Low-Cost Method for Control of Gain and Tilt Transients in a Forward-Pumped Raman Amplifier</b>	
X Zhou, M D Feuer, M Birk, <i>AT&amp;T Labs - Research, United States</i>	
<b>We4.P.037</b>	<b>575</b>
<b>Super-Compact Monolithically Integrated Polymer-Based Reconfigurable Optical Add-Drop Multiplexer (ROADM)</b>	
H H Yao, C Zawadzki, F Beyer, O Radmer, N Keil, <i>Fraunhofer Institute for Telecommunications, Heinrich-Hertz-Institut, Germany</i> , H-J Lee, <i>Zen Photonics Co. Ltd, South Korea</i>	
<b>We4.P.038</b>	<b>577</b>
<b>Characterisation of Equalized 10-Gb/s Multimode Fibre LAN Links Using Transverse 7-Tap Analog FIR Filter in 0.13-<math>\mu</math>m CMOS</b>	
A Risteski, <i>University of Skopje, Macedonia</i> , S Reynolds, J Tierno, L Schares, S Gowda, J A Kash, P Pepeljugoski, <i>IBM TJ Watson Research Center, United States</i>	
<b>We4.P.039</b>	<b>579</b>
<b>Investigation of Data Streams and Highly Efficient Interconnection of Storage Area Networks over Distances of 1000 km</b>	
A Ehrhardt, W Jacobi, <i>T-Systems International GmbH, Germany</i>	
<b>We4.P.040</b>	<b>581</b>
<b>Directly-Modulated Athermal Transmitter for Uncooled WDM Systems</b>	
Y Liu, J D Ingham, A Wonfor, A R Davies, R V Penty, I H White, <i>University of Cambridge, United Kingdom</i>	
<b>We4.P.041</b>	<b>583</b>
<b>A Single-Fibre Bi-directional Self-Healing WDM Metro-Ring Network with Bi-directional OADM</b>	
X F Sun, Z X Wang, C K Chan, C L Lin, L K Chen, <i>The Chinese University of Hong Kong, Hong Kong</i>	
<b>We4.P.042</b>	<b>585</b>
<b>Spectrally Efficient QPSK Homodyne Detection Using a Pilot Carrier beyond 1 bit/s/Hz</b>	
T M Miyazaki, <i>National Institute of Information and Communications Technology, Japan</i>	
<b>We4.P.043</b>	<b>587</b>
<b>All-Optical Wavelength Conversion in Silicon Wire Waveguides</b>	
T K Liang, L R Nunes, M Tsuchiya, <i>NICT, Japan</i> , H K Tsang, <i>CUHK, China</i> , D van Thourhout, P Dumon, R Baets, W Bogaerts, <i>University of Ghent, Belgium</i>	
<b>We4.P.044</b>	<b>589</b>
<b>Thermal Properties and Passband Improvement of High Index Contrast Micro-Ring Resonator by Phase Error Correction</b>	
Z Wang, Y J Chen, <i>University of Maryland Baltimore County, United States</i>	
<b>We4.P.045</b>	<b>591</b>
<b>Relative-Intensity-Noise Transfer in Forward-Pumping Raman Amplification Using a Raman Fibre Laser Pump</b>	
C Martinelli, L Lorcy, D Mongardien, D Bayart, <i>Alcatel, France</i>	
<b>We4.P.046</b>	<b>593</b>
<b>Error-Free Unrepeated Transmission of 8x10.709Gb/s RZ-DPSK Signal over 310km Standard SMF with Bidirectional Raman Pumping</b>	
J Mo, J Chen, Y Wang, Y J Wen, <i>Institute for Infocomm Research, Singapore</i> , G T Zhou, K Xu, <i>Beijing University of Posts and Telecommunications, China</i> , C Lu, <i>Institute for Infocomm Research, Singapore &amp; Nanyang Technological University, Singapore</i>	

<b>We4.P.047</b>	<b>595</b>
<b>A New <math>\pi/2</math>-Shift-BPSK Signal by Superstructure Fibre Bragg Grating En/Decoder</b>	
K Sasaki, M Sarashina, S Kobayashi, H Tamai, A Nishiki, T Ushikubo, <i>Oki Electric Industry Co. Ltd Japan</i>	
<b>We4.P.048</b>	<b>597</b>
<b>High-Speed 1.56 <math>\mu\text{m}</math> Asymmetric Fabry-Perot Modulator/Detector (AFPMD) for Radio-Over-Fibre Applications</b>	
C P Liu, C H Chuang, A J Seeds, <i>University College London, United Kingdom</i> , S Karlsson, O Kjebon, R Schatz, Y Yu, <i>Royal Institute of Technology, Sweden</i> , T Tsegaye, <i>Formerly with Optillion, Sweden</i> , A B Krysa, J S Roberts, <i>EPSRC National Centre for III-V Technologies, United Kingdom</i>	
<b>We4.P.049</b>	<b>599</b>
<b>Strong Self-Phase Modulation in Low Loss <math>\text{As}_2\text{S}_3</math> Waveguides</b>	
Y Ruan, B Luther-Davies, A Rode, W Li, <i>Australian National University, Australia</i>	
<b>We4.P.050</b>	<b>601</b>
<b>Multi-QoS Traffic Transmission Experiments on OBS Network Testbed</b>	
H Guo, J Wu, X Liu, J Lin, Y Ji, <i>Beijing University of Posts and Telecommunications, China</i>	
<b>We4.P.051</b>	<b>603</b>
<b>Enhancement of Lightpath Establishing Capability for Dynamic Traffic Grooming</b>	
B Chen, W D Zhong, S K Bose, <i>Nanyang Technological University, Singapore</i>	
<b>We4.P.052</b>	<b>605</b>
<b>Time Domain Single Side Pulse Interference Quantum Key Distribution Scheme</b>	
O L Guerreau, S W McLaughlin, F J Malassenet, <i>Georgia Institute of Technology, United States</i> , J-M Merolla, <i>GTL-CNRS Telecom, France</i>	
<b>We4.P.053</b>	<b>607</b>
<b>Evaluation of Phase Shift in a Si-Waveguide with a Ferroelectric Liquid Crystal Cladding Using Mach-Zehnder Interferometer</b>	
K Nakatsuhara, Y Inami, T Nakagami, <i>Kanagawa Institute of Technology, Japan</i>	
<b>We4.P.054</b>	<b>609</b>
<b>Integrated Performance Monitoring, Performance Maintenance, and Failure Detection for Photonic Regenerators</b>	
G Lakshminarayana, R M Mu, H Wang, B Stefanov, B Dave, J Sarathy, <i>Alphion Corp., United States</i>	
<b>We4.P.055</b>	<b>611</b>
<b>Optical Amplifier Noise Figure Measurement by All-Fibre Optical Homodyne Tomography</b>	
P Martelli, S M Pietralunga, R Siano, <i>CoreCom, Italy</i> , L Ranzani, M Martinelli, <i>CoreCom, Italy &amp; Politecnico di Milano, Italy</i>	
<b>We4.P.056</b>	<b>613</b>
<b>30 dB Long-Period Fibre Grating Inscription by High-Intensity Femtosecond 352 nm Laser Pulses</b>	
M Dubov, I Bennion, <i>Aston University, United Kingdom</i> , S A Slattery, D N Nikogosyan, <i>University College Cork, Ireland</i>	
<b>We4.P.057</b>	<b>615</b>
<b>Surface Mount Connectors with Three-Dimensional Waveguide Arrays for Board-to-Board Optical Interconnects</b>	
S Hiramatsu, M Kinoshita, O Ibaragi, <i>Association of Super-Advanced Electronics Technologies (ASET), Japan</i>	
<b>We4.P.058</b>	<b>617</b>
<b>Improving Broadcast Video Quality in IEEE 802.3 EPONs</b>	
S A Thomas, <i>Wave7 Optics, United States</i>	

<b>We4.P.059</b>	<b>619</b>
<b>Fibre Nonlinear Threshold Comparison of SMF and NZDSF types on Binary 43Gb/s Modulation Formats</b>	
A Klekamp, R Dischler, W Idler, <i>Alcatel Research and Innovation, Germany</i>	
<b>We4.P.060</b>	<b>621</b>
<b>10Gb/s Data Transmission with a 1.3μm InGaAs Quantum Dot Laser</b>	
Y Chu, R V Penty, I H White, <i>University of Cambridge, United Kingdom</i> , M Kuntz, G Fiol, M Lammlin, D Bimberg, <i>Tech Univ Berlin, Inst Festkorperphys, Germany</i> , C Schubert, <i>Fraunhofer-Institute for Telecommunications, Heinrich-Hertz-Institut, Germany</i> , A Kovsh, <i>NL Nanosemiconductors GmbH, Germany</i> , A Jacob, A Unbach, <i>U2T Photon AG, Germany</i>	
<b>We4.P.061</b>	<b>623</b>
<b>Comparison of Different Labels in VSB Payload Scheme for All Optical Label Switching Network</b>	
H W Chen, M H Chen, S Z Xie, B K Zhou, <i>Tsinghua University, China</i>	
<b>We4.P.062</b>	<b>625</b>
<b>Optical Frequency Sweep Technique Using Single Sideband Modulation</b>	
T Kawanishi, T Sakamoto, M Izutsu, <i>National Institute of Information and Communications Technology, Japan</i>	
<b>We4.P.063</b>	<b>627</b>
<b>2.5Gbps Operation of 1.55μm Quantum Dot Laser</b>	
D K Oh, J H Lee, J S Kim, S U Hong, B-S Choi, H-S Kwack, <i>ETRI, South Korea</i>	
<b>We4.P.064</b>	<b>629</b>
<b>All-fiber passively Q-switched laser by a symmetrical nonlinear optical loop mirror with nonlinear polarization rotation</b>	
Y J Song, L Zhan, J H Ji, Y X Xia, <i>Institute of Optics and Photonics, Shanghai Jiao Tong University, China</i>	
<b>We4.P.065</b>	<b>631</b>
<b>Novel Two Simultaneous FSR Tunable Microwave Photonic Filter Using a Hi-Bi Chirped Grating in Sagnac Loop</b>	
Y D Gong, J H Ng, C Lu, <i>Institute for Infocomm Research, Singapore</i> , G X Ning, H Dong, P Shum, S Aditya, <i>Nanyang Technological University, Singapore</i> , J Wu, K Xu, <i>OCLT, Beijing University of Posts and Telecommunications, China</i>	
<b>We4.P.066</b>	<b>633</b>
<b>Dynamic Characterisation of UV-Induced PMD and PDL in Fibre Bragg Gratings</b>	
P Lu, D Waddy, S Mihailov, H Ding, <i>Communications Research Centre Canada, Canada</i>	
<b>We4.P.067</b>	<b>635</b>
<b>Multi-Wavelength Ethernet Passive Optical Network with Efficient Utilisation of Wavelength Channels</b>	
C J Chae, <i>NICTA Victoria Laboratory, Australia</i>	
<b>We4.P.068</b>	<b>637</b>
<b>Hole Emitter Whispering Galleries of Photonic Quantum Ring</b>	
O D Kwon, M J Kim, S-J An, D K Kim, J H Yoon, Y C Kim, <i>Pohang University of Science &amp; Technology, South Korea</i> , S E Lee, <i>Nanolaser Inc., South Korea</i>	
<b>We4.P.069</b>	<b>639</b>
<b>The Integration of Modulators and Multiplexers on Silica Planar Lightwave Circuits for WDM-PON</b>	
R Ridgway, D Nippa, D Schoellner, R Higgins, <i>Optimer Photonics Inc., United States</i>	
<b>We4.P.070</b>	<b>641</b>
<b>Polarisation-Independent Waveform Monitoring with Two-Photon Absorption in Si-APD in High-Speed Transmission Systems</b>	
C Tian, S Kinoshita, <i>Fujitsu Laboratories of America, Inc, United States</i>	

<b>We4.P.071</b>	<b>643</b>
<b>Performance Evaluation and Demonstration of Light-trails in Shared Wavelength Optical Networks (SWONs)</b>	
A Gumaste, P Palacharla, T Naito, <i>Fujitsu Laboratories of America, United States</i>	
<b>We4.P.072</b>	<b>645</b>
<b>Optimisation of S-band, C-band and L-band DFB Lasers by the Reduction of Internal Loss</b>	
A Matsumura, T Kato, <i>Sumitomo Electric Industries, Ltd, Japan</i>	
<b>We4.P.073</b>	<b>647</b>
<b>Light Amplification at 650nm in a Polymer Waveguide with Dye-Doped Cladding</b>	
M A Reilly, B Coleman, E Y B Pun, R V Penty, I H White, <i>University of Cambridge, United Kingdom</i> , M C Ramon, R Xia, D D C Bradley, <i>Imperial College of Science, Technology and Medicine, United Kingdom</i>	
<b>We4.P.074</b>	<b>649</b>
<b>A New Category of Tellurite Glasses for Ultra-Broadband Fibre Raman Amplifiers</b>	
Y Ohishi, G Senthil Murugan, T Suzuki, <i>Toyota Technological Institute, Japan</i>	
<b>We4.P.075</b>	<b>651</b>
<b>A Novel Self-Heterodyne Filtering Method by Wavelength Shift Keying Modulation for Optical CDMA</b>	
J H Joseph, S D Sadot, <i>Ben Gurion University, Israel</i>	
<b>We4.P.076</b>	<b>653</b>
<b>Derivation of Analytical Expression for Third-Order Dispersion Elimination Using Time-Domain Optical Fourier Transformation</b>	
T Hirooka, M Nakazawa, <i>Tohoku University, Japan</i>	
<b>We4.P.077</b>	<b>655</b>
<b>Thermally Widely Tunable Laser Diodes with Distributed Feedback</b>	
R Todt, T Jacke, R Meyer, M-C Amann, <i>Walter Schottky Institut, Technische Universität München, Germany</i>	
<b>We4.P.078</b>	<b>657</b>
<b>Bending Induced PMD in Spun Erbium Doped Fibre</b>	
P B Gaarde, T Geisler, P Kristensen, B Pálsdóttir, <i>OFS Fitel Denmark ApS, Denmark</i>	
<b>We4.P.079</b>	<b>659</b>
<b>Protection and LAN Emulation in Ethernet Passive Optical Networks</b>	
N Nadarajah, A Nirmalathas, E Wong, <i>The University of Melbourne, Australia</i>	
<b>We4.P.080</b>	<b>661</b>
<b>Improvement of the Performance for Wavelength Converters Based on Cross-Polarisation Modulation</b>	
X Teng, H Jiang, L B Hu, H Y Zhang, <i>Department of Electronics Engineering of Tsinghua University, China</i>	
<b>We4.P.081</b>	<b>663</b>
<b>Performance Analysis of Single-MZM APRZ Transmitter</b>	
M Forzati, A Berntson, J Mårtensson, <i>Acro, Sweden</i> , R J Davies, <i>TRLabs, Canada</i>	
<b>We4.P.082</b>	<b>665</b>
<b>Behaviour of in-Fibre Bragg Gratings in Hydrogen Atmosphere at Elevated Temperature</b>	
A V Lanin, O V Butov, E M Dianov, A M Prokhorov <i>General Physics Institute of the Russian Academy of Sciences, Russia</i> , K M Golant, A M Prokhorov <i>General Physics Institute of the Russian Academy of Sciences, Russia &amp; Business-Unitech Co. Ltd., Russia</i>	
<b>We4.P.083</b>	<b>667</b>
<b>ARTEMIS: A New Architecture for All-Optical Asynchronous Self-Routing Network with Efficient Contention Protection and QoS Differentiation</b>	
K Vrysokinos, E Kehayas, L Stampolidis, H Avramopoulos, <i>National Technical University of Athens, Greece</i> , K Christodoulopoulos, K Vlachos, E A Varvarigos, <i>University of Patras, Greece</i>	

<b>We4.P.084</b>	<b>669</b>
<b>Comparative Analysis of 40 Gbit/s Optical Amplitude/Phase Modulation Formats in the Presence of Channel and Receiver Impairments</b>	
M Secondini, E Forestieri, G Prati, <i>Scuola Superiore Sant'Anna &amp; CNIT, Photonic Networks National Lab, Italy</i> , F Cavaliere, A Palagi, G Bruno, <i>Marconi Communications, Italy</i>	
<b>We4.P.085</b>	<b>671</b>
<b>Long-Term PMD Measurements in a Metropolitan Operational G.652 Cable Plant</b>	
S Abrate, A Nespoli, <i>Istituto Superiore Mario Boella, Italy</i> , C Lezzi, <i>FastWeb S.p.A., Italy</i> , V Ferrero, P Poggolini, <i>Politechnico di Torino, Italy</i>	
<b>We4.P.086</b>	<b>673</b>
<b>Passively Modelocked 20 and 40GHz Bulk InGaAsP Lasers</b>	
Y Barbarin, E A J M Bente, M J R Heck, Y S Oei, R Nötzel, M K Smit, <i>COBRA Research Institute, The Netherlands</i>	
<b>We4.P.087</b>	<b>675</b>
<b>End-to-End Lightpath Establishment Based on Rank Accounting without Wavelength Conversion for Multi-Domain WDM Networks</b>	
T Tachibana, H Harai, <i>National Institute of Information and Communications Technology, Japan</i>	
<b>We4.P.088</b>	<b>677</b>
<b>Design of Multisection Semiconductor Laser for 40 Gb/s Direct Modulation</b>	
M Radziunas, U Bandelow, M Wolfrum, A Glitzky, R Hünlich, <i>Weierstrass Institute for Applied Analysis and Stochastics, Germany</i> , U Troppenz, J Kreissl, <i>Fraunhofer-Institute for Telecommunications, Heinrich-Hertz-Institut, Germany</i>	
<b>We4.P.089</b>	<b>679</b>
<b>Highly Efficient and Wavelength-Tunable Holmium-Doped Silica Fibre Lasers</b>	
Y Li, Y Zhao, B Ashton, S Jackson, S Fleming, <i>The University of Sydney, Australia</i>	
<b>We4.P.090</b>	<b>681</b>
<b>RF Bandwidth Capacity and SCM in a Radio-over-Fibre Link Employing Optical Frequency Multiplication</b>	
M García Larrodé, A M J Koonen, J J Vegas Olmos, I Tafur Monroy, T C W Schenk, <i>Eindhoven University of Technology, The Netherlands</i>	
<b>We4.P.091</b>	<b>683</b>
<b>A New High Bit Rate Orthogonal Éí /FSK Scheme Based on an All Fibre Realisation, for AOLS Applications</b>	
N S Skarmoutsos, E N L Lallas, D S Syridis, <i>University of Athens, Greece</i>	
<b>We4.P.092</b>	<b>685</b>
<b>Thermally Tunable Fused Fibreoptic 2x2 Coupler</b>	
T Duthel, <i>Gesellschaft für Wissens- und Technologietransfer der TU Dresden GmbH, Germany</i> , M Spaarschuh, C G Schäffer, <i>Technische Universität Dresden, Germany</i>	
<b>We4.P.093</b>	<b>687</b>
<b>VCSEL Arrays with Redundant Pixel Designs for 10 Gbit/s 2-D Space-Parallel Multimode Fibre Transmission</b>	
H Roscher, M Bou Sanayeh, S B Thapa, R Michalzik, <i>University of Ulm, Germany</i>	
<b>We4.P.094</b>	<b>689</b>
<b>Air-Guiding Photonic Bandgap Fibre with Improved Triangular Air-Silica Photonic Crystal Cladding</b>	
M Yan, P Shum, <i>Network Technology Research Centre, Singapore</i>	
<b>We4.P.095</b>	<b>691</b>
<b>A Packet-Switched Waveband-selective PON Enabling Optical Internetworking among ONUs</b>	
Y Su, P Hu, W Hu, J Zhang, H He, X Tian, Y Jin, <i>Shanghai Jiao Tong University, China</i> , L Leng, <i>City University of New York, United States</i>	

<b>We4.P.096</b>	<b>693</b>
<b>Fundamental Saturated Amplifier Channel Power Dynamics in Transparent Networks</b>	
D C Kilper, C A White, <i>Bell Laboratories, Lucent Technologies, United States</i>	
<b>We4.P.097</b>	<b>695</b>
<b>Protecting Guaranteed Service Traffic in an OpMiGua Hybrid Network</b>	
S Bjørnstad, <i>Telenor R&amp;D &amp; Norwegian University of Science and Technology, Norway</i> , H Øverby, N Stol, D R Hjelme, <i>Norwegian University of Science and Technology, Norway</i>	
<b>We4.P.098</b>	<b>697</b>
<b>Novel Scheme for Simultaneous Polarisation Mode Dispersion and Optical Signal-to-Noise Ratio Monitoring</b>	
E Wong, A Nirmalathas <i>National ICT Australia, Victoria Research Laboratory &amp; The University of Melbourne, Australia</i> , J Tan, <i>The University of Melbourne, Australia</i>	
<b>We4.P.099</b>	<b>699</b>
<b>Anycast Routing in Optical Burst Switched Grid Networks</b>	
M De Leenheer, P Thysebaert, B Volckaert, F De Turck, B Dhoedt, P Demeester, <i>University of Ghent, Belgium</i> , F Farahmand, J Jue, <i>The University of Texas at Dallas, United States</i>	
<b>We4.P.100</b>	<b>701</b>
<b>Experimental Investigation of Three-Point Sampling Technique for the Estimation of First Order PMD</b>	
Y Benlachtar, R I Killey, P Bayvel, <i>University College London, United Kingdom</i>	
<b>We4.P.101</b>	<b>703</b>
<b>Performance Evaluation for UWB Signal Transmissions in the Distributed Multi-Cell Environment Using ROF Technology</b>	
Y H Kim, S Kim, H D Jang, S Hur, J H Lee, J C Jeong, <i>Korea University, South Korea</i>	
<b>We4.P.102</b>	<b>705</b>
<b>Bi-directional Operation of a Dispersion Compensating Module in a Regional System</b>	
W Zheng, H P Sardesai, J L Archambault, <i>Ciena Corporation, United States</i>	
<b>We4.P.103</b>	<b>707</b>
<b>Are Translucent Networks Always Economically Attractive?</b>	
A Morea, J Poirier, <i>France Télécom Division R&amp;D, France</i>	
<b>We4.P.104</b>	<b>709</b>
<b>New Homodyne Receiver with Electronic I&amp;Q Differential Demodulation</b>	
J Prat, J M Fàbrega, <i>Universitat Politècnica de Catalunya (UPC), Spain</i>	
<b>We4.P.105</b>	<b>711</b>
<b>Numerical Study on the Tolerance to Intrachannel Crosstalk of Direct-Detection DPSK Optical Systems</b>	
L G Cancela, J O Pires, <i>Instituto de Telecomunicações, Portugal</i>	
<b>We4.P.106</b>	<b>713</b>
<b>Square Root Strategy: a Novel Method to Linearize an Optical Communication System with Electronic Equalizers</b>	
J Prat, J M Gené, M Omella, <i>Universitat Politècnica de Catalunya (UPC), Spain</i> , A Napoli, P Poggiolini, V Curri, <i>Politechnico di Torino, Italy</i>	
<b>We4.P.107</b>	<b>715</b>
<b>Mitigation of Signal Degradation due to Cascaded Filters by Optical 3R Regeneration at 40Gb/s</b>	
R Inohara, K Nishimura, M Usami, <i>KDDI R&amp;D Laboratories Inc. &amp; OITDA, Japan</i>	
<b>We4.P.108</b>	<b>717</b>
<b>Multi-time Scale Adaptive Optical Packet Assembly Based on Internet Traffic Prediction</b>	
J Kang, Z Lu, M Reed, <i>University of Essex, United Kingdom</i>	

<b>We4.P.109</b>	<b>719</b>
<b>Channel Monitoring in WDM Systems by Utilizing Polarisation Scrambling</b>	
M Sköld, B-E Olsson, H Sunnerud, M Karlsson, P A Andrekson, <i>Chalmers University of Technology, Sweden</i>	
<b>We4.P.110</b>	<b>721</b>
<b>One-bit All-optical Memory</b>	
F Ponzini, N Andrioli, P Castoldi, <i>CEIR/C – Scuola Superiore Sant'Anna, Italy</i> , L Banchi, <i>Pisa University, Italy</i> , A Bogoni, L Potì, <i>Photonic Network National Laboratory – CNIT, Italy</i>	
<b>We4.P.111</b>	<b>723</b>
<b>Detailed Modelling and Experimental Characterisation of an Ultra-fast Optoelectronic Clock Recovery Circuit</b>	
D Zibar, L O Oxenløwe, J Mørk, M P Sørensen, M Galili, T Clausen, B Sørensen, P Jeppesen, <i>Technical University of Denmark, Denmark</i>	
<b>We4.P.112</b>	<b>725</b>
<b>Robustness of the OOK Modulation Formats at 40 Gbit/s in the Practical System Infrastructure</b>	
E Pincemin, J Y Guilloux, A Bezard, T Vargas, <i>France Telecom, France</i> , A Tonello, S Wabnitz, <i>Université de Bourgogne, France</i> , J D Ania-Castanon, S K Turitsyn, <i>Aston University, United Kingdom</i>	
<b>We4.P.113</b>	<b>727</b>
<b>Mode Group Diversity Multiplexing Transceiver Design for Graded-Index Multimode Fibres</b>	
C P Tsekrekos, A Martinez, F M Huijskens, A M J Koonen, <i>Eindhoven University of Technology, The Netherlands</i>	
<b>We4.P.114</b>	<b>729</b>
<b>Transmission Properties of a 40 Gb/s Signal in FSK Modulation Format</b>	
N Chi, S Yu, <i>University of Bristol, United Kingdom</i>	
<b>We4.P.115</b>	<b>731</b>
<b>Optical-Signal-to-Noise Ratio Monitoring for Packet Switched Networks</b>	
X Yi, W Chen, W Shieh, <i>The University of Melbourne, Australia</i>	
<b>We4.P.116</b>	<b>733</b>
<b>Remote Downconversion for the Radio/Fibre Uplink Connection</b>	
A M Kaszubowska-Anandarajah, L P Barry, <i>Dublin City University, Ireland</i>	
<b>We4.P.117</b>	<b>735</b>
<b>Cascadability Study of 16 1x9 Wavelength Selective Switches with 5x42.6 Gb/s CS-RZ Channels</b>	
B Clouet, B Le Guyader, S Lobo, F Merlaud, J C Simon, <i>ENSSAT / PERSYST, France</i> , T Ducellier, <i>Metconnex, Canada</i>	
<b>We4.P.118</b>	<b>737</b>
<b>Improved detection of Differential Phase Shift Keying Through Multi-symbol Phase Estimation</b>	
S Calabro, <i>Siemens AG COM, Germany</i> , D van den Borne, S L Jansen, G D Khoe, H de Waardt, <i>Eindhoven University of Technology, The Netherlands</i>	
<b>We4.P.119</b>	<b>739</b>
<b>Quaternary System Based on Phase and Polarization Modulation with Differential Detection</b>	
J M Gené, J Comellas, J Prat, <i>Universitat Politècnica de Catalunya, Spain</i>	
<b>We4.P.120</b>	<b>741</b>
<b>PMD-insensitive DOP-Based OSNR Monitoring Assisted by Transmitter-Side Polarization Scrambling</b>	
G W Lu, M H Cheung, L K Chen, C K Chan, <i>The Chinese University of Hong Kong, Hong Kong</i>	

<b>We4.P.121</b>	<b>743</b>
<b>Optical Frequency Comb Generation Using Asymmetrically Dual-Driven Mach-Zehnder Modulator</b>	
T Sakamoto, T Kawanishi, M Izutsu, <i>NICT, Japan</i>	
<b>We4.P.122</b>	<b>745</b>
<b>16nm Tunable DBR-SOA Compatible with 10Gb/s Packet Switching</b>	
H Debrégeas-Sillard, M Goix, J-G Provost, D Carpentier, J Landreau, R Brenot, <i>Alcatel-Thalès III-V Lab, France</i>	
<b>We4.P.123</b>	<b>747</b>
<b>Observation of the Enhancement of the Stark Shift in Amplitude Modulators with a Delta Doping Superlattice</b>	
M C L Areiza, C V B Tribuzy, S M Landi, M P Pires, P L Souza, <i>Pontifícia Universidade Católica do Rio de Janeiro, Brazil</i>	
<b>We4.P.124</b>	<b>749</b>
<b>Extinction Ratio Improvement and Negative BER Penalty for 2R Regeneration in Mach-Zehnder Wavelength Converter with Pre-amplifiers</b>	
D C Kim, Y A Leem, E D Shim, K H Park, <i>Electronics and Telecommunications Research Institute, South Korea</i> , M Y Jeon, <i>Chungnam National University, South Korea</i> , D S Yee, <i>Korea Research Institute of Standards and Science, South Korea</i>	
<b>We4.P.125</b>	<b>751</b>
<b>Monolithically Integrated External-Cavity Tunable Laser</b>	
O K Kwon, J H Kim, K H Kim, E D Sim, H S Kim, K R Oh, <i>ETRI, South Korea</i>	
<b>We4.P.126</b>	<b>753</b>
<b>Tunable External Cavity Laser Diode Monolithically Integrated with Planar Waveguide Parabolic-Shaped Collimating Lens and Optical Deflector</b>	
H S Kim, E D Sim, J H Kim, K H Kim, O K Kwon, K R Oh, <i>ETRI, South Korea</i>	
<b>We4.P.127</b>	<b>755</b>
<b>Novel Coupling Element for End-Pumping of Double-Clad Fibres</b>	
P Peterka, I Kašík, V Matějec, J Kaňka, M Karásek, M Hayer, J Slánička, <i>Academy of Sciences of the Czech Republic, Czech Republic</i>	
<b>We4.P.128</b>	<b>757</b>
<b>Complete Characterization of the Generation of a 2.8ps Pedestal-free Optical Pulse Using a Gain-switched Laser and a Compressing Nonlinear Amplifying Loop Mirror</b>	
W Chang, D Mechin, E Le Cren, D A Reid, J D Harvey, <i>University of Auckland, New Zealand</i> , B C Thomsen, <i>University College London, United Kingdom</i>	
<b>We4.P.129</b>	<b>759</b>
<b>Energy Transfer Processes Related to the S-Band Transition in Tm<sup>3+</sup> Doped Silica Fibres</b>	
D A Simpson, G W Baxter, S F Collins, <i>OTRL-CTME, Victoria University, Australia</i> , W E K Gibbs, <i>Swinburne University of Technology, Australia</i> , W Blanc, B Dussardier, G Monnom, <i>Université de Nice - Sophia Antipolis, France</i>	
<b>We4.P.130</b>	<b>761</b>
<b>Enabling "Hinge" Model by Slow Dynamics in Variable DGD based PMD Emulator</b>	
L S Yan, <i>General Photonics Corp &amp; University of Southern California, United States</i> , X Yao, <i>General Photonics Corp, United States</i> , A E Willner, <i>University of Southern California, United States</i>	
<b>We4.P.131</b>	<b>763</b>
<b>Spectral Characterization of Differential Group Delay in Fibre Bragg Grating Written into Hi-Bi Optical Fibre</b>	
S Bette, C Caucheteur, M Wuilpart, M Blondel, P Méret, <i>Faculté Polytechnique de Mons, Belgium</i>	

---

<b>We4.P.132</b>	<b>765</b>
<b>Fabrication of Fibre Bragg Gratings by Sequential UV-Writing with Real-Time Interferometric Side-Diffraction Position Monitoring</b>	
K C Hsu, Y Lai, <i>National Chiao-Tung University, Taiwan</i> , L G Sheu, <i>Vanung University, Taiwan</i>	
<b>We4.P.133</b>	<b>767</b>
<b>Stable FM Mode-Locked Erbium Fibre Ring Laser with a Dispersive Medium</b>	
Y J Kim , D Y Kim, <i>GIST, South Korea</i>	
<b>We4.P.134</b>	<b>769</b>
<b>Comparison Analysis between the Noise Properties of Single-Pump and Dual-Pump Fibre Optical Parametric Amplifiers</b>	
A Bogris, D Syvridis, <i>University of Athens, Greece</i> , P Kylemark, P Andrekson, <i>Chalmers University of Technology, Sweden</i>	
<b>We4.P.135</b>	<b>771</b>
<b>Novel Er/Raman Fibre Amplifier Covering S + C + L Bands with 100 nm Bandwidth</b>	
H S Seo, J T Ahn, W J Chung, B J Park, <i>ETRI, South Korea</i>	
<b>We4.P.136</b>	<b>773</b>
<b>Experimental Reduction of WDM Signal Crosstalk in Fibre Optical Parametric Amplifiers by Using Orthogonal Pumps</b>	
K K Y Wong, <i>The University of Hong Kong, Hong Kong</i> , G W Lui, L K Chen, <i>The Chinese University of Hong Kong, Hong Kong</i> , M E Marhic, <i>Stanford University, United States</i>	