

# CONTENTS

---

<i>List of figures and tables</i>	vi
<i>Acknowledgements</i>	viii
1 What Is Psychopathy?	1
2 The Background Facts	18
3 What Is the Ultimate Cause of Psychopathy?	28
4 The Psychopathic Individual: The Functional Impairment	47
5 Cognitive Accounts of Psychopathy	67
6 Neural Accounts of Psychopathy	81
7 A Neurocognitive Account of Reactive Aggression	96
8 A Neurocognitive Account of Psychopathy	110
9 Conundrums and Conclusions	141
<i>References</i>	156
<i>Subject index</i>	187
<i>Author index</i>	196

# FIGURES AND TABLES

---

## Figures

- |     |  |     |
|-----|--|-----|
| 2.1 | Percentage of total arrests as a function of age (figures taken from Crime in the United States, Federal Bureau of Investigation and Department of Justice online report, 2003).   | 22  |
| 3.1 | A schematic illustration of the architecture mediating reactive aggression.  | 31  |
| 4.1 | The strongest of the distress cue stimuli used by Blair et al. (1997).   | 54  |
| 4.2 | In the Blair et al. (2002) study, participants were presented with a facial stimulus displaying a neutral expression.  | 55  |
| 5.1 | A simplified representation of the Desimone and Duncan (1995) model.   | 70  |
| 5.2 | The behavioral inhibition system postulated by Gray (1982).  | 74  |
| 5.3 | The violence inhibition mechanism postulated by Blair (1995).  | 77  |
| 6.1 | (a) Two main subdivisions of the frontal lobes: dorsolateral prefrontal cortex and orbital frontal cortex. (b) The third subdivision of the frontal lobes, medial frontal cortex, consisting of anterior regions of the cingulate as well as the cortex immediately surrounding the cingulate. | 85  |
| 6.2 | Differential activations for CS 1 and CS 2 in the orbital frontal cortex for (a) the healthy comparison individuals, (b) patients with social phobia, and (c) individuals with psychopathy ( $p < 0.01$ uncorrected for visualization). From Veit et al. (2002).                               | 91  |
| 7.1 | Neural and neurotransmitter systems involved in the basic response to threat.  | 97  |
| 7.2 | The proposed architecture mediating response reversal and social response reversal.  | 100 |
| 7.3 | A simplified causal model of the development of reactive aggression.   | 108 |

---

8.1	A causal model of the development of psychopathy.	111
8.2	A coronal slice showing the location of the amygdala within the brain.	112
8.3	The integrated emotion systems model.	114
8.4	A subset of components of the integrated emotion systems (IES) model involved in the emotional modulation of attention.	118
8.5	The violence inhibition mechanism position embedded within the IES.	125
8.6	Data from the differential reward/punishment task.	130
9.1	The task context module model of Cohen et al. (2000).	144
9.2	A causal model of the development of psychopathy and its potential relationship with ADHD.	147
9.3	A causal model of the development of ADHD representing the hypothesized explanation for the increased risk of reactive aggression that may be seen in some patients with this disorder.	148

**Tables**

1.1	Two-factor model of psychopathy (Harpur et al., 1989)	9
1.2	Three-factor model of psychopathy (Cooke and Michie, 2001)	10
1.3	Three-factor structure of the APSD	11