

TABLE OF CONTENTS

1. Determination of the structure of all linear homogeneous groups in a Galois field which are defined by a quadratic invariant, [29]	1
2. Certain subgroups of the Betti-Mathieu group, [45]	65
3. Canonical form of a linear homogeneous substitution in a Galois field, [46]	71
4. Subgroups of order a power of p in the general and special m -ary linear homogeneous groups in the $GF[p^n]$, [116]	88
5. Distribution of the ternary linear homogeneous substitutions in a Galois field into complete sets of conjugate substitutions, [56]	111
6. Representation of linear groups as transitive substitution groups, [57]	115
7. Analytic functions suitable to represent substitutions, [12]	156
8. Cyclic subgroups of the simple ternary linear fractional group in a Galois field, [69]	165
9. Canonical form of a linear homogeneous transformation in an arbitrary realm of rationality, [70]	177
10. Determination of the ternary modular groups, [115]	185
11. On the quaternary linear homogeneous groups modulo p of order a multiple of p , [129]	199
12. On the canonical forms and automorphs of ternary cubic forms, [145]	215
13. Rational reduction of a pair of binary quadratic forms; their modular invariants, [158]	227
14. A theory of invariants, [159]	271

15. Binary modular groups and their invariants, [173]	289
16. Concerning the cyclic subgroups of the simple group G of all linear fractional substitutions of determinant unity in two non-homogeneous variables with coefficients in an arbitrary Galois field, [47]	307
17. Invariantive reduction of quadratic forms in the $GF[2^n]$, [146]	329
18. Finiteness of the odd perfect and primitive abundant numbers with n distinct prime factors, [181]	349
19. Even abundant numbers, [182]	359
20. Invariantive theory of plane cubic curves modulo 2, [200]	363
21. Determination of all groups of binary linear substitutions with integral coefficients taken modulo 3 and of determinant unity, [103]	374
22. On the real elements of certain classes of geometrical configurations, [120]	379
23. On the rank of a symmetrical matrix, [184]	389
24. Ternary orthogonal group in a general field, [81]	391
25. Groups defined for a general field by the rotation groups, [82] .	397
26. Lower limit for the number of sets of solutions of $x^e + y^e + z^e \equiv 0 \pmod{p}$, [165]	412
27. On the congruence $x^n + y^n + z^n \equiv 0 \pmod{p}$, [151]	420
28. Universal Waring theorems with cubic summands, [301]	428
29. Universal forms $a_i x_i^n$ and Waring's problem, [305]	441
30. Quaternary quadratic forms representing all integers, [254]	461
31. Sur plusieurs groupes linéaires isomorphes au groupe simple d'ordre 25920, [37]	480
32. Sur une généralisation du théorème de Fermat, [38]	483
33. Some fallacies of an angle trisector, [5]	486
34. A new solution of the cubic equation, [21]	487
35. On systems of isothermal curves, [58]	489
36. A matrix defined by the quaternion group, [74]	495
37. A generalization of symmetric and skew-symmetric determinants, [94]	501

38. A property of the group G_2^{2n} all of whose operators except identity are of period 2, [102] 505

39. On the factorization of large numbers, [148] 509

40. On the representation of numbers as the sum of two squares [with M. Kaba], [160] 515

41. Amicable number triples, [183] 518

42. Rational edged cuboids with equal volumes and equal surfaces, [161] 527

43. Extensions of Waring's theorem on nine cubes, [256] 535

44. A new method for universal Waring theorems with details for seventh powers, [286] 543

45. Quadratic functions or forms, sums of whose values give all positive integers, [265] 553

46. Projective classification of cubic surfaces, modulo 2, [196] 571

47. The invariants, seminvariants and linear covariants of the binary quartic form modulo 2, [192] 590

48. Fermat's last theorem and the origin and nature of the theory of algebraic numbers, [208] 595

49, 49'. On quaternions and their generalization and the history of the eight square theorem, [210] 623

50. Ternary quadratic forms and congruences, [257] 641

51. A new definition of the general Abelian linear group, [41] 651

52. Determination of an abstract simple group of order $2^7 \cdot 3^6 \cdot 5 \cdot 7$ holodrically isomorphic with a certain orthogonal group and with a certain hyperabelian group, [42] 657

INDEX 677