

Contents

Preface XVII

List of Contributors XIX

1	Method Development and Optimization of Enantioseparations Using Macrocyclic Glycopeptide Chiral Stationary Phases	1
	<i>Thomas E. Beesley and J. T. Lee</i>	
1.1	Introduction	1
1.2	Structural Characteristics of Macrocyclic Glycopeptide CSPs	2
1.2.1	Chiral Recognition Mechanisms	2
1.2.2	Multi-modal Chiral Stationary Phases	5
1.3	Enantioselectivity as a Function of Molecular Recognition	6
1.3.1	Ionizable Molecules	6
1.3.1.1	Polar Ionic Mode	6
1.3.1.2	Reversed-phase Mode	9
1.3.2	Neutral Molecules	9
1.4	Complementary Effects	12
1.5	Method Development	12
1.6	Optimization Procedures	15
1.6.1	Polar Ionic Mode	15
1.6.2	Reversed-phase Mode	19
1.6.2.1	pH Effects	19
1.6.2.2	Organic Modifier Effects	20
1.6.3	Polar Organic/Normal-phase Mode	21
1.6.4	Flow-rate and Temperature Effects	22
1.7	Amino Acid and Peptide Analysis	23
1.8	Conclusion	27
	Acknowledgments	27
	References	27

2	Role of Polysaccharides in Chiral Separations by Liquid Chromatography and Capillary Electrophoresis	29
	<i>Imran Ali and Hassan Y. Aboul-Enein</i>	
2.1	Introduction	29
2.2	Structures of Polysaccharide Chiral Selectors	30
2.2.1	Synthesis of Polysaccharide Chiral Selectors	32
2.2.2	Preparation of Polysaccharide Chiral Stationary Phases	33
2.2.2.1	Preparation of CSPs by Coating	34
2.2.2.2	Preparation of CSPs by Immobilization	34
2.2.2.3	Coated versus Immobilized CSPs	41
2.3	Properties of Polysaccharide CSPs	41
2.3.1	Enantioselectivities	42
2.3.2	Spectroscopic Studies	45
2.4	Applications	48
2.4.1	Analytical Separations	48
2.4.2	Preparative Separations	50
2.5	Optimization of Chiral Separations	53
2.5.1	Mobile Phase Compositions	54
2.5.2	pH of the Mobile Phase	64
2.5.3	Flow-rate	64
2.5.4	Temperature	68
2.5.5	Structures of Solutes	72
2.5.6	Other Parameters	76
2.6	Chiral Recognition Mechanisms	76
2.7	Chiral Separation by Sub- and Supercritical Fluid Chromatography	80
2.8	Chiral Separation by Capillary Electrochromatography	84
2.9	Chiral Separation by Thin-layer Chromatography	87
2.10	Chiral Separation by Capillary Electrophoresis	88
2.11	Conclusion	90
	References	91
3	Analytical and Preparative Potential of Immobilized Polysaccharide-derived Chiral Stationary Phases	99
	<i>Tong Zhang and Pilar Franco</i>	
3.1	Introduction	99
3.1.1	Scientific Developments in Polysaccharide Immobilization with Chiral Recognition Purposes	100
3.1.2	State of the Art on Immobilized Polysaccharide-derived CSPs	104
3.2	Scope of Immobilized Polysaccharide-derived CSPs	105
3.3	Beneficial Characteristics of Immobilized Polysaccharide-derived CSPs	106
3.3.1	New Selectivity Profile on Immobilized CSPs	107

3.3.2	Universal Miscibility of Non-standard Solvents and their Contribution to the Performance of Analytical Methods	110
3.3.3	Various Sample Injection Media	113
3.3.4	Inhibition or Minimization of Racemization by Mobile Phase Switch	116
3.3.5	Preparative Potential of Immobilized CSPs	118
3.3.6	CSP Stability	120
3.4	Method Development on Immobilized Polysaccharide-derived CSPs	122
3.4.1	Selection of the Mobile Phase	122
3.4.1.1	Analytical Method Development	122
3.4.1.2	Preparative Method Development	125
3.4.2	Mobile Phase Additives	126
3.4.3	A Powerful Hyphenation: DAD–ELSD	126
3.5	Regeneration of Immobilized CSPs – Why, How and When	129
3.6	Conclusions and Perspectives	132
	References	132
4	Chiral Separations Using Supercritical Fluid Chromatography	135
	<i>Karen W. Phinney and Rodger W. Stringham</i>	
4.1	Introduction	135
4.2	Overview of SFC	135
4.2.1	Properties of Supercritical Fluids	135
4.2.2	Comparison of LC and SFC	137
4.2.3	Instrumentation for SFC	138
4.3	Chiral Stationary Phases in SFC	139
4.3.1	Cyclodextrins	140
4.3.2	Brush-type (Pirkle-type)	140
4.3.3	Macrocyclic antibiotics	141
4.3.4	Polysaccharides	141
4.4	Mobile Phase Effects in SFC	142
4.4.1	Pressure Effects	142
4.4.2	Flow-rate Effects	143
4.4.3	Temperature Effects	143
4.4.4	Mobile Phase Modifier Effects	144
4.4.5	Mobile Phase Additive Effects	147
4.5	Preparative-scale Separations	148
	References	152
5	Chiral Separation by Ligand Exchange	155
	<i>Gerald Gübitz and Martin G. Schmid</i>	
5.1	Introduction	155
5.2	Chiral Ligand-exchange Chromatography	156

5.2.1	Separation by LC on Chemically Bonded Chiral Stationary LE Phases	156
5.2.2	Separation by HPLC on Chiral Coated LE Phases	161
5.2.3	Separation by HPLC Using Chiral Additives to the Mobile Phase	164
5.2.4	Separation by LE-TLC	164
5.3	Complexation Gas Chromatography	165
5.4	LE-Electromigration Techniques	165
5.4.1	Separation by Capillary Zone Electrophoresis (CZE)	165
5.4.2	Separation by Micellar Electrokinetic Chromatography (MEKC)	171
5.4.3	Separation by Micro-channel Chip Electrophoresis	172
5.4.4	Separation by Capillary Electrochromatography (CEC)	172
	List of Abbreviations	175
	References	176
6	Advances in Simulated Moving Bed Chromatographic Separations	181
	<i>Pedro Sá Gomes, Mirjana Minceva, Luís S. Pais, and Alírio E. Rodrigues</i>	
6.1	Introduction	181
6.2	Modeling Strategies	183
6.2.1	Real SMB	183
6.2.1.1	Detailed Particle Model	184
6.2.1.1	Linear Driving Force Approach	186
6.2.2	Equivalent TMB	186
6.2.2.1	Detailed Particle Model	187
6.2.2.2	LDF Approach	189
6.3	Simulation	189
6.3.1	Numerical Solution	189
6.3.2	Case Study: Operating Conditions and Model Parameters	190
6.3.3	Simulations Results	191
6.3.3.1	Real SMB Models	191
6.3.3.2	Equivalent TMB Models	194
6.4	Novel SMB Configurations	195
6.4.1	Varicol and Multiple Feed SMB	195
6.4.1.1	Varicol	195
6.4.1.2	Multiple (Distributed) Feed	198
6.5	Improvements in Operation Conditions Evaluation (Separation Volume Method)	200
6.6	Conclusions	201
	References	201

7	Less Common Applications of Enantioselective HPLC Using the SMB Technology in the Pharmaceutical Industry	203
	<i>Stefanie Abel and Markus Juza</i>	
7.1	Introduction – From an Emerging Technology to a Classical Unit Operation	203
7.1.1	Less Common Applications of SMB Technology for Chiral Separations	206
7.1.2	Design and Optimization of Operating Conditions for a Classical SMB Separation	208
7.1.3	Chiral Stationary Phases	211
7.2	Unbalanced Separations and Multi-component Separations Using SMB	213
7.2.1	Binary Separations	214
7.2.1.1	Case Study I: 1:1 vs. 10:1 and 1:10	215
7.2.2	Three-component Separations	217
7.2.2.1	Case Study II: Three-component Separations with Two Targets	218
7.2.3	Multi-component Separations via SMB	221
7.2.3.1	Case Study III: Multi-component Separation	221
7.2.4	Generalized Rules for Optimizing Unbalanced and Multicomponent Separations via SMB	223
7.2.4.1	Detecting Problems	223
7.2.4.2	Solving Problems	225
7.3	Unusual Isotherms and Adsorption Behavior	225
7.3.1	Langmuir Adsorption Isotherm	226
7.3.2	Non-Langmuir Adsorption Isotherms	227
7.3.2.1	Peak Shape and Form of Linear and Anti-Langmuir Isotherms	229
7.3.2.2	Region of Complete Separation for an Anti-Langmuir Isotherm	230
7.3.3	Case Studies	231
7.3.3.1	Case Study IV: Both Compounds Show Anti-Langmuirian Behavior	232
7.3.3.2	Case Study V: One Compound Shows Anti-Langmuirian Behavior	234
7.3.4	General Trends for Loading Studies and Adsorption Isotherms	237
7.4	Applications of Various Column Configurations	237
7.4.1	Symmetrical Configurations	237
7.4.1.1	Case Study VI: Comparing a 2–2–2–2 and a 1–2–2–1 Configuration	240
7.4.1	Asymmetric Configurations	241
7.5	Application of Solvent Gradients	243
7.5.1	Solvent Gradient SMB	244
7.5.1.1	Case Study VII: Preparative-scale SMB Applying a Reversed Solvent Gradient	247
7.6	Chemistry and Racemization	251
7.6.1	Racemization	253
7.6.2	Case Studies	257

7.6.2.1	Case Study VIII: ASBAT Inhibitor	257
7.6.2.2	Case Study IX: Antidepressant Oxetine Derivatives	258
7.6.2.3	Case Study X: Zoloft, a Serotonin Reuptake Inhibitor	259
7.6.2.4	Case Study XI: Synthesis of Enantiomerically Pure Amines via Schiff Bases	262
7.6.2.5	Case Study XII: Synthesis of COX-2 Inhibitors	263
7.7	Future Developments	264
7.7.1	Non-HPLC Enantioselective SMB Modes	265
7.7.2	Operation Modes, Modeling Software, Control of SMB Units, and Stationary Phases	266
7.8	Conclusion	267
	Notation	268
	Greek Letters	268
	Subscripts	268
	Acknowledgments	268
	References	269
8	Enantiomer Separation by Chiral Crown Ether Stationary Phases	275
	<i>Myung Ho Hyun</i>	
8.1	Introduction	275
8.2	Development of CSPs	276
8.2.1	CSPs Based on Chiral Crown Ethers Incorporating a Chiral 1,1'-Binaphthyl Unit	276
8.2.2	CSPs Based on Chiral Crown Ethers Incorporating a Tartaric Acid Unit	277
8.2.3	CSPs Based on Phenolic Pseudo Chiral Crown Ethers	281
8.3	Applications of CSPs	282
8.3.1	Resolution of Primary Amino Compounds	282
8.3.2	Resolution of Non-primary Amino Compounds	285
8.4	Composition of Mobile Phase	288
8.4.1	Aqueous Mobile Phase	288
8.4.1.1	Organic Modifier in Aqueous Mobile Phase	288
8.4.1.2	Acidic Modifier in Aqueous Mobile Phase	290
8.4.1.3	Inorganic Cationic Modifier in Aqueous Mobile Phase	293
8.4.2	Nonaqueous Mobile Phase	294
8.5	Temperature Effect	295
8.6	Conclusion	297
	Acknowledgment	298
	References	298

9	Enantioselective Separation of Amino Acids and Hydroxy Acids by Ligand Exchange with Copper(II) Complexes in HPLC (Chiral Eluent) and in Fast Sensing Systems	301
	<i>Rosangela Marchelli, Roberto Corradini, Gianni Galaverna, Arnaldo Dossena, Francesco Dallavalle, and Stefano Sforza</i>	
9.1	Introduction	301
9.2	Enantiomeric Separation of Amino Acids and Hydroxy Acids with the Chiral Selectors Added to the Mobile Phase in HPLC (CMPs)	303
9.2.1	Bidentate Ligands	303
9.2.1.1	Enantiomeric Separation of Free D,L-Amino Acids	303
9.2.1.2	Enantiomeric Separation of D,L-Dns-Amino Acids	308
9.2.1.3	Enantiomeric Separation of α -Hydroxy Acids and Dicarboxylic Acids	309
9.2.2	Terdentate Ligands	312
9.2.2.1	Enantioseparation of Unmodified Amino Acids	312
9.2.2.2	Enantioseparation of Dns-Amino Acids	314
9.2.3	Tetradeятate Ligands	315
9.2.3.1	Enantiomeric Separation of Unmodified Amino Acids	316
9.2.3.2	Chiral separation of Dns-Amino Acids	318
9.3	Dynamically Coated Stationary Phases	319
9.4	Comparison Between Enantiomeric Separations Obtained with the Chiral Selector Bound to the Stationary Phase or Added to the Eluent	320
9.5	Mixed Inclusion-Ligand-exchange Chromatography	325
9.6	Ligand Exchange in Fast Sensing Systems	327
	Acknowledgment	329
	References	329
10	Enantiomer Separation by Capillary Electrophoresis	333
	<i>Gerhard K. E. Scriba</i>	
10.1	Introduction	333
10.2	Modes of Capillary Electromigration Techniques	334
10.3	Theory of Electrophoretic Separations	334
10.3.1	Basics of Capillary Electrophoresis	334
10.3.2	Chiral Separations	335
10.4	Enantiomer Separations	337
10.4.1	Indirect Chiral Separations	338
10.4.2	Direct Chiral Separations	338
10.4.2.1	Cyclodextrins	343
10.4.2.2	Macrocyclic Antibiotics	346
10.4.2.3	Chiral Crown Ethers	349
10.4.2.4	Chiral Ligand Exchange	350
10.4.2.5	Chiral Ion-pair Reagents	350
10.4.2.6	Chiral Surfactants	351

10.4.2.7	Miscellaneous Chiral Selectors	353
10.5	Applications	354
10.6	Method Development and Validation	358
10.7	Migration Models	362
10.8	Enantiomer Migration Order	364
10.9	Future Trends	365
	References	366
11	Counter-current Chromatography in the Separation of Enantiomers	369
	<i>Eva Pérez and Cristina Minguillón</i>	
11.1	Introduction	369
11.2	Instrumentation	371
11.3	Some Thoughts on CCC Enantioseparation	372
11.4	Chiral Selectors Used in CCC Enantioseparations	375
11.4.1	Chiral Recognition in the Aqueous Phase	375
11.4.2	Chiral Recognition in the Organic Phase	380
11.5	pH-zone-refining CCC	387
11.6	Sample Resolution in CCC	392
11.7	Continuous CPC	393
11.8	Conclusions and Future Trends	394
	Acknowledgments	394
	References	395
12	Separation of Enantiomers Using Molecularly Imprinted Polymers	399
	<i>Börje Sellergren</i>	
12.1	Introduction	399
12.2	Fundamental Studies Using Enantiomers as Model Templates	401
12.3	Using Frontal Analysis to Elucidate Retention Mechanisms	406
12.4	Approaches to Binding Site Design	412
12.4.1	Combinatorial and Computational Techniques to Optimizing MICSPs	413
12.4.2	MICSPs by Rational Design	415
12.5	Other Formats: Beads, Monoliths, and Films	418
12.5.1	Beads and Nanoparticles	419
12.5.2	Layers and Films	421
12.5.3	Superporous Monoliths	425
12.5.4	Hierarchical Imprinting Techniques	426
12.6	Other Matrices for Imprinting of Enantiomers	426
12.7	Conclusions	429
	References	429

13	Enantioselective Biosensors
	<i>Raluca-Ioana Stefan-van Staden, Jacobus Frederick van Staden, and Hassan Y. Aboul-Enein</i> 433
13.1	Introduction 433
13.2	The Design of Enantioselective Electrochemical Biosensors 433
13.3	Applications of Enantioselective Analysis 434
13.3.1	Amino Acids 434
13.3.2	Angiotensin-converting Enzyme Inhibitors 434
13.3.3	Thyroid Hormones 435
13.3.4	Alanine 435
13.3.5	Carnitine and o-Acetyl-L-carnitine 436
13.3.6	Lysine 436
13.3.7	Methotrexate 437
13.3.8	Pipecolic Acid 437
13.4	Conclusion 438
	References 438
14	Chiral Analysis in Capillary Electrochromatography (CEC) and CEC Coupled to Mass Spectrometry 441
	<i>Jie Zheng and Shahab A. Shamsi</i>
14.1	Introduction 441
14.2	CEC Column Technologies for Chiral Separation 443
14.2.1	Packed Capillaries 443
14.2.2	Open-tubular Capillaries 445
14.2.3	Monolithic Capillaries 447
14.2.3.1	Inorganic Monolith-based Columns 447
14.2.3.2	Organic Polymeric Monolithic Columns 448
14.2.3.3	Particle-loaded Monolithic Columns 450
14.3	Chiral Stationary Phases for CEC 451
14.3.1	Brush-type CSPs 453
14.3.2	Cyclodextrins and their Derivatives 456
14.3.3	Macrocyclic Glycopeptide-bonded CSPs 460
14.3.4	Polysaccharide-based CSPs 466
14.3.5	Protein-based CSPs 473
14.3.6	Molecular Imprinting-based CSPs 475
14.3.7	Ligand Exchange-based CSPs 477
14.3.8	Ion Exchange-based CSPs 479
14.3.9	Miscellaneous 483
14.4	Chiral CEC Coupled to Mass Spectrometric Detection 485
14.4.1	CEC/MS Instrumentation and Column Technology 486
14.4.2	Chiral CEC/MS Applications 491
14.5	Conclusions 499
	List of Abbreviations 500
	References 501

15	Chiral Analysis Using Polymeric Surfactants in Micellar Electrokinetic Chromatography (MEKC) and MEKC Coupled to Mass Spectrometry	505
	<i>Syed A. A. Rizvi and Shahab A. Shamsi</i>	
15.1	Introduction	505
15.2	Chiral Anionic Surfactants	509
15.2.1	Amino Acid-based Polymeric Chiral Anionic Surfactants with Amide Linkage	509
15.2.2	Peptide-based Polymeric Chiral Anionic Surfactants with Amide Linkage	525
15.2.3	Amino Acid-based Polymeric Chiral Anionic Surfactants with Carbamate Linkage	537
15.3	Chiral Cationic Surfactants	544
15.3.1	Single Amino Acid-based Cationic Surfactants with Amide Linkage	544
15.4	Coupling of MEKC to Mass Spectrometry Using Polymeric Surfactants	545
15.4.1	MEKC/MS Method Development	547
15.4.2	MEKC/MS of (\pm)-1,1'-Binaphthol (BOH)	548
15.4.3	MEKC/MS of β -Blockers	550
15.4.4	MEKC/MS of Benzodiazepines and Benzoxazocine	555
15.5	Conclusions	556
	Acknowledgment	557
	List of Abbreviations	557
	References	559
16	Polarimeter Chiral Detectors in Enantioseparations	561
	<i>Gary W. Yanik</i>	
16.1	Introduction	561
16.2	Theory of Operation	562
16.3	Comparison with UV and CD Detection	565
16.4	Useful Definitions	565
16.4.1	Chemical Purity (<i>cp</i>)	565
16.4.2	Enantiomeric Purity (<i>ep</i>)	566
16.4.3	Enantiomeric Excess (<i>ee</i>)	566
16.4.4	Specific Rotation (<i>sr</i>)	566
16.5	Automation of Method Development and Preparative Purifications	566
16.6	Method Development	568
16.7	Preparative Purifications	569
16.8	Analytes	572
16.8.1	Small Molecule Pharmaceutical Candidates	572
16.8.2	Antibiotics and Sugars: Compounds without Chromophores	574
16.8.3	Amino Acids	575
16.8.4	Natural Products	575

16.8.5	Foods, Flavors, and Fragrances	575
16.8.6	Fertilizers and Pesticides	576
16.9	Applications	577
16.9.1	Analysis and QA/QC	577
16.9.2	Example: QA/QC of Antibiotic Residues in Milk – Gentamicin	577
16.9.3	HPLC/SFC Method Development	580
16.9.4	HPLC/SFC Preparative Purification – Fraction Collection	580
16.9.5	Process Monitoring	581
16.10	Summary and Conclusion	584
	References	584
17	Preparative Chiral Chromatography – a Powerful and Efficient Tool in Drug Discovery	<i>585</i>
	<i>Shalini Andersson</i>	
17.1	Introduction	585
17.2	Chiral Chromatographic Resolution of Enantiomers	586
17.2.1	Selecting the Chiral Stationary Phase	586
17.3	Chiral Preparative Chromatography Process	588
17.3.1	Column Screen and Optimization	588
17.3.2	Preparative Chromatography	590
17.3.2.1	Choice of the Chromatography Mode	590
17.3.2.2	Loadability	591
17.3.2.3	Solubility	592
17.4	Examples of Preparative Separation of Enantiomers	593
17.4.1	Resolution of DNZ- β -Phenylalanine Isomers	593
17.4.2	Resolution of a Chiral Acid in Late-stage Discovery Phase	595
17.5	Analysis and Chiroptical Characterization of the Isolated Enantiomers	598
17.6	Conclusions	598
	References	599
	Subject Index	601