

Table of Contents

Introduction	A. de Meijere	
Introduction	1	
<hr/>		
24.1	Product Class 1: 1,1-Bis(heteroatom-functionalized) Allenes	
<hr/>		
24.1.1	Product Subclass 1: 1,1-Dihaloallenes	
	R. R. Kostikov	
<hr/>		
24.1.1	Product Subclass 1: 1,1-Dihaloallenes	17
24.1.1.1	Synthesis of Product Subclass 1	17
24.1.1.1.1	Method 1: Synthesis from Allenes and Acetylenes by Substitution Reactions	18
24.1.1.1.1.1	Variation 1: Substitution of the Stanny Group	18
24.1.1.1.1.2	Variation 2: From Acetylenes by Substitution Reactions	18
24.1.1.1.1.3	Variation 3: Via (<i>gem</i> -Difluoroallenyl)indium Derivatives	20
24.1.1.1.2	Method 2: Dehydrohalogenation of Dihalopropanes or Halopropenes	20
24.1.1.1.2.1	Variation 1: Direct Dehydrohalogenation	20
24.1.1.1.2.2	Variation 2: Dehydrochlorination through <i>gem</i> -Lithio,Halo-Substituted Carbeneoid or Carbene Intermediates	23
24.1.1.1.3	Method 3: Synthesis by the Shapiro Reaction	24
24.1.1.1.4	Method 4: Dehalogenation of Fluoropropenes	24
24.1.1.1.4.1	Variation 1: Direct Dehalogenation of Fluoropropenes	24
24.1.1.1.4.2	Variation 2: Defluorosilylation of Silyl-Substituted Fluoropropenes	25
24.1.1.1.5	Method 5: Isomerization of Acetylenes, Cyclopropenes, or Methylenecyclopropanes	25
24.1.1.2	Applications of Product Subclass 1 in Organic Synthesis	26
24.1.1.2.1	Method 1: Addition of Nucleophilic and Electrophilic Reagents	27
24.1.1.2.1.1	Variation 1: 1,2-Addition to 1,1-Difluoroallenies	27
24.1.1.2.1.2	Variation 2: Nucleophilic Addition to 1,1-Dichloroallenies	28
24.1.1.2.1.3	Variation 3: Electrophilic Addition of Acyl Chlorides	28
24.1.1.2.1.4	Variation 4: Oxygenolytic Solvolysis of Polyiodoallenies	28
24.1.1.2.2	Method 2: [2+2] Cycloaddition	29
24.1.1.2.2.1	Variation 1: Dimerization	29
24.1.1.2.2.2	Variation 2: Allene-Alkene [2+2] Cycloaddition	30
24.1.1.2.2.3	Variation 3: Allene-Alkyne [2+2] Cycloaddition	31
24.1.1.2.3	Method 3: [2+3]-Dipolar Cycloaddition	31
24.1.1.2.4	Method 4: [2+4] Cycloaddition	32
24.1.1.2.5	Method 5: Metal Complexes	33

24.1.2	Product Subclass 2: 1-Halo-1-(organooxy)allenes	
	R. Zimmer	
<hr/>		
24.1.2	Product Subclass 2: 1-Halo-1-(organooxy)allenes	37
24.1.2.1	Synthesis of Product Subclass 2	37
24.1.2.1.1	Method 1: Halogenation of 1-Alkoxyallenes	37
<hr/>		
24.1.3	Product Subclass 3: 1-Halo-1-(organochalcogeno)allenes and 1-Halo-1-(organochalcogeno)butatrienes	
	R. Zimmer	
<hr/>		
24.1.3	Product Subclass 3: 1-Halo-1-(organochalcogeno)allenes and 1-Halo-1-(organochalcogeno)butatrienes	39
24.1.3.1	Synthesis of Product Subclass 3	39
24.1.3.1.1	Method 1: 1-Halo-1-(organochalcogeno)allenes by the Isomerization of 3-Halo-3-(organochalcogeno)alk-1-ynes with Base	39
24.1.3.1.2	Method 2: 1-Halo-1-(organochalcogeno)allenes by the Reaction of 1-Haloalk-1-yn-3-ols with Sulfur Compounds, and Subsequent Rearrangement	40
24.1.3.1.3	Method 3: 1-Halo-1-(organochalcogeno)butatrienes by Dehydrochlorination of 1,2-Dichloro-1-(organochalcogeno)buta-1,3-dienes	41
<hr/>		
24.1.4	Product Subclass 4: 1-Nitrogen-Functionalized 1-Haloallenes	
	R. Zimmer	
<hr/>		
24.1.4	Product Subclass 4: 1-Nitrogen-Functionalized 1-Haloallenes	43
24.1.4.1	Synthesis of Product Subclass 4	43
24.1.4.1.1	Method 1: Halogenation of an Allene-1,1,3-triamine	43
<hr/>		
24.1.5	Product Subclass 5: 1-Phosphorus-Functionalized 1-Haloallenes	
	R. Zimmer	
<hr/>		
24.1.5	Product Subclass 5: 1-Phosphorus-Functionalized 1-Haloallenes	45
24.1.5.1	Synthesis of Product Subclass 5	45
24.1.5.1.1	Method 1: Reaction of 1-Haloalk-1-yn-3-ols with Phosphorus Compounds, and Subsequent Rearrangement	45
24.1.5.2	Applications of Product Subclass 5 in Organic Synthesis	46
24.1.5.2.1	Method 1: Palladium-Catalyzed Cross Coupling	46

24.1.6	Product Subclass 6: 1,1-Bis(organooxy)allenes, 1,1-Bis(organooxy)-butatrienes, 1-(Organooxy)-1-siloxyallenes, and 1-(Organooxy)-allen-1-olates	
	R. Zimmer	
<hr/>		
24.1.6	Product Subclass 6: 1,1-Bis(organooxy)allenes, 1,1-Bis(organooxy)-butatrienes, 1-(Organooxy)-1-siloxyallenes, and 1-(Organooxy)-allen-1-olates	49
24.1.6.1	Synthesis of Product Subclass 6	49
24.1.6.1.1	Synthesis of 1,1-Bis(organooxy)allenes and 1,1-Bis(organooxy)butatrienes	49
24.1.6.1.1.1	Method 1: 1,1-Bis(organooxy)allenes and 1,1-Bis(organooxy)butatrienes by Deprotonation–Alkylation of 1,1-Bis(organooxy)alk-2-ynes	49
24.1.6.1.1.2	Method 2: 1,1-Bis(organooxy)allenes by Ring Opening of Highly Functionalized Cyclopropanes	50
24.1.6.1.1.3	Method 3: 1,1-Bis(organooxy)allenes by Wittig Alkenation	50
24.1.6.1.2	Synthesis of 1-(Organooxy)-1-siloxyallenes	51
24.1.6.1.2.1	Method 1: Cuprate Addition and Silylation of Alkyl Propynoates	51
24.1.6.1.3	Synthesis of 1-(Organooxy)allen-1-olates	51
24.1.6.1.3.1	Method 1: Deprotonation of Dialkyl Malonates	51
24.1.6.1.3.2	Method 2: Synthesis from Alkyl Propynoates	51
24.1.6.2	Applications of Product Subclass 6 in Organic Synthesis	52
24.1.6.2.1	Method 1: [2 + 2]-Cycloaddition Reactions of 1,1-Bis(organooxy)allenes	52
24.1.6.2.2	Method 2: Synthesis of 2H-Pyran-2,4(3H)-diones and Furan-2,5-diones from Tetraalkoxyallenes	52
<hr/>		
24.1.7	Product Subclass 7: 1-(Organochalcogeno)-1-(organooxy)allenes	
	R. Zimmer	
<hr/>		
24.1.7	Product Subclass 7: 1-(Organochalcogeno)-1-(organooxy)allenes	55
24.1.7.1	Synthesis of Product Subclass 7	55
24.1.7.1.1	Method 1: Deprotonation–Addition Reaction of 1-(Organooxy)allenes	55
24.1.7.1.2	Method 2: Wittig Alkenation	55
<hr/>		
24.1.8	Product Subclass 8: 1-Nitrogen-Functionalized 1-(Organooxy)allenes and Allen-1-olates	
	R. Zimmer	
<hr/>		
24.1.8	Product Subclass 8: 1-Nitrogen-Functionalized 1-(Organooxy)allenes and Allen-1-olates	57
24.1.8.1	Synthesis of Product Subclass 8	57
24.1.8.1.1	Method 1: 1-(Organooxy)allen-1-amines by Alkylation–Deprotonation of Malonamides	57

24.1.8.1.2	Method 2: 1-(Organooxy)-1-(1 <i>H</i> -1,2,4-triazol-1-yl)allenes by Deprotonation–Alkylation of 3-(Organooxy)-3-(1 <i>H</i> -1,2,4-triazol-1-yl)prop-1-ynes	57
24.1.8.1.3	Method 3: Generation of 1-Nitrogen-Functionalized Allen-1-olates from α -Hydrazono N-Monosubstituted Amides by the Shapiro Reaction	58
24.1.9	Product Subclass 9: 1-Phosphorus-Functionalized 1-(Organooxy)allenes and 1-Siloxyallenes R. Zimmer	
24.1.9	Product Subclass 9: 1-Phosphorus-Functionalized 1-(Organooxy)allenes and 1-Siloxyallenes	61
24.1.9.1	Synthesis of Product Subclass 9	61
24.1.9.1.1	Method 1: 1-Phosphorus-Functionalized 1-(Organooxy)allenes by the Addition of Phosphorus Compounds to 1-Alkoxyalk-1-ynes	61
24.1.9.1.2	Method 2: 1-Phosphorus-Functionalized 1-Siloxyallenes by the Reaction of Carbon Suboxide with Silylated Phosphites	61
24.1.10	Product Subclass 10: 1,1-Bis(organochalcogeno)allenes and 1,1-Bis(organochalcogeno)butatrienes R. Zimmer	
24.1.10	Product Subclass 10: 1,1-Bis(organochalcogeno)allenes and 1,1-Bis(organochalcogeno)butatrienes	63
24.1.10.1	Synthesis of Product Subclass 10	63
24.1.10.1.1	Synthesis of 1,1-Bis(organochalcogeno)allenes	63
24.1.10.1.1.1	Method 1: Deprotonation–Addition Sequence	63
24.1.10.1.1.1.1	Variation 1: Starting from an Alk-1-yn-3-ol	63
24.1.10.1.1.1.2	Variation 2: Starting from an Alk-1-enyl-Substituted Allene	63
24.1.10.1.1.2	Method 2: Alkylation–Elimination Starting from a Vinylphosphonium Salt	64
24.1.10.1.1.3	Method 3: Isomerization of 2-Ethynyl-1,3-dithianes	64
24.1.10.1.1.4	Method 4: Reaction of 1-(Organosulfanyl)alk-1-yn-3-ols with Sulfenyl Halides and Subsequent Rearrangement	64
24.1.10.1.2	Synthesis of 1,1-Bis(organochalcogeno)butatrienes	65
24.1.10.1.2.1	Method 1: Nucleophilic Substitution	65
24.1.10.1.2.1.1	Variation 1: Of a Perchlorinated Enyne	65
24.1.10.1.2.1.2	Variation 2: Of Chloro-Substituted Butatrienes	65
24.1.10.1.2.2	Method 2: Reaction of 1,4-Dilithiobuta-1,3-diyne with Electrophiles	66
24.1.10.1.2.3	Method 3: Wittig Alkenation of Diarylketenes	66
24.1.10.1.2.4	Method 4: Elimination–Isomerization Starting from 4-Alkoxy-1,1-bis(organosulfanyl)alk-2-ynes	67

24.1.11	Product Subclass 11: 1-Nitrogen-Functionalized 1-(Organochalcogeno)allenes	
	R. Zimmer	
<hr/>		
24.1.11	Product Subclass 11: 1-Nitrogen-Functionalized 1-(Organochalcogeno)allenes	69
24.1.11.1	Synthesis of Product Subclass 11	69
24.1.11.1.1	Method 1: Deprotonation–Addition Reaction of 1-Nitrogen-Functionalized Allenes	69
24.1.11.1.2	Method 2: Deprotonation of Amidinium Salts	69
24.1.11.1.3	Method 3: Alkylation of 2-Ethynylbenzothiazolium Salts	70
24.1.11.1.4	Method 4: Isomerization of 1-Azido-1-(phenylsulfanyl)prop-2-yne	70
<hr/>		
24.1.12	Product Subclass 12: 1-Phosphorus-Functionalized 1-(Organochalcogeno)allenes	
	R. Zimmer	
<hr/>		
24.1.12	Product Subclass 12: 1-Phosphorus-Functionalized 1-(Organochalcogeno)allenes	73
24.1.12.1	Synthesis of Product Subclass 12	73
24.1.12.1.1	Method 1: Deprotonation–Addition Reaction of 1-Phosphorus-Functionalized Allenes	73
<hr/>		
24.1.13	Product Subclass 13: 1,1-Bis(nitrogen-functionalized) Allenes and Butatrienes	
	R. Zimmer	
<hr/>		
24.1.13	Product Subclass 13: 1,1-Bis(nitrogen-functionalized) Allenes and Butatrienes	75
24.1.13.1	Synthesis of Product Subclass 13	75
24.1.13.1.1	Method 1: 1,1-Bis(nitrogen-functionalized) Allenes by Deprotonation of Amidinium Salts	75
24.1.13.1.2	Method 2: 1,1-Bis(nitrogen-functionalized) Allenes by Dehydروبromination of 2-Bromopropenes	75
24.1.13.1.3	Method 3: 1,1-Bis(nitrogen-functionalized) Allenes by the Reaction of 3,6-Dihydropyrimidinum-4-olates with <i>N,N</i> -Diethylprop- 1-yn-1-amine	75
24.1.13.1.4	Method 4: 1,1-Bis(nitrogen-functionalized) Butatrienes by the Condensation Reaction of 1,1-Dichloroethenes with <i>N,N,N',N'</i> -Tetramethylene-1,1-diamine	76

24.1.14	Product Subclass 14: 1-Nitrogen-Functionalized 1-Phosphorus-Functionalized Allenes	
	R. Zimmer	
<hr/>		
24.1.14	Product Subclass 14: 1-Nitrogen-Functionalized 1-Phosphorus-Functionalized Allenes	79
24.1.14.1	Synthesis of Product Subclass 14	79
24.1.14.1.1	Method 1: Reaction of an Iminium Iodide with Triphenylphosphine	79
<hr/>		
24.1.15	Product Subclass 15: 1,1-Bis(phosphorus-functionalized) Allenes	
	M. Stankevič and K. M. Pietrusiewicz	
<hr/>		
24.1.15	Product Subclass 15: 1,1-Bis(phosphorus-functionalized) Allenes	81
24.1.15.1	Synthesis of Product Subclass 15	81
24.1.15.1.1	Method 1: Synthesis from Phosphorus-Functionalized Alkynes	81
24.1.15.1.2	Method 2: Synthesis from Other Phosphorus-Functionalized Allenes	82
<hr/>		
24.2	Product Class 2: 1,1-Bis(heteroatom-functionalized) Alk-1-enes	
<hr/>		
24.2.1	Product Subclass 1: 1,1-Dihaloalk-1-enes	
	R. R. Kostikov	
<hr/>		
24.2.1	Product Subclass 1: 1,1-Dihaloalk-1-enes	85
24.2.1.1	Synthesis of Product Subclass 1	85
24.2.1.1.1	Method 1: Vinylic Substitution of Halogens, Metals, or Other Groups	85
24.2.1.1.1.1	Variation 1: Substitution of a Silyl Group or a Metal in 1-Metal-Substituted 1-Haloalk-1-enes	86
24.2.1.1.1.2	Variation 2: From 1-Substituted Alk-1-ynes	87
24.2.1.1.2	Method 2: 2-Aryl- and 2-Hetaryl-Substituted 1,1-Dihaloalk-1-enes from Hydrazones of Aromatic Aldehydes and Ketones	88
24.2.1.1.3	Method 3: Dehydrohalogenation of Oligohaloalkanes and Halovinyl Intermediates	89
24.2.1.1.3.1	Variation 1: Dehydrohalogenation of Oligohaloalkanes	89
24.2.1.1.3.2	Variation 2: From Vinylolithium Reagents	90
24.2.1.1.3.3	Variation 3: From Halovinylzinc or Halovinylmagnesium Reagents	91
24.2.1.1.4	Method 4: From 2,2,2-Trihaloethanols and Derivatives	93
24.2.1.1.5	Method 5: Dehalogenation of Oligohaloalkanes	94
24.2.1.1.6	Method 6: Wittig-Type Reaction	95
24.2.1.1.7	Method 7: Synthesis from Ketones and Lithium Carbenoids	99
24.2.1.1.8	Method 8: Electrophilic Addition to 1-Haloalk-1-ynes	100
24.2.1.1.8.1	Variation 1: Halogen Addition to 1-Haloalk-1-ynes	100
24.2.1.1.8.2	Variation 2: Dimerization of 1-Aryl-2-iodoacetylenes	102
24.2.1.1.9	Method 9: Synthesis by Rearrangement	102

24.2.1.1.9.1	Variation 1: Friedel-Crafts Reactions	102
24.2.1.1.9.2	Variation 2: From 1-Haloalk-1-yn-3-ols	103
24.2.1.2	Applications of Product Subclass 1 in Organic Synthesis	104
24.2.1.2.1	Method 1: Substitution of Halogen for Hydrogen	104
24.2.1.2.2	Method 2: Substitution of Halogen for Nitrogen, Phosphorus, and Other Elements	105
24.2.1.2.3	Method 3: Synthesis of Substituted Allyl Alcohols with Vinylolithium Derivatives	107
24.2.1.2.4	Method 4: Styrene Synthesis with Perfluoroalk-1-enylzinc Derivatives	107
24.2.1.2.5	Method 5: Synthesis of 1,3-Dienes	109
24.2.1.2.6	Method 6: Synthesis of Acrylates	111
24.2.1.2.7	Method 7: Alkylation and Acylation	111
24.2.1.2.8	Method 8: Synthesis of Stilbenes by Suzuki Coupling	112
24.2.1.2.9	Method 9: Synthesis of Enynes by Sonogashira Coupling	112
24.2.1.2.10	Method 10: Intramolecular Cyclization for Fused Carbocycles and Heterocycles	113
24.2.1.2.11	Method 11: Synthesis of Alkynes	116
24.2.1.2.11.1	Variation 1: Synthesis of 1-Haloalk-1-ynes	116
24.2.1.2.11.2	Variation 2: Synthesis of 1,3-Diynes	117
24.2.1.2.12	Method 12: Synthesis of Oligohaloalkanes by Addition to Oligohaloalk-1-enes	117
24.2.1.2.13	Method 13: Addition of Alcohols	118
24.2.1.2.14	Method 14: Synthesis of Esters	120
24.2.1.2.14.1	Variation 1: Synthesis of Esters by Reaction with Alkoxides	120
24.2.1.2.14.2	Variation 2: Synthesis of Esters by Mukaiyama-Type Condensation of Acetals	120
24.2.1.2.15	Method 15: [2+1], [2+2], [2+3], and [2+4] Cycloadditions	121
24.2.2	Product Subclass 2: 1-Halo-1-(organooxy)alk-1-enes	
	A. P. Molchanov and R. R. Kostikov	
24.2.2	Product Subclass 2: 1-Halo-1-(organooxy)alk-1-enes	129
24.2.2.1	Synthesis of Product Subclass 2	129
24.2.2.1.1	Method 1: Substitution of Hydrogen for Halogen	129
24.2.2.1.2	Method 2: Substitution of Halogen for Oxygen	129
24.2.2.1.2.1	Variation 1: From 1,1-Dihaloalk-1-enes with a Hydrogen Atom in the α -Position	130
24.2.2.1.2.2	Variation 2: From 1,1,2-Trihaloalk-1-enes without a Hydrogen Atom in the α -Position	131
24.2.2.1.3	Method 3: Elimination of Hydrogen Halides or Halogens	132
24.2.2.1.4	Method 4: Decarboxylation or Elimination of Carbonyl Difluoride	134
24.2.2.1.5	Method 5: Addition of Oxygen Nucleophiles to 1-Haloalk-1-yne	136
24.2.2.1.6	Method 6: Addition of Hydrogen Halides to 1-Alkoxyalk-1-yne	136
24.2.2.1.7	Method 7: Addition of Phosgene to 1-Alkoxyalk-1-yne	137
24.2.2.1.8	Method 8: Addition of Halogens to 1-(Organooxy)alk-1-yne	138

24.2.2.1.9	Method 9:	Addition of Heteroelement Halides to 1-(Organooxy)alk-1-ynes	139
24.2.2.1.9.1	Variation 1:	Addition of Boron Halides	139
24.2.2.1.9.2	Variation 2:	Addition of Carbon, Silicon, Germanium, and Tin Halides	140
24.2.2.1.9.3	Variation 3:	Addition of Phosphorus Halides	140
24.2.2.1.9.4	Variation 4:	Addition of Sulfur Halides	142
24.2.2.1.9.5	Variation 5:	Addition of Mercury(II) Chloride	143
24.2.2.1.10	Method 10:	Addition of Carbonyl Compounds to 1-Halo- or 1-Alkoxyalk-1-ynes	143
24.2.2.1.11	Method 11:	O-Acylation of Acyl Halides or Aldehydes	143
24.2.2.2	Applications of Product Subclass 2 in Organic Synthesis	145	
24.2.2.2.1	Method 1:	Thermolysis	145
24.2.2.2.2	Method 2:	Substitution of Halogen	145
24.2.2.2.3	Method 3:	Elimination of Hydrogen Halides	148
24.2.2.2.4	Method 4:	Elimination of Halogens	149
24.2.2.2.5	Method 5:	Addition of Mineral Acids, Halogens, and Water	150
24.2.2.2.6	Method 6:	Addition of Alcohols, Phenols, and Amines	153
24.2.2.2.7	Method 7:	Addition of Carboxylic Acids and Their Derivatives	155
24.2.2.2.8	Method 8:	Radical Addition	157
24.2.2.2.9	Method 9:	Addition of Alkyl Hypofluorites	157
24.2.2.2.10	Method 10:	Addition of Sulfur-Containing Reagents	158
24.2.2.2.11	Method 11:	Cycloadditions	159
24.2.2.2.11.1	Variation 1:	[2 + 1] Cycloadditions	159
24.2.2.2.11.2	Variation 2:	[2 + 2] Cycloadditions	159
24.2.2.2.11.3	Variation 3:	Synthesis of Heterocyclic Compounds	160
24.2.2.2.12	Method 12:	Rearrangements	161

24.2.3 Product Subclass 3: 1-Halo-1-(organochalcogeno)alk-1-enes

A. F. Khlebnikov and R. R. Kostikov

24.2.3	Product Subclass 3: 1-Halo-1-(organochalcogeno)alk-1-enes	167	
24.2.3.1	Synthesis of Product Subclass 3	167	
24.2.3.1.1	Method 1:	Substitution of Metal for Halogen	167
24.2.3.1.2	Method 2:	Substitution of Halogen for Chalcogen	170
24.2.3.1.3	Method 3:	Substitution of Oxygen for Halogen	175
24.2.3.1.4	Method 4:	Elimination of Hydrogen Halides or Halogens	176
24.2.3.1.5	Method 5:	Wittig-Type Reactions	180
24.2.3.1.6	Method 6:	Miscellaneous Eliminations	185
24.2.3.1.7	Method 7:	Addition of Hydrogen Halides to Alk-1-ynes	188
24.2.3.1.8	Method 8:	Addition of Halogens to Alk-1-ynes	190
24.2.3.1.9	Method 9:	Addition of Heteroelement Halides to Alk-1-ynes	191
24.2.3.1.10	Method 10:	Miscellaneous Additions to Alk-1-ynes	193
24.2.3.1.11	Methods 11:	Miscellaneous Reactions	195
24.2.3.2	Applications of Product Subclass 3 in Organic Synthesis	196	
24.2.3.2.1	Method 1:	Substitution of Halogen by Hydrogen, Deuterium, or a Metal	197
24.2.3.2.2	Method 2:	Substitution of a Halogen for a Carbon Group	199

24.2.3.2.3	Method 3:	Substitution of a Halogen for a Heteroatom Group	204
24.2.3.2.4	Method 4:	Substitution of a Sulfonyl Group	207
24.2.3.2.5	Method 5:	Elimination Reactions	208
24.2.3.2.6	Method 6:	Addition Reactions	210
24.2.3.2.7	Method 7:	Cyclizations	213
24.2.3.2.8	Methods 8:	Miscellaneous Reactions	217
24.2.4	Product Subclass 4: 1-Nitrogen-Functionalized 1-Haloalk-1-enes		
	J. G. Schantl		
24.2.4	Product Subclass 4: 1-Nitrogen-Functionalized 1-Haloalk-1-enes		223
24.2.4.1	Synthesis of Product Subclass 4		223
24.2.4.1.1	1-Haloalk-1-en-1-amines		223
24.2.4.1.1.1	Method 1:	1,2-Dehydrohalogenation of 1,2-Dihaloalkan-1-amines	223
24.2.4.1.1.1.1	Variation 1:	1,2-Dehydrobromination of Oligohalogenated <i>N,N</i> -Bis(trifluoromethyl)ethanamines	223
24.2.4.1.1.1.2	Variation 2:	1,2-Dehydrochlorination of 1-(1,2,2,2-Tetrachloroethyl)- pyridinium Chloride	224
24.2.4.1.1.2	Method 2:	1,2-Dehalogenation	224
24.2.4.1.1.3	Method 3:	Monosubstitution of 1,1-Dihaloalk-1-enes by Nitrogen Nucleophiles	225
24.2.4.1.1.3.1	Variation 1:	Nucleophilic Substitution of Vinylic Fluorine by Amide Anions	225
24.2.4.1.1.3.2	Variation 2:	Nucleophilic Substitution of 1,1-Difluoroalk-1-enes by Amines	225
24.2.4.1.1.3.3	Variation 3:	Nucleophilic Substitution of 2,2-Dichlorovinyl Ketones	226
24.2.4.1.1.3.4	Variation 4:	Substitution of Vinylic Bromine or Chlorine by Amines	226
24.2.4.1.1.3.5	Variation 5:	Nucleophilic Monosubstitution of Vinylic Chlorine by Amines	227
24.2.4.1.1.3.6	Variation 6:	Nucleophilic Monosubstitution of Vinylic Chlorine by Amides	228
24.2.4.1.1.3.7	Variation 7:	Nucleophilic Monosubstitution of Vinylic Chlorine by Heterocyclic Amides	229
24.2.4.1.1.3.8	Variation 8:	Nucleophilic Monosubstitution of a Vinylic Chlorine by Nucleic Acid Bases and Related Heterocycles	230
24.2.4.1.1.3.9	Variation 9:	Nucleophilic Monosubstitution of a Vinylic Chlorine by Lithium Diisopropylamide	231
24.2.4.1.1.4	Method 4:	Nucleophilic Addition of a Nitrogen Functionality to 1-Haloalk-1-ynes	231
24.2.4.1.1.4.1	Variation 1:	Addition of Nitrogen Nucleophiles to 1-Haloalk-1-yne	231
24.2.4.1.1.4.2	Variation 2:	Nucleophilic Addition of Dimethyl Hydrazine-1,2-dicarboxylate to Dichloroacetylene	232
24.2.4.1.1.4.3	Variation 3:	Nucleophilic Addition of Amines to Dichloroacetylene	232
24.2.4.1.1.5	Method 5:	Addition of Hydrogen Halides or Halide Anions to Ynamines or <i>N</i> -Ynecarboxamides	232
24.2.4.1.1.5.1	Variation 1:	Addition of Hydrogen Halides to <i>N,N</i> -Dimethylalk-1-yn-1-amines	232
24.2.4.1.1.5.2	Variation 2:	Addition of Hydrogen Halides to 1-Acy1- <i>N,N</i> -dialkylalk- 1-en-3-yn-4-amines	233

24.2.4.1.1.5.3	Variation 3:	Hydrohalogenation of <i>N</i> -Alk-1-ynylcarboxamides with Magnesium Halides	233
24.2.4.1.1.5.4	Variation 4:	Addition of <i>N,N</i> -Diethyl-2-(trimethylstanny)acetylen-1-amine to 2-(Chloromethylene)malononitrile	235
24.2.4.1.1.6	Method 6:	Treatment of Carboxamides with Phosphoryl Chloride	235
24.2.4.1.1.7	Method 7:	Transformation of Imidoyl Chlorides or of Amides via Imidoyl Chlorides	236
24.2.4.1.1.7.1	Variation 1:	Conversion of <i>N,N</i> -Disubstituted Amides	236
24.2.4.1.1.7.2	Variation 2:	Isomerization of Imidoyl Chlorides	238
24.2.4.1.1.7.3	Variation 3:	Conversion of Imidoyl Chlorides with Trialkyl Phosphites (Aza-Perkow Reaction)	238
24.2.4.1.1.7.4	Variation 4:	Nucleophilic Substitution of <i>N</i> -(Dichloromethylene)- <i>N,N</i> -dimethyliminium Chloride by an In Situ Generated Allyl Anion Intermediate	239
24.2.4.1.1.7.5	Variation 5:	Nucleophilic Substitution of <i>N</i> -(Dichloromethylene)- <i>N,N</i> -dimethyliminium Chloride by an In Situ Generated Enamine Intermediate	239
24.2.4.1.1.8	Method 8:	Synthesis from Nitriles (via Ketenimine Intermediates)	240
24.2.4.1.1.8.1	Variation 1:	Addition of Hydrogen Halides to Dicyanoacetates	240
24.2.4.1.1.8.2	Variation 2:	Addition of Hydrogen Halides to Tri- and Tetracyanomethanes	241
24.2.4.1.1.8.3	Variation 3:	Addition of Hydrogen Halides to 2-(1-Hydroxyalkylidene)-malononitriles	241
24.2.4.1.1.8.4	Variation 4:	Addition of Hydrogen Chloride to 2-Sulfonyl-Substituted Malononitriles	242
24.2.4.1.1.8.5	Variation 5:	Addition of Hydrogen Halides to 2-[2-(Dicyanomethylene)-hydrazino]malononitrile	242
24.2.4.1.1.8.6	Variation 6:	Addition of Hydrogen Chloride to Ethane-1,1,2,2-tetracarbonitrile	242
24.2.4.1.1.8.7	Variation 7:	Addition of Liquid Hydrogen Bromide to Malononitrile	243
24.2.4.1.1.8.8	Variation 8:	Reaction of Hydrogen Chloride with Nitriles Containing an α -Hydrogen To Form [2 + 2] Adducts	243
24.2.4.1.1.8.9	Variation 9:	Phosphorus Halide Addition to Oligocyanomethanes	245
24.2.4.1.1.8.10	Variation 10:	Addition of Sulfur Chlorides to Oligocyanomethanes	245
24.2.4.1.1.9	Method 9:	Conversion of Ketenimines	246
24.2.4.1.1.9.1	Variation 1:	Thermal Rearrangement of Vinyl Azides to Ketenimine Intermediates	246
24.2.4.1.1.9.2	Variation 2:	Addition of Chlorine to a Ketenimine	246
24.2.4.1.1.10	Methods 10:	Miscellaneous Reactions	247
24.2.4.1.1.10.1	Variation 1:	Iodinolysis of In Situ Generated Amino-Substituted Titanacyclopentadienes	247
24.2.4.1.1.10.2	Variation 2:	Rearrangement of a Heterocyclic Azide	248
24.2.4.1.1.10.3	Variation 3:	Rearrangement of an Alkyl Azide in the Presence of an Alkyne	248
24.2.4.1.1.10.4	Variation 4:	Pyrolysis of 1,2,3,3,4,4-Hexafluoro- <i>N,N,N',N'</i> -tetrakis-(trifluoromethyl)cyclobutane-1,2-diamine	248
24.2.4.1.1.11	Method 11:	Transformation of 1-Nitrogen-Functionalized 1-Haloalk-1-enes into 1-Haloalk-1-en-1-amines and Derivatives	249

24.2.4.1.1.11.1	Variation 1:	Reactions Involving the Nitrogen Functionality of 1-Nitrogen-Functionalized 1-Haloalk-1-enes: Conversion into Amines	249
24.2.4.1.1.11.2	Variation 2:	Derivatization Reactions at a Remote Site of the Nitrogen Moiety	251
24.2.4.1.1.11.3	Variation 3:	Halogen Exchange at C1	251
24.2.4.1.1.11.4	Variation 4:	Remote Reaction at C2	252
24.2.4.2		1-Halo-1-iminoalk-1-enes (3-Halo-2-azabuta-1,3-dienes)	252
24.2.4.2.1	Method 1:	1,2-Dehydrohalogenation	252
24.2.4.2.2	Method 2:	1,2-Dehalogenation	253
24.2.4.2.3	Method 3:	Nucleophilic Substitution of Vinylic Fluorine by Imines	253
24.2.4.2.4	Method 4:	Treatment of Acylureas with Phosphorus Chlorides	254
24.2.4.2.4.1	Variation 1:	Conversion of N-Acetylureas	254
24.2.4.2.4.2	Variation 2:	Conversion of N-Acylureas	254
24.2.4.2.5	Method 5:	1,4-Dehydrochlorination of N-Alkyl-Substituted α -Chloroimidoil Chlorides	255
24.2.4.2.6	Method 6:	Addition of Ketenimines to Chloroiminium Chlorides	256
24.2.4.2.7	Method 7:	Wittig-Type Condensation	256
24.2.4.2.8	Method 8:	Transformation of 1-Nitrogen-Functionalized 1-Haloalk-1-enes into 1-Halo-1-iminoalk-1-enes	256
24.2.4.2.8.1	Variation 1:	Reactions Involving the Nitrogen Functionality of 1-Nitrogen-Functionalized 1-Haloalk-1-enes	256
24.2.4.2.8.2	Variation 2:	Derivatization Reactions at Remote Sites at C2 and in the Imine Moiety	257
24.2.4.2.8.3	Variation 3:	Remote Reactions at C2	257
24.2.4.2.8.4	Variation 4:	Reaction of Isothiocyanates with Triethyl Phosphite	258
24.2.4.3		1-Halo-1-isocyanatoalk-1-enes	258
24.2.4.3.1	Method 1:	1,2-Dehydrochlorination	258
24.2.4.3.2	Method 2:	1,2-Debromination	258
24.2.4.3.3	Method 3:	Synthesis from Carbamates	259
24.2.4.3.4	Method 4:	Synthesis from Nitriles	259
24.2.4.3.5	Method 5:	Synthesis by Curtius Reaction	259
24.2.4.3.6	Methods 6:	Miscellaneous Reactions	260
24.2.4.4		1-Halo-1-isothiocyanatoalk-1-enes	260
24.2.4.4.1	Method 1:	α -Halogenation of Alkyl Isothiocyanates	260
24.2.4.4.2	Method 2:	Nucleophilic Substitution of Vinylic Fluorine by Thiocyanate Anion	261
24.2.4.5		1-Haloalk-1-enyl Isocyanides	261
24.2.4.5.1	Method 1:	1,2-Dehydrohalogenation	261
24.2.4.5.2	Method 2:	1,2-Dehalogenation	261
24.2.4.5.2.1	Variation 1:	1,2-Decolorization of (1,1,2,2-Tetrachloroalkyl isocyanide)- and (1,2-Dichloro-1,1,2,2-pentahaloethyl isocyanide)-chromium Complexes	261
24.2.4.5.2.2	Variation 2:	1,2-Decolorization of (1,2-Dichlorooligo(haloethyl isocyanide))-chromium Complexes	262

24.2.4.5.3	Method 3:	Horner–Wadsworth–Emmons Reaction	262
24.2.4.5.4	Method 4:	Derivatization of 1-Haloalk-1-enyl Isocyanides with Retention of the Functional Group	263
24.2.4.5.4.1	Variation 1:	Nucleophilic Substitution at C2	263
24.2.4.5.4.2	Variation 2:	Remote Reactions at the Nitrogen Moiety	264
24.2.4.6		1-Haloalk-1-enyldiazenes (1-Halo-1-diazenylalk-1-enes)	264
24.2.4.6.1	Method 1:	1,4-Elimination of Hydrogen Halides from α -Halohydrazoneoyl Halides	264
24.2.4.6.1.1	Variation 1:	1,4-Dehydrofluorination of <i>N</i> -Phenylperfluoro- alkanehydrazoneoyl Fluorides	264
24.2.4.6.1.2	Variation 2:	1,4-Dehydrohalogenation of α -Chlorohydrazoneoyl Chlorides	265
24.2.4.6.2	Method 2:	Reaction of β -Functionalized α -Halohydrazoneoyl Halides	265
24.2.4.6.3	Method 3:	1,2-Dehydrohalogenation of 2-Alkyl-1-(1,2-dihaloalkyl)- diazene 1-Oxides	266
24.2.4.6.4	Method 4:	Azo Coupling onto Activated Halomethyl Groups	267
24.2.4.6.4.1	Variation 1:	Coupling of Diazonium Salts with Halomethyl-Substituted Hetarenenium Salts	267
24.2.4.6.4.2	Variation 2:	Azo Coupling of α -Chloro Ketones	267
24.2.4.6.5	Method 5:	Nucleophilic Substitution of Vinyl Halides by Nitrogen Nucleophiles	267
24.2.4.6.6	Method 6:	Nucleophilic Substitution of Chlorine in Carbonohydrazonic Dichlorides	268
24.2.4.7		1-Azido-1-haloalk-1-enes	268
24.2.4.7.1	Method 1:	Nucleophilic Substitution of Vinylic Fluorine	268
24.2.4.8		1-Halo-1-nitroalk-1-enes	269
24.2.4.8.1	Method 1:	1,2-Elimination of Hydrogen Halides	269
24.2.4.8.1.1	Variation 1:	1,2-Dehydrohalogenation of 1,2-Dihalo-1-nitroalkanes	269
24.2.4.8.1.2	Variation 2:	1,2-Dehydrobromination of 1,2-Dibromo-1-nitroalkanes	270
24.2.4.8.1.3	Variation 3:	1,2-Dehydrochlorination of 1,2-Dichloro-1-nitroalkanes	272
24.2.4.8.1.4	Variation 4:	1,2-Dehydrochlorination of 1,2,2-Trichloro-1-nitroethane	272
24.2.4.8.1.5	Variation 5:	1,2-Dehydration of 2-Bromo-2-nitroethanol	273
24.2.4.8.1.6	Variation 6:	1,2-Elimination of Nitrous Acid from a 1-Fluoro-2,2-dinitroalkane	273
24.2.4.8.2	Method 2:	Introduction of a Nitro Group	274
24.2.4.8.2.1	Variation 1:	By Displacement of Bromine	274
24.2.4.8.2.2	Variation 2:	By Nitration	274
24.2.4.8.3	Method 3:	Iodonitration of Silylacetylenes	275
24.2.4.8.4	Method 4:	C=C Bond Formation by Condensation of Halonitromethanes with Carbonyl Compounds	275
24.2.4.8.4.1	Variation 1:	Condensation of Bromonitromethane with Aromatic Aldehydes	275
24.2.4.8.4.2	Variation 2:	Condensation of Halonitromethanes with Aromatic and Heteroaromatic Aldehydes	276
24.2.4.8.4.3	Variation 3:	Condensation of Bromonitromethane with an <i>N</i> -Alkylbenzaldimine	277

24.2.4.8.4.4	Variation 4:	Condensation of Bromonitromethane with Triethyl Orthoformate	277
24.2.4.8.5	Method 5:	Pyrolysis	278
24.2.4.8.6	Method 6:	Derivatization Reactions of 1-Halo-1-nitroalk-1-enes	278
24.2.4.8.6.1	Variation 1:	Nucleophilic Substitution at C2	278
24.2.4.8.6.2	Variation 2:	Nucleophilic Substitution at C4 of 1,1,4-Trichloro-2,4-dinitrobuta-1,3-diene	279
 24.2.5 Product Subclass 5: 1-Phosphorus-Functionalized 1-Haloalk-1-enes			
M. Stankević and K. M. Pietrusiewicz			
<hr/>			
24.2.5	Product Subclass 5: 1-Phosphorus-Functionalized 1-Haloalk-1-enes		285
24.2.5.1	Synthesis of Product Subclass 5		285
24.2.5.1.1	Method 1:	Synthesis from 1,1-Dihaloalkenes	285
24.2.5.1.2	Method 2:	Synthesis from Alkynes	286
24.2.5.1.3	Method 3:	Synthesis from 1-Phosphorus-Functionalized 1-Haloalkanes and Carbonyl Compounds	287
24.2.5.1.3.1	Variation 1:	By the Horner–Wadsworth–Emmons Reaction	287
24.2.5.1.3.2	Variation 2:	By Peterson Alkenation	288
24.2.5.1.3.3	Variation 3:	By Condensation	288
24.2.5.2	Applications of Product Subclass 5 in Organic Synthesis		289
 24.2.6 Product Subclass 6: 1,1-Bis(organoxy)alk-1-enes			
C. Schneider			
<hr/>			
24.2.6	Product Subclass 6: 1,1-Bis(organoxy)alk-1-enes		293
24.2.6.1	Synthesis of Product Subclass 6		295
24.2.6.1.1	Method 1:	Elimination from 2-Halo Acetals	295
24.2.6.1.1.1	Variation 1:	Phase-Transfer-Catalyzed Elimination from 2-Halo Acetals	296
24.2.6.1.1.2	Variation 2:	Ultrasound-Accelerated Elimination from 2-Halo Acetals	296
24.2.6.1.1.3	Variation 3:	Elimination from 2-Bromo Peracetyl Glycosides	296
24.2.6.1.1.4	Variation 4:	Elimination from 2-Selanyl Acetals	297
24.2.6.1.2	Method 2:	Elimination from Ortho Esters	297
24.2.6.1.2.1	Variation 1:	Acid-Catalyzed Elimination from In Situ Formed Ortho Esters	298
24.2.6.1.3	Method 3:	O-Heteroacylation of Ester Enolates	299
24.2.6.1.4	Method 4:	O-Alkylation of Ester Enolates	300
24.2.6.1.5	Method 5:	Alkenation of Carbonates with Transition Metal–Carbene Complexes	301
24.2.6.1.6	Method 6:	Horner–Wittig Alkenation of Carbonyl Compounds	302
24.2.6.1.7	Method 7:	Nucleophilic Addition to Alkoxyalkynes	303
24.2.6.1.8	Method 8:	Nucleophilic Addition to 1,1-Dihaloalk-1-enes	303
24.2.6.1.9	Method 9:	Decarboxylation of β -Lactones	304
24.2.6.2	Applications of Product Subclass 6 in Organic Synthesis		305
24.2.6.2.1	Method 1:	Alkylation and Arylation of Ketene O,O-Acetals	305
24.2.6.2.1.1	Variation 1:	Lewis Acid Catalyzed Arylation of Ketene O,O-Acetals	306

24.2.6.2.2	Method 2: Acylation of Ketene O,O-Acetals	306
24.2.6.2.3	Method 3: Bromination of Ketene O,O-Acetals	307
24.2.6.2.4	Method 4: Silylation of Ketene O,O-Acetals	308
24.2.6.2.5	Method 5: Reaction of Ketene O,O-Acetals with Diazo Compounds	309
24.2.6.2.6	Method 6: Dihydroxylation of Ketene O,O-Acetals	310
24.2.6.2.7	Method 7: [2 + 2] Cycloadditions of Ketene O,O-Acetals with Carbonyl Compounds	311
24.2.6.2.7.1	Variation 1: Lewis Acid Catalyzed [2 + 2] Cycloadditions	312
24.2.6.2.7.2	Variation 2: High-Pressure-Promoted [2 + 2] Cycloadditions with Carbonyl Compounds	313
24.2.6.2.8	Method 8: [2 + 2] Cycloadditions of Ketene O,O-Acetals with Electron-Deficient Alkenes	313
24.2.6.2.8.1	Variation 1: Thermal [2 + 2] Cycloadditions	314
24.2.6.2.8.2	Variation 2: Lewis Acid Catalyzed [2 + 2] Cycloadditions	315
24.2.6.2.8.3	Variation 3: [2 + 2] Cycloadditions with 2-Halo-1,4-quinones	315
24.2.6.2.9	Method 9: [4 + 2] Cycloadditions of Ketene O,O-Acetals with Electron-Deficient Heterodienies	316
24.2.6.2.10	Method 10: [4 + 2] Cycloadditions of Ketene O,O-Acetals with Electron-Deficient Dienes	318
24.2.6.2.11	Method 11: 1,3-Dipolar Cycloadditions of Ketene O,O-Acetals	319

24.2.7 Product Subclass 7: 1-(Organooxy)-1-(organosulfanyl)alk-1-enes

W. Dölling

24.2.7	Product Subclass 7: 1-(Organooxy)-1-(organosulfanyl)alk-1-enes	323
24.2.7.1	Synthesis of Product Subclass 7	323
24.2.7.1.1	Method 1: 1-(Organooxy)-1-(organosulfanyl)alk-1-enes from Acylated Ketene Acetals	323
24.2.7.1.2	Method 2: 1-(Organooxy)-1-(organosulfanyl)alk-1-enes by Addition of Sodium Alkanethiolates to Either Ethoxyacetylene or Phenoxyacetylene	324
24.2.7.1.3	Method 3: 1-(Organooxy)-1-(organosulfanyl)alk-1-enes by Alkylation of O-Alkyl Thiocarboxylates	324
24.2.7.1.4	Method 4: 2-Alkylidene-1,3-oxathiolanes from the Anions of Alkyl Thiocarboxylates and 4-Toluenesulfonates	325
24.2.7.1.5	Method 5: 1-(Organooxy)-1-(organosulfanyl)alk-1-enes from Carbonyl Compounds	326
24.2.7.1.5.1	Variation 1: From Aldehydes or Ketones by Horner–Emmons Reactions ..	326
24.2.7.1.5.2	Variation 2: From Ketones by the Peterson Reaction	326
24.2.7.1.6	Method 6: 1-(Organooxy)-1-(organosulfanyl)alk-1-enes by Treatment of Sulfanylacetyles with 4-Toluenesulfonic Acid	328
24.2.7.1.7	Method 7: 1-(Organooxy)-1-(organosulfanyl)alk-1-enes from Ketene Dithioacetals	328
24.2.7.1.8	Method 8: 1-(Organooxy)-1-(organosulfanyl)alk-1-enes by Other Routes ..	329

24.2.8	Product Subclass 8: 1-(Organooxy)-1-(organoselanyl)- and 1-(Organooxy)-1-(organotellanyl)alk-1-enes	
	W. Dölling	
<hr/>		
24.2.8	Product Subclass 8: 1-(Organooxy)-1-(organoselanyl)- and 1-(Organooxy)-1-(organotellanyl)alk-1-enes	331
24.2.8.1	Synthesis of Product Subclass 8	331
24.2.8.1.1	Method 1: Synthesis from Selenoates or Telluroates	331
24.2.8.1.1.1	Variation 1: Se-Alkylation of O-Alkyl Selenoates	331
24.2.8.1.1.2	Variation 2: O-Silylation of Se-Phenyl or Se-Methyl 2-Methylpropane-selenoates and Te-Butyl Diphenylethanetelluroate	332
24.2.8.1.3	Variation 3: Reaction of Halogenated Esters and Carbamates	332
24.2.8.1.2	Method 2: Addition of 4-Toluenesulfonic Acid to 1-(Phenylselanyl)alk-1-ynes	333
24.2.8.1.3	Method 3: Synthesis from Oxygen Heterocycles	333
<hr/>		
24.2.9	Product Subclass 9: 1-Nitrogen-Functionalized 1-(Organooxy)alk-1-enes (Ketene O,N-Acetals)	
	W. Kantlehner	
<hr/>		
24.2.9	Product Subclass 9: 1-Nitrogen-Functionalized 1-(Organooxy)alk-1-enes (Ketene O,N-Acetals)	337
24.2.9.1	Synthesis of Product Subclass 9	337
24.2.9.1.1	Method 1: Synthesis from Dimethyl 3-Oxopentanedioate and Ortho Amide Derivatives of Alkyne Carboxylic Acids	337
24.2.9.1.2	Method 2: Synthesis from Oxazoles and Their Derivatives and Isocyanates	337
24.2.9.1.3	Method 3: Synthesis from β -Dicarbonyl Compounds and Isocyanates	338
24.2.9.1.4	Method 4: Synthesis from Aldehydes and Activated Isocyanates	338
24.2.9.1.5	Method 5: Synthesis from 2-Alkyloxazolium Salts	339
24.2.9.1.6	Method 6: Synthesis from Alkyl Carboximidates and Ethyl 2-Cyano-3-ethoxyacrylate	339
24.2.9.1.7	Method 7: Synthesis from Oxazoles and Their Derivatives by Self-Condensation	340
24.2.9.1.8	Method 8: Synthesis from 2-Alkyloxazoles and Halogens	340
24.2.9.1.9	Method 9: Synthesis from 3-Iodo-4H-1-benzopyran-4-one and Piperidine	341
24.2.9.1.10	Method 10: Synthesis from 5-(Ethoxymethylene)-1,3-bis(2-methoxyphenyl)thiobarbituric Acid	341
24.2.9.1.11	Method 11: Synthesis from 4-Halo- β -oxo Esters and Isocyanates	342
24.2.9.1.12	Method 12: Synthesis from Carboxamides by Alkylation	342
24.2.9.1.13	Method 13: Synthesis from 3-Aminoalk-2-enenitriles and Alcohols or Phenols	345
24.2.9.1.14	Method 14: Synthesis from 5-(4-Chloro-5H-1,2,3-dithiazol-5-ylidene)-2,2-dimethyl-1,3-dioxane-4,6-dione	345
24.2.9.1.15	Method 15: Synthesis from Oligohaloalkane Derivatives by Substitution and Concomitant Dehydrohalogenation	346

24.2.9.1.16	Method 16:	Synthesis from 1,1-Dihaloalkenes and Related Compounds	346
24.2.9.1.17	Method 17:	Synthesis from β -Bromoenamines	350
24.2.9.1.18	Method 18:	Synthesis from Ketene O,O-Acetals	350
24.2.9.1.19	Method 19:	Synthesis from α -Phosphoryl Thioamide Derivatives	353
24.2.9.1.20	Method 20:	Synthesis from O,O-Dialkyl Dithiomalonates or Thiomalonic Acid O-Ester Nitriles and Amines	354
24.2.9.1.21	Method 21:	Synthesis from Iminocarbonic O,S-Esters	357
24.2.9.1.22	Method 22:	Synthesis from Benzoxazole-2-thiones	358
24.2.9.1.23	Method 23:	Synthesis from Ketene S,S-Acetals	358
24.2.9.1.24	Method 24:	Synthesis from Ketene S,N-Acetals	360
24.2.9.1.25	Method 25:	Synthesis from Ketene N,N-Acetals	363
24.2.9.1.26	Method 26:	Deprotonation of Alkoxy(alkyl)(dialkylamino)carbenium Salts (Iminium Salts)	364
24.2.9.1.27	Method 27:	Elimination of Hydrogen Halides, Alcohols, or Sulfonic Acids from α -Halo or α -Oxy Aldehyde O,N-Acetals	370
24.2.9.1.28	Method 28:	Elimination of Alcohols or Amines from Amide O,O-Acetals or Ester N,N-Acetals	372
24.2.9.1.29	Method 29:	Addition to 3-Oxocarboxylic Acid Derivatives	375
24.2.9.1.30	Method 30:	Addition of CH-Acidic Compounds to Dialkoxy(amino)-carbenium Salts, Dialkoxy(diamino)methanes, (Trialkoxy)-aminomethanes, and Alkoxy(alkylsulfanyl)aminocarbonium Salts	375
24.2.9.1.31	Method 31:	Addition of CH-Acidic Compounds to Imidocarbonates	379
24.2.9.1.32	Method 32:	Addition of CH-Acidic Compounds to Alkyl or Aryl Cyanates	380
24.2.9.1.33	Method 33:	Synthesis from Carbonyl Compounds and Barbituric Acid Derivatives	382
24.2.9.1.34	Method 34:	Synthesis from α,β -Unsaturated Carbonyl Compounds and Malononitrile or Alkyl Cyanoacetates	382
24.2.9.1.35	Method 35:	Synthesis from Alkyl Methylenecyanoacetates or Methylenemalononitriles and Hydroxyarenes, Hydroxyhetarenes, or Enolizable Ketones	383
24.2.9.1.36	Method 36:	Synthesis from Isocyanides by Multicomponent Reactions	390
24.2.9.1.37	Method 37:	Synthesis from Furan-2,3-diones	391
24.2.9.1.38	Method 38:	Synthesis from 2-(Alk-1-enyl)oxazole Derivatives by Cycloaddition Reactions	392
24.2.9.1.39	Method 39:	Synthesis from Vinyliminophosphoranes	393
24.2.9.1.40	Method 40:	Synthesis from Nitriles and Alcohols	393
24.2.9.1.41	Method 41:	Synthesis from Ketenes	400
24.2.9.1.42	Method 42:	Synthesis from Ketenimines	402
24.2.9.1.43	Method 43:	Synthesis from 1-Alkoxyalk-1-ynes	403
24.2.9.1.44	Method 44:	Synthesis from Alk-1-yn-1-amines	404
24.2.9.1.45	Method 45:	Rearrangement of Cyclobuta-1,3-diene-2,4-diamines	407
24.2.9.1.46	Method 46:	Synthesis from Oxazoles or Isoxazolium Salts	407
24.2.9.1.47	Method 47:	Synthesis from 2,6-Dialkoxypyridines and Electron-Rich Alkenes	408
24.2.9.1.48	Method 48:	Synthesis from 2-Amino-4,5-dihydrothiophene-3-carbonitriles and Dibenzoyldiazomethane	408
24.2.9.1.49	Method 49:	Synthesis from N-Hydroxyenamines	409

24.2.9.1.50	Method 50:	Synthesis by Transformation with Retention of the Functional Group	410
24.2.9.1.51	Method 51:	Reaction in the Ene Moiety with Formation of New C—C Bonds	410
24.2.9.1.51.1	Variation 1:	Substitution of the β -Hydrogen Atom by 2,4,6-Trichloro-1,3,5-triazine, Ortho Esters, Methylenemalonic Acid Derivatives, Trimethylsilyl Trifluoromethanesulfonate, and Dialkyl Imidodithiocarbonates	411
24.2.9.1.51.2	Variation 2:	Substitution of the β -Hydrogen Atom by Isocyanates and Isothiocyanates	412
24.2.9.1.51.3	Variation 3:	Substitution of the β -Hydrogen Atom by Ketenes and Ketene Dimers	414
24.2.9.1.51.4	Variation 4:	Substitution of the β -Hydrogen Atom by α,β -Unsaturated Carboxylic Acid Derivatives	414
24.2.9.1.51.5	Variation 5:	From Ortho Amide Derivatives as Precursors	414
24.2.9.1.51.6	Variation 6:	Substitution of the β -Hydrogen Atom by Alkynes	415
24.2.9.1.51.7	Variation 7:	From Carboxylic Acid Ortho Amide Derivatives and α,β -Unsaturated Carbonyl Compounds	416
24.2.9.1.51.8	Variation 8:	Substitution of the β -Hydrogen Atom by the N=N Bond of Dialkyl Azodicarboxylates	417
24.2.9.1.52	Method 52:	Reactions at the Ene Moiety with Cleavage of C—C Bonds	417
24.2.9.1.53	Method 53:	Reaction at the Acetal Moiety	417
24.2.9.1.53.1	Variation 1:	Exchange of Alkoxy Groups	417
24.2.9.1.53.2	Variation 2:	Exchange of Amino Groups	418
24.2.9.1.53.3	Variation 3:	Alteration of Substituents on the Oxygen or Nitrogen Atom	419
24.2.9.1.54	Method 54:	Reactions in the Ene and Acetal Moieties	426
24.2.9.1.55	Method 55:	Alteration of Substituents on Remote Functional Groups	431
24.2.10	Product Subclass 10: 1-Phosphorus-Functionalized 1-(Organooxy)alk-1-enes		
	H. Heydt		
24.2.10	Product Subclass 10: 1-Phosphorus-Functionalized 1-(Organooxy)alk-1-enes		441
24.2.10.1	Synthesis of Product Subclass 10		442
24.2.10.1.1	Method 1:	Alkylation, Acylation, Phosphorylation, and Metalation of Enols or Enolates of Acylphosphoryl Compounds	442
24.2.10.1.2	Method 2:	Alkylation, Acylation, Silylation, Sulfenylation, and Phosphorylation of Anions of (1-Methoxyalk-2-enyl)-phosphonium Salts and Related Compounds	444
24.2.10.1.3	Method 3:	Acylation of Dialkyl Phosphonates	448
24.2.10.1.4	Method 4:	Reaction of Esters of Phosphinous, Phosphonous, and Phosphorous Acids (Michaelis–Arbuzov and Related Reactions)	448
24.2.10.1.5	Method 5:	Substitution of 1-Alkoxy-1-haloalk-1-enes with Phosphines under Palladium Catalysis	450
24.2.10.1.6	Method 6:	Elimination of Hydrogen Halides from Phosphorylated 1,2-Difunctionalized Compounds	451

24.2.10.1.7	Method 7: Generation of (1-Alkoxyalk-1-enyl)phosphonates by the Horner–Emmons Reaction	452
24.2.10.1.8	Method 8: Generation of (1-Alkoxyalk-1-enyl)phosphonates by the Peterson Alkenation Reaction	453
24.2.10.1.9	Method 9: [4+2]-Cycloaddition Reactions of Phosphorylated Hetero-1,3-dienes with Enol Ethers	453
24.2.10.1.10	Method 10: Addition of Phosphines, Phosphinites, Phosphonites, and Phosphites to Ketenes	454
24.2.10.1.11	Method 11: Addition of Esters of Diphenylphosphinous Acid to Unsaturated Acyl Phosphonates	455
24.2.10.1.12	Method 12: Addition of Trialkyl Phosphites or 1,1,2,2-Tetraalkoxy-diphosphines to Alk-1-ynyl Ethers	455
24.2.10.2	Applications of Product Subclass 10 in Organic Synthesis	456

**24.2.11 Product Subclass 11: 1,1-Bis(organosulfanyl)alk-1-enes
(Ketene S,S-Acetals)**

W. Dölling

24.2.11	Product Subclass 11: 1,1-Bis(organosulfanyl)alk-1-enes (Ketene S,S-Acetals)	461
24.2.11.1	Synthesis of Product Subclass 11	461
24.2.11.1.1	Method 1: Alkylation of Dithiocarboxylic Acids and Their Derivatives	461
24.2.11.1.1.1	Variation 1: From Dithiocarboxylic Acids	461
24.2.11.1.1.2	Variation 2: From Alkyl Dithiocarboxylates	462
24.2.11.1.1.3	Variation 3: From 1,1,1-Tris(alkylsulfanyl)ethanes	464
24.2.11.1.1.4	Variation 4: Reactions of Carboxylic Esters, Lactones, and Carboxylic Acids with Metal Thiolates	465
24.2.11.1.2	Method 2: Ketene S,S-Acetals from 1,1-Dihaloalkenes	466
24.2.11.1.3	Method 3: Ketene S,S-Acetals from 2-Substituted 1,1-Disulfanylated Ethanes	468
24.2.11.1.3.1	Variation 1: O-Acylation of 1-Aryl-2,2-bis(methylsulfanyl)ethanones	468
24.2.11.1.3.2	Variation 2: Dehydrochlorination of 2-Chloro-1,1-disulfanylethanes	468
24.2.11.1.3.3	Variation 3: Dehydration of 2,2-Bis(methylsulfanyl)ethanols	469
24.2.11.1.3.4	Variation 4: Elimination of a Thiol from 1,1,2-Tris(organosulfanyl)ethanes	472
24.2.11.1.3.5	Variation 5: Elimination of an Amine from 2-(Aminomethyl)-1,3-dithiane S,S-Dioxides	473
24.2.11.1.4	Method 4: Alkenation of Carbonyl Compounds	473
24.2.11.1.4.1	Variation 1: Using Bis(phenylsulfanyl)methylboronates	474
24.2.11.1.4.2	Variation 2: Wittig and Horner–Emmons Reactions	474
24.2.11.1.4.3	Variation 3: Peterson Reactions	477
24.2.11.1.5	Method 5: Synthesis from 1,3-Dithianes, Nitriles, and Amides	479
24.2.11.1.6	Method 6: Reactions of Carbon Disulfide with Carbanions	480
24.2.11.1.6.1	Variation 1: From Aldehydes and Ketones	481
24.2.11.1.6.2	Variation 2: From Esters, Lactones, Amides, Nitriles, and Hydrazones	486
24.2.11.1.6.3	Variation 3: From Isocyanides or Nitroalkanes	494
24.2.11.1.6.4	Variation 4: From Sulfur-Stabilized Carbanions	494

24.2.11.1.6.5	Variation 5:	From Phosphorus-Stabilized Carbanions	497
24.2.11.1.6.6	Variation 6:	From α -Aminated Carbanions or Nitrogen Ylides	498
24.2.11.1.6.7	Variation 7:	From Heterocycles Containing Endocyclic Methylenic Groups	500
24.2.11.1.6.8	Variation 8:	From Other Resonance-Stabilized Carbanions	501
24.2.11.1.6.9	Variation 9:	From Nonstabilized Carbanions	501
24.2.11.1.7	Method 7:	Transformations of Other Ketene S,S-Acetals	503
24.2.11.1.8	Method 8:	Synthesis from the Diesters of Trithiocarbonates	507
24.2.11.1.8.1	Variation 1:	Reactions with Acetonitriles and Other CH-Acidic Compounds	507
24.2.11.1.8.2	Variation 2:	By Desulfurization	508
24.2.11.1.8.3	Variation 3:	By the Reactions of Carbenes or Ylides	509
24.2.11.1.9	Method 9:	Ring Opening and/or Rearrangement	509
24.2.11.2		Applications of Product Subclass 11 in Organic Synthesis	510
24.2.12	Product Subclass 12: 1-(Organoselanyl)-1-(organosulfanyl)alk-1-enes and 1-(Organosulfanyl)-1-(organotellanyl)alk-1-enes		
	M. Yoshimatsu		
<hr/>			
24.2.12	Product Subclass 12: 1-(Organoselanyl)-1-(organosulfanyl)alk-1-enes and 1-(Organosulfanyl)-1-(organotellanyl)alk-1-enes		517
24.2.12.1		Synthesis of Product Subclass 12	517
24.2.12.1.1	Method 1:	Alkylation of Alkaneselenothioate Esters	517
24.2.12.1.1.1	Variation 1:	By Alkylation of Lithium Enethiolates or Eneselenolates	517
24.2.12.1.1.2	Variation 2:	By Alkylation of Ammonium Eneselenolates of S-Alkyl Alkaneselenothioates	519
24.2.12.1.1.3	Variation 3:	By Cadmium(II) Acetate Mediated Conversion of S-Alkyl Alkaneselenothioates	520
24.2.12.1.1.4	Variation 4:	By Reaction of S-Alkyl Alkaneselenothioates with Trialkyl Phosphites	521
24.2.12.1.2	Method 2:	Chalcogenation of α -Metalated 1-(Organochalcogeno)alkenes	521
24.2.12.1.3	Method 3:	Horner–Emmons Alkenation of Carbonyl Compounds	524
24.2.12.1.4	Method 4:	Alkylation with Thiols of Lithium Eneselenolates Generated from Alkyynilselenolates	525
24.2.12.1.5	Method 5:	Selenenylation of 1-(Organosulfonyl)alkynes	526
24.2.12.2		Applications of Product Subclass 12 in Organic Synthesis	526
24.2.13	Product Subclass 13: 1-Nitrogen-Functionalized 1-(Organosulfanyl)alk-1-enes		
	W. Dölling		
<hr/>			
24.2.13	Product Subclass 13: 1-Nitrogen-Functionalized 1-(Organosulfanyl)alk-1-enes		529
24.2.13.1		Synthesis of Product Subclass 13	529
24.2.13.1.1	Method 1:	1-(Organosulfanyl)alk-1-en-1-amines by the S-Alkylation of Thiocarboxamides	529

24.2.13.1.2	Method 2:	Synthesis from 1-Halo-1-(organosulfanyl)alk-1-enes or Ketene S,S-Acetals	530
24.2.13.1.2.1	Variation 1:	Reaction of 1-Halo-1-(organosulfanyl)alk-1-enes with Amines	530
24.2.13.1.2.2	Variation 2:	Reaction of Ketene S,S-Acetals with Amines and Related Compounds	531
24.2.13.1.2.3	Variation 3:	Reaction of 1-Chloroethenamines with Sodium Alkanethiolates	534
24.2.13.1.3	Method 3:	Synthesis from Dithiocarboxylates or Dithiocarbonates	535
24.2.13.1.4	Method 4:	Synthesis from Ynamines	536
24.2.13.1.5	Method 5:	Synthesis from Isothiocyanates and S-Alkylation of the Adducts	536
24.2.13.2		Applications of Product Subclass 13 in Organic Synthesis	538
24.2.14		Product Subclass 14: 1-Phosphorus-Functionalized 1-(Organosulfanyl)alk-1-enes	
		J. Romański, G. Młostowski, and K. M. Pietrusiewicz	
24.2.14		Product Subclass 14: 1-Phosphorus-Functionalized 1-(Organosulfanyl)alk-1-enes	541
24.2.14.1		Synthesis of Product Subclass 14	541
24.2.14.1.1	Method 1:	Synthesis from 1-Phosphorus-Functionalized 1-(Organosulfanyl)alkanes	541
24.2.14.1.1.1	Variation 1:	By Elimination of Hydrogen Chloride or Methanesulfenic or Methaneselenenic Acid	541
24.2.14.1.1.2	Variation 2:	By the Pummerer Reaction	542
24.2.14.1.1.3	Variation 3:	By Condensation with Carbonyl Compounds and Derivatives	543
24.2.14.2		Applications of Product Subclass 14 in Organic Synthesis	544
24.2.15		Product Subclass 15: 1,1-Bis(organoselanyl)alk-1-enes and Derivatives	
		M. Yoshimatsu	
24.2.15		Product Subclass 15: 1,1-Bis(organoselanyl)alk-1-enes and Derivatives	547
24.2.15.1		Synthesis of Product Subclass 15	547
24.2.15.1.1	Method 1:	Selenenylation of α -Metalated 1-(Organoselanyl)alkenes	547
24.2.15.1.2	Method 2:	Nickel-Catalyzed Substitution of 1,1-Dibromoalkenes with Benzeneselenolates	549
24.2.15.1.3	Method 3:	Alkenation of Carbonyl Compounds	549
24.2.15.1.3.1	Variation 1:	Peterson Alkenation of Aldehydes with [Bis(organoselanyl)-(trimethylsilyl)methyl]lithium Reagents	549
24.2.15.1.3.2	Variation 2:	Reaction of Lithiated 1,1-[Bis(organoselanyl)methyl]-phosphonates with Aldehydes and Ketones	550
24.2.15.1.4	Method 4:	β -Elimination from Selenoortho Esters with or without a 2-Hydroxy Group	551
24.2.15.1.5	Method 5:	Reaction of Alkylidene carbenes with Diselenides	553

24.2.15.1.6	Method 6:	Reaction of C—H Acidic Methylene Compounds with Carbon Diselenide	553
24.2.15.1.7	Method 7:	Reaction of Alkenes or Alkynes with Selenols, Selenolates, or Other Selenenylating Agents	555
24.2.15.2		Applications of Product Subclass 15 in Organic Synthesis	558
<hr/>			
24.2.16		Product Subclass 16: 1,1-Bis(organotellanyl)alk-1-enes and Derivatives	
		M. Yoshimatsu	
<hr/>			
24.2.16		Product Subclass 16: 1,1-Bis(organotellanyl)alk-1-enes and Derivatives	563
24.2.16.1		Synthesis of Product Subclass 16	563
24.2.16.1.1	Method 1:	Chalcogenation of α -Metalated 1-(Organochalcogeno)alk-1-enes	563
24.2.16.1.2	Method 2:	Reaction of Aldehydes with Lithium [Bis(organotellanyl)methyl]phosphonates	564
24.2.16.1.3	Method 3:	Syntheses of [1-(Organotellanyl)alkenyl]phosphonates and [1-(Organotellanyl)alkenyl]stannanes	565
24.2.16.2		Applications of Product Subclass 16 in Organic Synthesis	566
<hr/>			
24.2.17		Product Subclass 17: 1,1-Bis(nitrogen-functionalized) Alk-1-enes	
<hr/>			
24.2.17.1		Alk-1-ene-1,1-diamines	
		W. Kantlehner	
<hr/>			
24.2.17.1		Alk-1-ene-1,1-diamines	571
24.2.17.1.1		Synthesis of Alk-1-ene-1,1-diamines	571
24.2.17.1.1.1	Method 1:	Synthesis from Chloroformamidinium Salts and Alkyllithium Compounds	571
24.2.17.1.1.2	Method 2:	Synthesis from But-2-yne-1,1,1,4,4,4-hexamines and Trimethylsilyl Cyanide	571
24.2.17.1.1.3	Method 3:	Synthesis from Amines and Carbenes or Carbenoids	572
24.2.17.1.1.4	Method 4:	Synthesis from Nitroketene N,N-Acetals and (Ethoxymethylene)malonic Acid Derivatives	572
24.2.17.1.1.5	Method 5:	Synthesis from Diaziridinones and Malonic Acid Derivatives	573
24.2.17.1.1.6	Method 6:	Synthesis from Alk-1-yn-1-amines	573
24.2.17.1.1.7	Method 7:	Synthesis from N-Aryl-2-chloroacetamides and Malononitrile	575
24.2.17.1.1.8	Method 8:	Synthesis from Alkyldenemalononitriles and Compounds Containing a CH-Acidic Group	576
24.2.17.1.1.9	Method 9:	Synthesis from Alkylidene Malononitriles and Amines or Amine Derivatives	578
24.2.17.1.1.10	Method 10:	Synthesis from Aziridines and Malonic Acid Derivatives	580
24.2.17.1.1.11	Method 11:	Synthesis from 1,1,1-Trihaloalkanes	581

24.2.17.1.1.12	Method 12:	Synthesis from a Triethylammonium Dichloromethane-sulfonate Derivative	582
24.2.17.1.1.13	Method 13:	Synthesis from Anhydrides, Esters, or Amides and Tetrakis(dimethylamino)titanium	583
24.2.17.1.1.14	Method 14:	Synthesis from Dithioesters and Amines	587
24.2.17.1.1.15	Method 15:	Synthesis from Dithioamides and Amines	587
24.2.17.1.1.16	Method 16:	Synthesis from 3 <i>H</i> -1,2-Dithiole-3-thiones and Related Heterocycles	589
24.2.17.1.1.17	Method 17:	Synthesis from Benzodiazepines	590
24.2.17.1.1.18	Method 18:	Synthesis from (3-Oxo-3-phenylpropanoyl)malononitrile	591
24.2.17.1.1.19	Method 19:	Synthesis from Malononitrile and <i>N,N'</i> -Bis(2-aminoethyl)-ethane-1,2-diamine	592
24.2.17.1.1.20	Method 20:	Synthesis from Ketenes and Diaziridines	592
24.2.17.1.1.21	Method 21:	Synthesis from 1-Haloalk-1-ynes or Alk-1-yn-1-amines and Amines, Amides, or Betaines	593
24.2.17.1.1.22	Method 22:	Synthesis from 2,2-Dichloroalkanamines	601
24.2.17.1.1.23	Method 23:	Synthesis from Hetarenes	602
24.2.17.1.1.24	Method 24:	Synthesis from Chloroformamidinium Salts	604
24.2.17.1.1.25	Method 25:	Synthesis from 1,1-Dialkoxymethanediamines	608
24.2.17.1.1.26	Method 26:	Synthesis from Alkoxy- <i>N,N,N',N'</i> -tetraalkylformamidinium Salts	609
24.2.17.1.1.27	Method 27:	Synthesis from Isouronium Salts	610
24.2.17.1.1.28	Method 28:	Synthesis from Urea-Phosphoryl Chloride Adducts	611
24.2.17.1.1.29	Method 29:	Synthesis from Imidothiocarbamates	612
24.2.17.1.1.30	Method 30:	Synthesis from Isothiuronium Salts	614
24.2.17.1.1.31	Method 31:	Synthesis from Alkoxytris(dimethylamino)methanes or Tetrakis(dimethylamino)methane	616
24.2.17.1.1.32	Method 32:	Synthesis from Guanidinium Salts	618
24.2.17.1.1.33	Method 33:	Synthesis from Carbodiimides	619
24.2.17.1.1.34	Method 34:	Synthesis from Cyanamides	620
24.2.17.1.1.35	Method 35:	Synthesis from 1- <i>tert</i> -Butoxy- <i>N,N,N',N'</i> -tetramethylmethane-diamine or 1,1-Diethoxy- <i>N,N</i> -dimethyllethanamine	622
24.2.17.1.1.36	Method 36:	Synthesis from Alkyne- and Allene-Substituted Ortho Amides	623
24.2.17.1.1.37	Method 37:	Synthesis from Amidines (With C—C Bond Formation)	629
24.2.17.1.1.38	Method 38:	Synthesis from 1,2,4-Triazolium Salts	633
24.2.17.1.1.39	Method 39:	Synthesis from Amidinium Salts and Amidines (Without C—C Bond Formation)	634
24.2.17.1.1.40	Method 40:	Synthesis from 2-Haloethane-1,1-diamines	640
24.2.17.1.1.41	Method 41:	Synthesis from Diaminopropanenitriles	641
24.2.17.1.1.42	Method 42:	Synthesis from 1,1-Dihaloalk-1-enes	641
24.2.17.1.1.43	Method 43:	Synthesis from 1-Haloalk-1-en-1-amines or 6-Chloropyrimidine Derivatives	649
24.2.17.1.1.44	Method 44:	Synthesis from 1-Chloro-1-sulfonylalk-1-enes	655
24.2.17.1.1.45	Method 45:	Synthesis from Ketene O,O-Acetals	657
24.2.17.1.1.46	Method 46:	Synthesis from Ketene O,N-Acetals	659
24.2.17.1.1.47	Method 47:	Synthesis from Ketene S,S-Acetals	664
24.2.17.1.1.48	Method 48:	Synthesis from Ketene S,N-Acetals	673
24.2.17.1.1.49	Method 49:	Synthesis from Ketenimines	678

24.2.17.1.1.50	Method 50:	Synthesis from 2-Bromoethenamines	682
24.2.17.1.1.51	Method 51:	Synthesis from Heterocyclic or Heteroaromatic Compounds	682
24.2.17.1.1.52	Method 52:	Synthesis from 3,3,3-Trihaloprop-1-en-2-amines	683
24.2.17.1.1.53	Method 53:	Synthesis from 2-Aminoacrylonitriles, 2-(Alkylsulfanyl)-acrylonitriles, or Alkylidenemalononitriles	684
24.2.17.1.1.54	Method 54:	Synthesis from Amino-Substituted Hetarenes or Dihydrohetarenes	686
24.2.17.1.1.55	Method 55:	Synthesis Using Carbonic Acid Derivatives	688
24.2.17.1.1.56	Method 56:	Synthesis from (Diethylamino)(diethylimino)dithioacetate	693
24.2.17.1.1.57	Method 57:	Synthesis from Imidazolium Salts via Nucleophilic Carbenes	694
24.2.17.1.1.58	Method 58:	Synthesis from 2-Oxocyclododecane-1-carbonitrile	694
24.2.17.2	Alk-1-ene-1,1-diamines with Retention of the Functional Group		
	P. A. Keller and J. Morgan		
24.2.17.2.1	Alk-1-ene-1,1-diamines with Retention of the Functional Group		707
24.2.17.2.1.1	Method 1:	Reactions of Ketene N,N-Acetals with Carboxylic Acid Derivatives	707
24.2.17.2.1.2	Method 2:	Reactions of Ketene N,N-Acetals with Activated Chloroalkenes, Enamines, or Nitro Compounds	709
24.2.17.2.1.3	Method 3:	Reactions of Ketene N,N-Acetals with Alkynes or Allenes	711
24.2.17.2.1.4	Method 4:	Reactions of Ketene N,N-Acetals with Activated Alkenes	714
24.2.17.2.1.5	Method 5:	Reactions of Ketene N,N-Acetals with Alkyl or Aryl Halides, Related Alkylating Reagents, or Aryldiazenes	717
24.2.17.2.1.6	Method 6:	Reactions of Ketene N,N-Acetals with Activated Methylene Compounds	719
24.2.17.2.2	Synthesis without Formation of New C—C Bonds		720
24.2.17.2.2.1	Method 1:	Disulfide Reduction with Hydrogen	720
24.2.17.2.2.2	Method 2:	Reactions of Ketene N,N-Acetals with Halogens or Halogen Carriers	720
24.2.17.2.2.3	Method 3:	Reactions of Ketene N,N-Acetals with Sulfur Electrophiles	721
24.2.17.2.2.4	Method 4:	Reactions of Ketene N,N-Acetals with Metal Halides, Other Metal Salts, or Metal Carbonyl Compounds	722
24.2.17.2.3	Synthesis with Cleavage of C—C Bonds		723
24.2.17.2.3.1	Method 1:	Deacylation Reactions	723
24.2.17.2.4	Reactions at the Ketene N,N-Acetal Moiety		725
24.2.17.2.4.1	Method 1:	Reactions of Ketene N,N-Acetals with Carbonic Acid Derivatives	725
24.2.17.2.4.2	Method 2:	Reactions of Ketene N,N-Acetals with Carboxylic Acid Derivatives	726
24.2.17.2.4.3	Method 3:	Reactions of Ketene N,N-Acetals with Alkynoic Acid Derivatives	729
24.2.17.2.4.4	Method 4:	Reactions of Ketene N,N-Acetals with Ketones	729

24.2.17.2.4.5	Method 5:	Reactions of Ketene <i>N,N</i> -Acetals with Alkylating and Arylating Reagents	729
24.2.17.2.4.6	Method 6:	Reactions of Ketene <i>N,N</i> -Acetals with Mineral Acids, Potassium Iodide, and Acidic Hydrolysis	730
24.2.17.2.4.7	Method 7:	Reactions of Ketene <i>N,N</i> -Acetals with Aqueous Sodium Hydroxide or Alcoholic Alkoxides (Hydrolysis, Cyclizations, and N-Deacylation)	732
24.2.17.2.4.8	Method 8:	Reactions of Ketene <i>N,N</i> -Acetals with Sulfur and Phosphorus Electrophiles	732
24.2.17.2.4.9	Method 9:	Reactions of Ketene <i>N,N</i> -Acetals with Amines	733
24.2.17.2.4.10	Method 10:	Reactions of Ketene <i>N,N</i> -Acetals with Hydrogen	734
24.2.17.2.5		Reactions at the Periphery of the System	735
24.2.17.2.5.1	Method 1:	Aminodechlorination Reactions	735
24.2.17.2.5.2	Method 2:	Reactions of Imidoyl Chloride Groups	736
24.2.17.2.5.3	Method 3:	Hydrolysis of Remote Ester or Amide Groups	737
24.2.17.2.5.4	Method 4:	Addition of Chloro Compounds across a β -Cyano Group	737
24.2.17.2.5.5	Method 5:	Reactions of β -Cyano Groups with Hydrogen Sulfide	738
24.2.17.2.5.6	Method 6:	Transformations of β -Carbonyl Groups	739
24.2.17.2.5.7	Method 7:	Transformations of β -Imidoyl Groups	739
24.2.17.2.5.8	Method 8:	Transformations of Remote Nitro or Amino Groups	740
24.2.17.2.5.9	Method 9:	Transformations of C=O Bonds	741
24.2.17.2.5.10	Method 10:	Transformations by Oxidation or Reduction	741
24.2.17.2.5.11	Method 11:	Alkylation Reactions	742
24.2.17.2.6		Transformations of Hydrazino or <i>N</i> -Hydroxyamino Derivatives of Ketene <i>N,N</i> -Acetals	743
24.2.17.2.6.1	Method 1:	Reactions of Ketene <i>N,N</i> -Acetals with Isocyanates and Isothiocyanates	743
24.2.17.2.6.2	Method 2:	Reactions of Ketene <i>N,N</i> -Acetals with Carboxylic Acid Derivatives	743
24.2.17.2.6.3	Method 3:	Reactions of Ketene <i>N,N</i> -Acetals with Aldehydes or Ketones	744
24.2.17.2.6.4	Method 4:	Reactions of Ketene <i>N,N</i> -Acetals with Diazomethane	744
24.2.17.2.6.5	Method 5:	Reactions of Ketene <i>N,N</i> -Acetals with Sodium Nitrite/Hydrochloric Acid	744
24.2.17.3		1,1-Bisazo-, 1,1-Diazido-, and 1,1-Dinitroalk-1-enes	
		K. Banert	
24.2.17.3		1,1-Bisazo-, 1,1-Diazido-, and 1,1-Dinitroalk-1-enes	747
24.2.17.3.1		Synthesis of 1,1-Bisazo-, 1,1-Diazido-, and 1,1-Dinitroalk-1-enes	747
24.2.17.3.3.1	Method 1:	1,1-Bisazoalk-1-enes from Formazans	747
24.2.17.3.1.1.1	Variation 1:	By Dehydrogenation	747
24.2.17.3.1.1.2	Variation 2:	By Base-Induced Deprotonation	748
24.2.17.3.1.1.3	Variation 3:	By Dehydration	748
24.2.17.3.1.2	Method 2:	1,1-Diazidoalk-1-enes from 3,3-Dichloroacrylonitriles	749
24.2.17.3.1.3	Method 3:	1,1-Dinitroalk-1-enes by Formation of the C=C Bond from Two Carbon Components	750

24.2.17.3.1.3.1	Variation 1:	Reactions between Di- or Trinitromethyl Reagents and Diazo Compounds	750
24.2.17.3.1.3.2	Variation 2:	Reactions between Tetra- or Dinitromethane and Other Reagents	750
24.2.17.3.1.4	Method 4:	1,1-Dinitroalk-1-enes by Formation of the C=C Bond by Elimination	752
24.2.17.3.1.5	Method 5:	1,1-Dinitroalk-1-enes by Introduction of the Nitro Groups at the C=C Bonds of Alkenes	753
24.2.17.3.1.6	Method 6:	1,1-Dinitroalk-1-enes from Methyl-Substituted Heterocycles	755
24.2.17.3.1.7	Method 7:	1,1-Dinitroalk-1-enes by Substitution of Other 1,1-Dinitroalk-1-enes	757
24.2.17.3.1.7.1	Variation 1:	By Substitution at the C=C Bond	757
24.2.17.3.1.7.2	Variation 2:	By Other Substitutions	759
24.2.17.3.2		Applications of 1,1-Bisazo-, 1,1-Diazido-, and 1,1-Dinitroalk-1-enes in Organic Synthesis	760
24.2.18		Product Subclass 18: 1-Nitrogen-Functionalized 1-Phosphorus-Functionalized Alk-1-enes	
		M. Stankevič and K. M. Pietrusiewicz	
24.2.18		Product Subclass 18: 1-Nitrogen-Functionalized 1-Phosphorus-Functionalized Alk-1-enes	767
24.2.18.1		Synthesis of Product Subclass 18	767
24.2.18.1.1	Method 1:	Synthesis from Haloenamines and Haloimines	767
24.2.18.1.2	Method 2:	Synthesis from 1-Phosphorus-Functionalized Alkanamines	768
24.2.18.1.2.1	Variation 1:	By Condensation with Carbonyl Compounds	768
24.2.18.1.2.2	Variation 2:	By the Horner–Wadsworth–Emmons Reaction	769
24.2.18.1.2.3	Variation 3:	By Elimination	769
24.2.18.2		Applications of Products Subclass 18 in Organic Synthesis	770
24.2.19		Product Subclass 19: 1,1-Bis(phosphorus-functionalized) Alk-1-enes	
		M. Stankevič and K. M. Pietrusiewicz	
24.2.19		Product Subclass 19: 1,1-Bis(phosphorus-functionalized) Alk-1-enes	775
24.2.19.1		Synthesis of Product Subclass 19	775
24.2.19.1.1	Method 1:	Substitution Reactions of 1,1-Dihaloalkenes	775
24.2.19.1.2	Method 2:	Synthesis from Methylenebis(phosphonates) and Methylenebis(phosphine sulfides)	776
24.2.19.1.3	Method 3:	Synthesis from α -Acyl Ylides	777
24.2.19.2		Applications of Product Subclass 19 in Organic Synthesis	777

24.3	Product Class 3: Bis(heteroatom-functionalized) Acetylenes	
<hr/>		
24.3.1	Product Subclass 1: Dihaloacetylenes	
	B. Witulski and C. Alayrac	
<hr/>		
24.3.1	Product Subclass 1: Dihaloacetylenes	781
24.3.1.1	Synthesis of Product Subclass 1	783
24.3.1.1.1	Method 1: Vacuum Pyrolysis	783
24.3.1.1.2	Method 2: Electrical Discharge	784
24.3.1.1.3	Method 3: Photolysis	784
24.3.1.1.4	Method 4: Dehydrohalogenation and Dehalogenation Reactions	785
24.3.1.1.4.1	Variation 1: Dehydrohalogenation of 2-Fluoro-1,1-dihaloalkenes	785
24.3.1.1.4.2	Variation 2: Dehydrohalogenation of Trihaloalkanes	786
24.3.1.1.4.3	Variation 3: Dehalogenation of Tetrahaloalkenes	786
24.3.1.1.4.4	Variation 4: Dehydrochlorination of Trichloroethene	787
24.3.1.1.5	Method 5: Halogenation of Acetylene	789
24.3.1.1.5.1	Variation 1: Metalation and Chlorination of Acetylene	790
24.3.1.1.5.2	Variation 2: Metalation and Bromination of Acetylene	790
24.3.1.1.5.3	Variation 3: Iodination of Acetylene Using Iodine in Liquid Ammonia	791
24.3.1.1.5.4	Variation 4: Iodination of Acetylenes Using Bis(2,4,6-collidine)iodonium Hexafluorophosphate	792
24.3.1.2	Applications of Product Subclass 1 in Organic Synthesis	792
<hr/>		
24.3.2	Product Subclass 2: 1-Heteroatom-Functionalized 2-Haloacetylenes	
	B. Witulski and C. Alayrac	
<hr/>		
24.3.2	Product Subclass 2: 1-Heteroatom-Functionalized 2-Haloacetylenes	797
24.3.2.1	Synthesis of Product Subclass 2	798
24.3.2.1.1	Method 1: Synthesis of 1-Halo-2-(triorganosilyl)acetylenes	798
24.3.2.1.1.1	Variation 1: Halogenation of Silylated Acetylenes	798
24.3.2.1.1.2	Variation 2: Halogenation of Metal Silylacetylides	799
24.3.2.1.1.3	Variation 3: Synthesis of 1-Fluoro-2-(triisopropylsilyl)acetylene from 1,1-Difluoroethene	800
24.3.2.1.1.4	Variation 4: Silylation of Metal Chloro- or Bromoacetylides	801
24.3.2.1.1.5	Variation 5: Iodination of Disilylated Acetylenes	803
24.3.2.1.2	Method 2: Synthesis of 1-Alkoxy-2-haloacetylenes	803
24.3.2.1.3	Method 3: Synthesis of 1-Halo-2-(organosulfonyl)- and 1-Halo-2-(organosulfanyl)acetylenes	804
24.3.2.1.3.1	Variation 1: Bromination of Sulfonated Acetylenes with N-Bromosuccinimide	804
24.3.2.1.3.2	Variation 2: By the Hypobromite or Hypochlorite Methods	805
24.3.2.1.3.3	Variation 3: Halogenation of Lithium 2-Sulfanylacetyllides	806
24.3.2.1.3.4	Variation 4: Alkylthiolation of Lithium Chloroacetylides	806

24.3.2.1.3.5	Variation 5:	1-(Alkylsulfanyl)-2-chloroacetylenes under Phase-Transfer Conditions	807
24.3.2.1.4	Method 4:	Synthesis of 2-Haloacetylen-1-amines	808
24.3.2.1.4.1	Variation 1:	By the Hypobromite Method	808
24.3.2.1.4.2	Variation 2:	From 1,1-Dichloro-2-fluoroethene	808
24.3.2.1.4.3	Variation 3:	From Chloroenamines	809
24.3.2.1.5	Method 5:	Synthesis of 1-Halo-2-(phosphoryl)acetylenes	810
24.3.2.1.5.1	Variation 1:	By the Hypochlorite Method	811
24.3.2.1.5.2	Variation 2:	By the Ionin–Petrov Method	811
24.3.2.2		Applications of Product Subclass 2 in Organic Synthesis	812
24.3.2.2.1	Method 1:	Substitution Reactions toward Diheterosubstituted Acetylenes	812
24.3.2.2.1.1	Variation 1:	Heterosubstituted Ynamines	812
24.3.2.2.1.2	Variation 2:	1-Heteroatom-Functionalized 2-(Phosphoryl)acetylenes	813
24.3.2.2.2	Method 2:	Cross-Coupling Reactions in the Presence of Transition Metals	813
24.3.2.2.2.1	Variation 1:	With Aryl- or Alkylcopper Reagents	813
24.3.2.2.2.2	Variation 2:	With Alkenylcopper Reagents	814
24.3.2.2.2.3	Variation 3:	1-Bromo-2-silylacetylenes in Cadiot–Chodkiewicz Coupling Reactions	814
24.3.2.2.2.4	Variation 4:	Chemoselective Two-Carbon Homologation of Aldehydes	815
24.3.2.2.2.5	Variation 5:	Catalytic <i>ortho</i> -Ethynylation of Phenols and Anilines with 1-Chloro-2-(triethylsilyl)acetylene	816
24.3.2.2.3	Method 3:	Cycloaddition Reactions	816
24.3.3		Product Subclass 3: Bis(organooxy)acetylenes	
		B. Witulski and C. Alayrac	
24.3.3		Product Subclass 3: Bis(organooxy)acetylenes	821
24.3.3.1		Synthesis of Product Subclass 3	824
24.3.3.1.1	Method 1:	Synthesis of Diphenoxycarbonyl by Substitution Reactions	824
24.3.3.1.2	Method 2:	Synthesis of Bis(organooxy)acetylenes by Elimination Reactions	825
24.3.3.1.2.1	Variation 1:	From Polymeric Glyoxal	825
24.3.3.1.2.2	Variation 2:	Dialkoxyacetylenes from Bromoalkenes	826
24.3.3.1.2.3	Variation 3:	Di- <i>tert</i> -butoxyacetylene from <i>trans</i> -2,3-Dichloro-1,4-dioxane	828
24.3.3.1.3	Method 3:	Photochemical Synthesis of Acetylenediol	829
24.3.3.2		Applications of Product Subclass 3 in Organic Synthesis	829
24.3.3.2.1	Method 1:	Synthesis of Hexasubstituted Benzenes	829
24.3.3.2.2	Method 2:	Synthesis of Deltic Acid	830
24.3.3.2.3	Method 3:	Synthesis of Squaric and Semisquaric Acids	830
24.3.3.2.4	Method 4:	Synthesis of Hydrocroconic Acid and Croconate Dianion	831

24.3.4	Product Subclass 4: 1-(Organochalcogeno)-2-(organooxy)acetylenes	
	B. Witulski and C. Alayrac	
<hr/>		
24.3.4	Product Subclass 4: 1-(Organochalcogeno)-2-(organooxy)acetylenes	835
24.3.4.1	Synthesis of Product Subclass 4	836
24.3.4.1.1	Method 1: Substitution Reactions of Lithium Alkoxyacetylide	836
24.3.4.1.2	Method 2: Substitution Reactions of 1-Alkoxy-2-stannylacetylenes	837
24.3.4.1.3	Method 3: Elimination Reactions of 1,1-Dichloro-2-(organosulfanyl)ethenes	837
24.3.4.1.4	Method 4: Elimination of Hydrogen Chloride from 1,2-Dichloro-2-(phenylselanyl)ethene	838
24.3.4.2	Applications of Product Subclass 4 in Organic Synthesis	839
<hr/>		
24.3.5	Product Subclass 5: 1-Nitrogen-Functionalized 2-(Organooxy)acetylenes	
	B. Witulski and C. Alayrac	
<hr/>		
24.3.5	Product Subclass 5: 1-Nitrogen-Functionalized 2-(Organooxy)acetylenes	841
24.3.5.1	Synthesis of Product Subclass 5	841
24.3.5.1.1	Method 1: Generation of 2-Aminoacetylen-1-ols	841
<hr/>		
24.3.6	Product Subclass 6: 1-Phosphorus-Functionalized 2-(Organooxy)acetylenes	
	B. Witulski and C. Alayrac	
<hr/>		
24.3.6	Product Subclass 6: 1-Phosphorus-Functionalized 2-(Organooxy)acetylenes	843
24.3.6.1	Synthesis of Product Subclass 6	843
24.3.6.1.1	Method 1: Substitution Reactions of (Chloroethylidene)phosphonates	843
24.3.6.1.2	Method 2: Substitution Reactions of Lithium Alkoxyacetylide	844
24.3.6.1.3	Method 3: Reaction of Potassium Alkoxyacetylide with Tetraphenyl- phosphonium Chloride	845
24.3.6.1.4	Method 4: Sulfuration of 1-Alkoxy-2-phosphinoacetylenes	845
24.3.6.2	Applications of Product Subclass 6 in Organic Synthesis	845
24.3.6.2.1	Method 1: Synthesis of (Oxovinylidene)phosphoranes	846
24.3.6.2.2	Method 2: Synthesis of Aminophosphoranes	846
24.3.6.2.3	Method 3: Synthesis of Silyl- or Germyl(thiophosphoryl)ketenes	846
24.3.6.2.4	Method 4: Cycloaddition Reactions	847
<hr/>		
24.3.7	Product Subclass 7: Bis(organochalcogeno)acetylenes	
	T. Murai	
<hr/>		
24.3.7	Product Subclass 7: Bis(organochalcogeno)acetylenes	849
24.3.7.1	Synthesis of Product Subclass 7	849

24.3.7.1.1	Bis(organosulfanyl)acetylenes	849
24.3.7.1.1.1	Method 1: Reaction of Electrophilic Acetylenic Species with Organosulfanyl Compounds	849
24.3.7.1.1.2	Method 2: Reaction of Metal Acetylides with Organosulfanyl Compounds	851
24.3.7.1.1.3	Method 3: Elimination from 1-Chloro-1,2-bis(organosulfanyl)ethenes	853
24.3.7.1.1.4	Method 4: Oxidation of 1,2-Bis(organosulfanyl)acetylenes	854
24.3.7.1.2	1-(Organoselanyl)-2-(organosulfanyl)acetylenes	854
24.3.7.1.2.1	Method 1: Reaction of 1-Chloro-2-(organosulfanyl)acetylenes with Organoselenols	854
24.3.7.1.3	1-(Organosulfanyl)-2-(organotellanyl)acetylenes	855
24.3.7.1.3.1	Method 1: Reaction of Diorgano Ditellurides with 1,1-Dichloro-2-(organosulfanyl)ethenes	855
24.3.7.1.4	Bis(organoselanyl)acetylenes	855
24.3.7.1.4.1	Method 1: Reaction of Sodium Acetylide with Elemental Selenium and Alkyl Halides	855
24.3.7.1.4.2	Method 2: Reaction of Lithium Acetylides with Bis(selenocyanato)alkanes	856
24.3.7.1.4.3	Method 3: Reaction of (Organoselanyl)acetylides with Areneselenenyl Halides	856
24.3.7.1.5	Bis(organotellanyl)acetylenes	856
24.3.7.1.5.1	Method 1: Reaction of Dimetal Acetylides with Elemental Tellurium and Alkyl Halides or Organotellanyl Compounds	857
24.3.7.1.5.2	Method 2: Reaction of Acetylene with Dialkyl Ditellurides	857
24.3.8	Product Subclass 8: 1-Nitrogen-Functionalized 2-(Organochalcogeno)acetylenes	
	T. Murai	
<hr/>		
24.3.8	Product Subclass 8: 1-Nitrogen-Functionalized 2-(Organochalcogeno)acetylenes	859
24.3.8.1	Synthesis of Product Subclass 8	859
24.3.8.1.1	<i>N,N</i> -Dialkyl-2-(organosulfanyl)acetylen-1-amines	859
24.3.8.1.1.1	Method 1: Reaction of 1-Chloro-2-(organosulfanyl)acetylenes with Amines or Metal Amides	859
24.3.8.1.1.1.1	Variation 1: Reaction of Phenyl(2-tosylethynyl)iodonium Trifluoromethanesulfonate with Metal Amides	860
24.3.8.1.1.2	Method 2: Reaction of Metal 2-(Diorganoamino)acetylides with Sulfur and Alkyl Halides or Sulfur Electrophiles	861
24.3.8.1.2	2-(Organoselanyl)acetylen-1-amines	861
24.3.8.1.2.1	Method 1: Reaction of Phenyl 2,2,2-Trifluoroethyl Selenide with Lithium Dialkylamides	861

24.3.9	Product Subclass 9: 2-Phosphorus-Functionalized 1-(Organochalcogeno)acetylenes	
	T. Murai	
<hr/>		
24.3.9	Product Subclass 9: 2-Phosphorus-Functionalized 1-(Organochalcogeno)acetylenes	863
24.3.9.1	Synthesis of Product Subclass 9	863
24.3.9.1.1	2-Phosphorus-Functionalized 1-(Organosulfanyl)acetylenes	863
24.3.9.1.1.1	Method 1: Reaction of 1-Chloro-2-(organosulfanyl)acetylenes with Trivalent Phosphorus Compounds	863
24.3.9.1.1.2	Method 2: Reaction of 1-Chloro-2-phosphorylacetylenes with Thiols or Metal Thiolates	864
<hr/>		
24.3.10	Product Subclass 10: Bis(nitrogen-functionalized) Acetylenes	
	B. Witulski and C. Alayrac	
<hr/>		
24.3.10	Product Subclass 10: Bis(nitrogen-functionalized) Acetylenes	867
24.3.10.1	Synthesis of Product Subclass 10	869
24.3.10.1.1	Method 1: Synthesis from α -Diiminium Salts	869
24.3.10.1.2	Method 2: Synthesis from 1-Bromoethene-1,2-diamines	869
24.3.10.1.3	Method 3: Synthesis from Chloroketene N,N-Acetals	870
24.3.10.1.3.1	Variation 1: From Isolated Chloroketene N,N-Acetals	870
24.3.10.1.3.2	Variation 2: One-Pot Procedure from Trichloroethene	871
24.3.10.1.4	Method 4: One-Pot Procedure from Trichloroethenamines	871
24.3.10.1.5	Method 5: Flash Pyrolysis	872
24.3.10.1.5.1	Variation 1: From 2,3-Diaminocyclopropenones	872
24.3.10.1.5.2	Variation 2: From 1,2,4-Triazine-3,5,6-triamines	873
24.3.10.1.6	Method 6: Dimerization of Alkyl Isocyanides	873
24.3.10.1.7	Method 7: 1,2-Diisocyanoacetylene by UV Photolysis	874
24.3.10.2	Applications of Product Subclass 10 in Organic Synthesis	875
24.3.10.2.1	Method 1: Synthesis of N,N,N',N'-Tetraethylidichalcogenooxalamides	875
24.3.10.2.2	Method 2: Synthesis of Bis(dialkylamino)cyclopropene Derivatives	875
24.3.10.2.2.1	Variation 1: Bis(dialkylamino)cyclopropenethiones	875
24.3.10.2.2.2	Variation 2: Bis(dialkylamino)cyclopropenimines	876
24.3.10.2.3	Method 3: Synthesis of Bis(dialkylamino)cyclobutene Derivatives	876
24.3.10.2.3.1	Variation 1: Tris- or Tetrakis(dimethylamino)cyclobutenes	876
24.3.10.2.3.2	Variation 2: Spiro-Annulated Products	877
24.3.10.2.4	Method 4: Synthesis of Heterocyclic Compounds	878
24.3.10.2.4.1	Variation 1: N,N,N',N'-Tetramethylpyrazolediamines	878
24.3.10.2.4.2	Variation 2: 2,6-Diazabicyclo[2.2.2]oct-7-ene-3,5-diones	878
24.3.10.2.4.3	Variation 3: 2-Thia-1-phosphabicyclo[3.2.0]hepta-3,6-diene-6,7-diamines	879
24.3.10.2.4.4	Variation 4: 1,3-Diphospha-Dewar Benzenes	879
24.3.10.2.5	Method 5: Synthesis of Metal Complexes	880
24.3.10.2.5.1	Variation 1: Tricarbonyliron Complexes of Cyclopentadienones	880

24.3.10.2.5.2	Variation 2:	Cyclobutenylidene Complexes of Pentacarbonyltungsten	880
24.3.10.2.5.3	Variation 3:	<i>N,N,N',N'-Tetraethyl-3-methoxyindene-1,2-diamine as a Ligand of Tricarbonylchromium</i>	881
24.3.11	Product Subclass 11: 1-Nitrogen-Functionalized 2-Phosphorus-Functionalized Acetylenes and Bis(phosphorus-functionalized) Acetylenes		
	B. Witulski and C. Alayrac		
24.3.11	Product Subclass 11: 1-Nitrogen-Functionalized 2-Phosphorus-Functionalized Acetylenes and Bis(phosphorus-functionalized) Acetylenes		883
24.3.11.1	Synthesis of Product Subclass 11		885
24.3.11.1.1	Method 1:	Synthesis of 1-Amino-2-(phosphoryl)acetylenes	885
24.3.11.1.1.1	Variation 1:	From (Chloroethynyl)phosphonates	885
24.3.11.1.1.2	Variation 2:	From 1-Amino-2-(phosphino)acetylenes	886
24.3.11.1.2	Method 2:	Synthesis of 1-Amino-2-(thiophosphoryl)acetylenes	887
24.3.11.1.3	Method 3:	Synthesis of 1-Amino-2-(selenophosphoryl)acetylenes	887
24.3.11.1.4	Method 4:	Synthesis of 1-Amino-2-(phosphorimidoyl)acetylenes	888
24.3.11.1.5	Method 5:	Synthesis of (Aminoethynyl)triphenylphosphonium Salts	888
24.3.11.1.6	Method 6:	Synthesis of 1-Amino-2-(phosphino)acetylenes	889
24.3.11.1.7	Method 7:	Synthesis of Bis(phosphoranyl)acetylenes	890
24.3.11.1.7.1	Variation 1:	Bis[bis(dialkylamino)difluorophosphoranyl]acetylenes	890
24.3.11.1.7.2	Variation 2:	Bis[triphenyl(phenylethyynyl)phosphoranyl]acetylene	890
24.3.11.1.8	Method 8:	Synthesis of Bis(phosphorylated) Acetylenes	891
24.3.11.1.8.1	Variation 1:	Ethyne-1,2-diylbis(phosphonates) by the Ionin-Petrov Method	891
24.3.11.1.8.2	Variation 2:	Bis(diorganophosphoryl)acetylenes by Oxidation Reactions	892
24.3.11.1.9	Method 9:	Synthesis of Bis(thiophosphoryl)acetylenes	893
24.3.11.1.9.1	Variation 1:	By Substitution Reactions	893
24.3.11.1.9.2	Variation 2:	By Sulfuration Reactions	893
24.3.11.1.10	Method 10:	Synthesis of Bis(diorganoselenophosphoryl)acetylenes	894
24.3.11.1.11	Method 11:	Synthesis of Bis(phosphorimidoyl)acetylenes	894
24.3.11.1.12	Method 12:	Synthesis of Bis(dihalophosphino)acetylenes	895
24.3.11.1.12.1	Variation 1:	By Substitution with Fluorine Atoms	895
24.3.11.1.12.2	Variation 2:	By Substitution with Chlorine Atoms	895
24.3.11.1.13	Method 13:	Synthesis of Bis[(dialkylamino)phosphino]acetylenes	896
24.3.11.1.13.1	Variation 1:	From Acetylene	896
24.3.11.1.13.2	Variation 2:	From Bis[bis(diethylamino)phosphino]acetylene	897
24.3.11.1.14	Method 14:	Synthesis of Bis(phosphino)acetylenes	897
24.3.11.1.14.1	Variation 1:	Bis(phosphino)acetylenes from Acetylene	897
24.3.11.1.14.2	Variation 2:	Bis(dibutylphosphino)acetylene from (Dibutylphosphino)acetylene	898
24.3.11.1.14.3	Variation 3:	Bis(phosphino)acetylenes from (Diphenylphosphino)acetylene	899
24.3.11.1.14.4	Variation 4:	Bis(phosphino)acetylenes from Tetrachloroethene	899
24.3.11.1.14.5	Variation 5:	Bis(phosphino)acetylene from 1,4-Diphosphabutatriene	900

24.3.11.2	Applications of Product Subclass 11 in Organic Synthesis	900
24.3.11.2.1	Method 1: Diels–Alder Reactions	900
24.3.11.2.2	Method 2: Synthesis of Triazoles by Addition to Azides	901
24.3.11.2.3	Method 3: Synthesis of Pyrazoles by [3 + 2]-Cycloaddition Reactions with Diazoalkanes	901
24.3.11.2.4	Method 4: Synthesis of 1,3-Diphosphoallylum Salts	902
24.3.11.2.5	Method 5: Synthesis of Metal Complexes from Bis(diphenylphosphino)acetylene	902

24.4 Product Class 4: 1-Heteroatom-Functionalized Alk-1-yne

24.4.1 Product Subclass 1: 1-Haloalk-1-ynes and Alk-1-yn-1-olsB. Witulski and C. Alayrac

24.4.1	Product Subclass 1: 1-Haloalk-1-ynes and Alk-1-yn-1-ols	905
24.4.1.1	Synthesis of Product Subclass 1	906
24.4.1.1.1	Method 1: Halogenation of Alk-1-yne	906
24.4.1.1.1.1	Variation 1: By Reaction with <i>N</i> -Halosuccinimides	906
24.4.1.1.1.2	Variation 2: Bis(trimethylsilyl) Peroxide and Metal-Promoted Transfer of Halides	907
24.4.1.1.1.3	Variation 3: Straus Reaction	908
24.4.1.1.1.4	Variation 4: Bromination Reaction with Triphenylphosphine and Carbon Tetrabromide	909
24.4.1.1.1.5	Variation 5: Iodination with a Polymer-Supported Bis(acyloxy)iodate(I) Reagent	910
24.4.1.1.1.6	Variation 6: Iodination with Bis(2,4,6-collidine)iodonium Hexafluorophosphate	911
24.4.1.1.1.7	Variation 7: Iodination with Molecular Iodine	911
24.4.1.1.2	Method 2: Halogenation of Metal Acetylides	912
24.4.1.1.2.1	Variation 1: Halogenation with Molecular Bromine or Iodine	912
24.4.1.1.2.2	Variation 2: Chlorination of Lithium Acetylides with <i>N</i> -Chlorosuccinimide	913
24.4.1.1.2.3	Variation 3: Iodination of Sodium Acetylides with Bis(pyridine)iodonium Tetrafluoroborate	914
24.4.1.1.3	Method 3: Halodecarboxylation of Propynoic Acids	915
24.4.1.1.3.1	Variation 1: With <i>N</i> -Halosuccinimides and Tetrabutylammonium Trifluoroacetate	915
24.4.1.1.3.2	Variation 2: With Bis(2,4,6-collidine)iodonium or Bis(2,4,6-collidine)-bromonium Hexafluorophosphate	915
24.4.1.1.4	Method 4: Direct Transformation of Trimethylsilylalkynes into Haloalkynes	916
24.4.1.1.5	Method 5: Dehydrohalogenation of 1,1-Dihaloalkenes	916
24.4.1.1.5.1	Variation 1: Dehydrohalogenation under Phase-Transfer Conditions	917
24.4.1.1.5.2	Variation 2: Dehydrohalogenation in Organic Solvents	917
24.4.1.1.6	Method 6: Dehalogenation of Oligohaloalkenes with a Metal	918
24.4.1.1.7	Method 7: Functionalization of Metal Haloacetylides	919

24.4.1.1.8	Method 8:	Synthesis of 1-Haloalk-1-yneS from Carbonyl Compounds	920
24.4.1.1.8.1	Variation 1:	Synthesis of 2-Aryl-1-bromoacetylenes from Hydrazones	920
24.4.1.1.8.2	Variation 2:	Synthesis of 1-Chloroalk-1-yneS from Dihydroisoxazolones	920
24.4.1.1.8.3	Variation 3:	Synthesis of 1-Chloroalk-1-yneS from Esters	921
24.4.1.1.8.4	Variation 4:	One-Pot Conversion of Aldehydes into 1-Haloalk-1-yneS with Dihalomethylphosphonates	921
24.4.1.1.8.5	Variation 5:	One-Pot Conversion of Aldehydes into 1-Haloalk-1-yneS with Dihalomethylenetriphenylphosphoranes	922
24.4.1.1.9	Method 9:	Base-Induced Rearrangement of (Z)-(2-Halovinyl)iodonium Salts	923
24.4.1.1.10	Method 10:	Synthesis of 1-Fluoroalk-1-yneS by Electrical Discharge	924
24.4.1.1.11	Method 11:	Synthesis of 1-Haloalk-1-yneS by Vacuum Pyrolysis	925
24.4.1.1.12	Method 12:	Synthesis of 1-Fluoroalk-1-yneS by Photolysis	925
24.4.1.1.13	Method 13:	Photochemical Synthesis of Alk-1-yn-1-ols	926
24.4.1.2		Applications of Product Subclass 1 in Organic Synthesis	927
24.4.1.2.1	Method 1:	Cadiot–Chodkiewicz Coupling	927
24.4.1.2.2	Method 2:	Cross Coupling of 1-Haloalk-1-yneS with Metalated Ethenes	928
24.4.1.2.3	Method 3:	Cross-Coupling Reactions of 1-Haloalk-1-yneS with Alkylzinc–Copper Reagents	928
24.4.1.2.4	Method 4:	Synthesis of Stereochemically Defined Vinylboronates by Hydroboration of 1-Haloalk-1-yneS	929
24.4.2		Product Subclass 2: 1-(Organooxy)alk-1-yneS and 1-(Heterooxy)alk-1-yneS	
		B. Witulski and C. Alayrac	
24.4.2		Product Subclass 2: 1-(Organooxy)alk-1-yneS and 1-(Heterooxy)alk-1-yneS	933
24.4.2.1		Synthesis of Product Subclass 2	935
24.4.2.1.1	Method 1:	Synthesis of Alk-1-ynyl Carbamates by Elimination	935
24.4.2.1.2	Method 2:	Synthesis of Alk-1-ynyl Carboxylates from Alk-1-ynyl Iodonium Salts	936
24.4.2.1.3	Method 3:	Synthesis of Alk-1-ynyl Ethers from 1-Alkoxy-2-haloacetylenes	937
24.4.2.1.4	Method 4:	Synthesis of Alk-1-ynyl Ethers by Dehydrohalogenation	938
24.4.2.1.4.1	Variation 1:	From Alkoxides and Trichloroethene	938
24.4.2.1.4.2	Variation 2:	Dehydrohalogenation of 2-Halovinyl Ethers	939
24.4.2.1.4.3	Variation 3:	From Chloroacetaldehyde Dialkyl Acetals	940
24.4.2.1.4.4	Variation 4:	From 2,2,2-Trifluoroethyl Ethers	942
24.4.2.1.4.5	Variation 5:	From Acetates	942
24.4.2.1.5	Method 5:	Synthesis of Alk-1-ynyl Sulfonates from Alk-1-ynyl Iodonium Salts	943
24.4.2.1.6	Method 6:	Synthesis of Dialkyl Alk-1-ynyl Phosphates	944
24.4.2.1.6.1	Variation 1:	From Alk-1-ynyl Iodonium Salts	944
24.4.2.1.6.2	Variation 2:	From Lithium Alk-1-ynolates	945
24.4.2.1.7	Method 7:	Synthesis of 1-Siloxyalk-1-yneS	946
24.4.2.1.7.1	Variation 1:	From Alk-1-ynyl 4-Toluenesulfonates	946

24.4.2.1.7.2	Variation 2: By Oxygenation of Acetylates	946
24.4.2.1.7.3	Variation 3: From Ester-Derived Ynolates	947
24.4.2.1.7.4	Variation 4: From (<i>Z</i>)-2-Halovinyl Silyl Ethers	948
24.4.2.1.7.5	Variation 5: From Silylated α -Diazo Carbonyl Compounds	949
24.4.2.2	Applications of Product Subclass 2 in Organic Synthesis	950
24.4.2.2.1	Method 1: Synthesis of Stereochemically Defined Metalated Vinyl Ethers	950
24.4.2.2.2	Method 2: Addition Reactions to Carbonyl Compounds	952
24.4.2.2.3	Method 3: Enyne Metathesis	952
24.4.2.2.4	Method 4: Metal- or Acid-Promoted Cycloisomerization of 1-Siloxylalk-1-ynes	953
24.4.2.2.5	Method 5: Aromatic Annulation Reactions	953
24.4.3	Product Subclass 3: 1-(Organosulfanyl)-, 1-(Organoselanyl)-, and 1-(Organotellanyl)alk-1-ynes	
	V. A. Potapov and B. A. Trofimov	
24.4.3	Product Subclass 3: 1-(Organosulfanyl)-, 1-(Organoselanyl)-, and 1-(Organotellanyl)alk-1-ynes	957
24.4.3.1	(Organosulfanyl)-, (Organoselanyl)-, and (Organotellanyl)acetylenes	958
24.4.3.1.1	Synthesis of (Organosulfanyl)-, (Organoselanyl)-, and (Organotellanyl)acetylenes	958
24.4.3.1.1.1	Method 1: Synthesis from Metal Acetylates and Chalcogen Electrophiles	958
24.4.3.1.1.2	Method 2: Synthesis from Ethynylmagnesium Halides and Organochalcogeno Halides	960
24.4.3.1.1.3	Method 3: (Organotellanyl)acetylenes from Acetylene, Diorgano Ditellurides, and Iodomethane	961
24.4.3.1.1.4	Method 4: Dehydrohalogenation Reactions	962
24.4.3.1.1.5	Method 5: (Organosulfanyl)acetylenes from 1,2-Bis(organosulfanyl)-ethenes and 1-(Organoxy)-2-(organosulfanyl)ethenes	963
24.4.3.1.2	Applications of (Organosulfanyl)-, (Organoselanyl)-, and (Organotellanyl)-acetylenes in Organic Synthesis	964
24.4.3.1.2.1	Method 1: The Mannich Reaction	965
24.4.3.1.2.2	Method 2: Syntheses Based on the Reactions of Metal (Organosulfanyl)-acetylates	965
24.4.3.1.2.3	Method 3: Syntheses Based on the Addition and Cycloaddition Reactions of (Organochalcogeno)acetylenes	966
24.4.3.1.2.4	Method 4: Oxidation of (Organosulfanyl)acetylenes to (Organosulfinyl)- and (Organosulfonyl)acetylenes	968
24.4.3.2	Dialk-1-ynyl Sulfides, Selenides, and Tellurides	968
24.4.3.2.1	Synthesis of Dialk-1-ynyl Sulfides, Selenides, and Tellurides	969
24.4.3.2.1.1	Method 1: Synthesis from Metal Acetylates and Chalcogen Halides	969
24.4.3.2.1.2	Method 2: Dialk-1-ynyl Selenides and Tellurides from Selenium and Tellurium Amides and Alk-1-ynes	969
24.4.3.2.1.3	Method 3: Dialk-1-ynyl Sulfides by Dehydrohalogenation Reactions	970

24.4.3.2.1.4	Methods 4: Additional Methods	971
24.4.3.2.2	Applications of Dialk-1-ynyl Sulfides, Selenides, and Tellurides in Organic Synthesis	972
24.4.3.2.2.1	Method 1: Synthesis of Heterocyclic Compounds from Dialk-1-ynyl Sulfides	972
24.4.3.3	1-(Alkylsulfanyl)- and 1-(Arylsulfanyl)alk-1-ynes and Their Selenium and Tellurium Analogues	973
24.4.3.3.1	Synthesis of 1-(Alkylsulfanyl)- and 1-(Arylsulfanyl)alk-1-ynes and Their Selenium and Tellurium Analogues	973
24.4.3.3.1.1	Method 1: Synthesis from Metal Acetylides, Elemental Chalcogens, and Haloalkanes	973
24.4.3.3.1.1.1	Variation 1: From Alkali Metal Acetylides in Liquid Ammonia	974
24.4.3.3.1.1.2	Variation 2: From Lithium Acetylides in Organic Solvents	974
24.4.3.3.1.1.3	Variation 3: Generation of Acetylides in Potassium Hydroxide/Nonhydroxylic Solvent Systems	975
24.4.3.3.1.1.4	Variation 4: Generation of Acetylides under Phase-Transfer Conditions ..	976
24.4.3.3.1.2	Method 2: Synthesis from Metal Acetylides and Electrophilic Chalcogen Species	976
24.4.3.3.1.2.1	Variation 1: From Alkali Metal Acetylides in Liquid Ammonia	977
24.4.3.3.1.2.2	Variation 2: From Alkali Metal Acetylides in Organic Solvents	978
24.4.3.3.1.2.3	Variation 3: Generation of Acetylides under Phase-Transfer Conditions ..	978
24.4.3.3.1.3	Method 3: Synthesis from Alk-1-ynes, Chalcogen Electrophiles, and Copper(I) Salts	979
24.4.3.3.1.4	Method 4: Synthesis from Alk-1-ynyliodonium Salts and Chalcogen Nucleophiles	980
24.4.3.3.1.5	Method 5: 1-(Phenylselanyl)alk-1-ynes from Alk-1-ynes, Diphenyl Diselenide, and (Diacetoxyiodo)benzene	981
24.4.3.3.1.6	Method 6: 1-(Arylchalcogeno)alk-1-ynes from Dialk-1-ynylmercurials and Diaryl Dichalcogenides	982
24.4.3.3.1.7	Method 7: Synthesis from 1-Haloalk-1-ynes	982
24.4.3.3.1.7.1	Variation 1: From 1-Bromoalk-1-ynes and Diorgano Dichalcogenides in the Presence of Copper(I) Iodide	982
24.4.3.3.1.7.2	Variation 2: From 1-Haloalk-1-ynes and Chalcogen Nucleophiles	983
24.4.3.3.1.8	Method 8: 1-(Organosulfanyl)- and 1-(Organoselanyl)alk-1-ynes from 1,2,3-Thia- and 1,2,3-Selenadiazoles	984
24.4.3.3.1.9	Method 9: 1-(Alkylsulfanyl)- and 1-(Arylsulfanyl)alk-1-ynes by Elimination Reactions	985
24.4.3.3.1.9.1	Variation 1: 1,2-Elimination	985
24.4.3.3.1.9.2	Variation 2: 1,4- and 1,6-Eliminations	986
24.4.3.3.1.10	Methods 10: Additional Methods	986
24.4.3.3.2	Applications of 1-(Alkylsulfanyl)- and 1-(Arylsulfanyl)alk-1-ynes and Their Selenium and Tellurium Analogues	988
24.4.3.3.2.1	Method 1: Generation of Alk-1-ynylmetals from 1-(Organoselanyl)- and 1-(Organotellanyl)alk-1-ynes	988
24.4.3.3.2.2	Method 2: Cross-Coupling Reactions	989
24.4.3.3.2.3	Method 3: Synthesis of Stereodefined Alkenes	990

24.4.3.3.2.4	Method 4: Cycloaddition Reactions	992
24.4.3.3.2.5	Method 5: Oxidation of 1-(Organosulfanyl)alk-1-yneS to 1-(Organosulfinyl)- and 1-(Organosulfonyl)alk-1-yneS	993
24.4.3.3.2.6	Methods 6: Additional Methods	994
24.4.3.4	1-(Vinylsulfanyl)-, 1-(Vinylselanyl)-, and 1-(Vinyltellanyl)alk-1-yneS	996
24.4.3.4.1	Synthesis of 1-(Vinylsulfanyl)-, 1-(Vinylselanyl)-, and 1-(Vinyltellanyl)-alk-1-yneS	996
24.4.3.4.1.1	Method 1: Synthesis from Lithium Acetylides and Vinylsulfenamides	996
24.4.3.4.1.2	Method 2: Dehydrohalogenation Reactions	997
24.4.3.4.2	Applications of 1-(Vinylsulfanyl)-, 1-(Vinylselanyl)-, and 1-(Vinyltellanyl)-alk-1-yneS in Organic Synthesis	998
24.4.3.4.2.1	Method 1: Synthesis of Heterocyclic Compounds from 1-(Vinylsulfanyl)alk-1-yneS	998

24.4.4 Product Subclass 4: 1-Nitrogen-Functionalized Alk-1-yneS

24.4.4.1 Alk-1-yn-1-amineS

B. Witulski and C. Alayrac

24.4.4.1	Alk-1-yn-1-amineS	1007
24.4.4.1.1	Synthesis of Alk-1-yn-1-amineS	1009
24.4.4.1.1.1	Method 1: Electrophilic Amination of Metal Acetylides	1009
24.4.4.1.1.2	Method 2: Synthesis from 1-Haloalk-1-yneS	1010
24.4.4.1.1.3	Method 3: Synthesis from Alk-1-ynylodonium Salts	1011
24.4.4.1.1.4	Method 4: Synthesis from 1-Alkoxyalk-1-yneS	1012
24.4.4.1.1.5	Method 5: Synthesis from 1,1-Dihaloalkenes	1013
24.4.4.1.1.6	Method 6: Elimination Reactions of Halogenated EnamineS	1014
24.4.4.1.1.6.1	Variation 1: From β -Halogenated EnamineS	1014
24.4.4.1.1.6.2	Variation 2: From α,β -Di- or Trihalogenated EnamineS	1014
24.4.4.1.1.7	Method 7: Shapiro-Type Eliminations	1016
24.4.4.1.1.8	Method 8: Fragmentation Reactions	1016
24.4.4.1.1.8.1	Variation 1: Lithiation and Fragmentation of 1-Phenyl-1,2,3-triazoleS	1017
24.4.4.1.1.8.2	Variation 2: By Flash-Vacuum Pyrolysis	1017
24.4.4.1.1.8.3	Variation 3: Flash-Photolytic Generation of Primary, Secondary, and Tertiary Alk-1-yn-1-amineS	1018
24.4.4.1.1.9	Method 9: Base-Catalyzed Isomerization of PropargylamineS	1019
24.4.4.1.2	Applications of Alk-1-yn-1-amineS in Organic Synthesis	1020
24.4.4.1.2.1	Method 1: Stereochemically Defined EnamineS by the Carbo- or Silylmetalation of Alk-1-yn-1-amineS	1021
24.4.4.1.2.2	Method 2: One-Carbon Homologation of Carboxylic AcidS	1021
24.4.4.1.2.3	Method 3: Alkylation of Alk-1-yn-1-amineS by Claisen RearrangementS	1022
24.4.4.1.2.4	Method 4: [2 + 2] CycloadditionS with CyclopentenoneS and CyclohexenoneS	1023

24.4.4.1.2.5	Method 5: Hetero [2 + 2] Cycloadditions	1024
24.4.4.1.2.6	Method 6: [4 + 2] Cycloadditions	1025
24.4.4.1.2.7	Method 7: Pauson–Khand Reactions of Acetylen-1-amines	1026
24.4.4.1.2.8	Method 8: Peptide Synthesis	1026
24.4.4.2	N-Acyl- and N-Sulfonylalk-1-yn-1-amines	
	B. Witulski and C. Alayrac	
24.4.4.2	N-Acyl- and N-Sulfonylalk-1-yn-1-amines	1031
24.4.4.2.1	Synthesis of <i>N</i> -Acyl- and <i>N</i> -Sulfonylalk-1-yn-1-amines	1033
24.4.4.2.1.1	Method 1: N-Alkyynylation with Alkynylidonium Salts	1033
24.4.4.2.1.2	Method 2: Copper-Promoted Cross Coupling of 1-Haloalk-1-ynes with Amides	1034
24.4.4.2.1.2.1	Variation 1: With a Stoichiometric Amount of a Copper(I) Salt	1035
24.4.4.2.1.2.2	Variation 2: With Catalytic Amounts of Copper(I) or Copper(II) Salts	1036
24.4.4.2.1.3	Method 3: Elimination Reactions	1037
24.4.4.2.1.3.1	Variation 1: By a Formamide to Ynamide Homologation	1037
24.4.4.2.1.3.2	Variation 2: From β,β -Dichloroenamides by Suzuki–Miyaura Coupling and Dehydrochlorination	1038
24.4.4.2.1.3.3	Variation 3: Bromination/Dehydrobromination of Enamides	1039
24.4.4.2.1.3.4	Variation 4: Dechlorination of Trichlorinated Enamides Derived from Pyrimidine Bases	1040
24.4.4.2.1.4	Method 4: Functionalization of Ynamides	1041
24.4.4.2.1.4.1	Variation 1: Deprotonation/Alkylation of Ynamides	1041
24.4.4.2.1.4.2	Variation 2: Desilylation of 1-Silyl Ynamides	1042
24.4.4.2.1.4.3	Variation 3: Homocoupling of Ynamides	1043
24.4.4.2.1.4.4	Variation 4: Negishi Coupling with Ynamides	1043
24.4.4.2.1.4.5	Variation 5: Sonogashira Coupling with Ynamides	1044
24.4.4.2.1.5	Method 5: Base-Catalyzed Isomerization of Propargylamides	1045
24.4.4.2.1.6	Method 6: Synthesis from 1-Phenyl-1,2,3-triazoles	1046
24.4.4.2.2	Applications of <i>N</i> -Acyl- and <i>N</i> -Sulfonylalk-1-yn-1-amines in Organic Synthesis	1047
24.4.4.2.2.1	Method 1: Regioselective Hydrometalation or Carbometalation of Ynamides	1048
24.4.4.2.2.2	Method 2: Transition-Metal-Catalyzed Cross-Coupling Reactions with Ynamides	1049
24.4.4.2.2.3	Method 3: Intramolecular Cyclizations	1050
24.4.4.2.2.4	Method 4: Ring-Closing Ene–Yne Metathesis with Ynamides	1051
24.4.4.2.2.5	Method 5: Pauson–Khand Reactions with Ynamides	1052
24.4.4.2.2.6	Method 6: [4 + 2] Cycloadditions	1054
24.4.4.2.2.7	Method 7: [2 + 2 + 2] Cycloadditions	1054

24.4.4.3	Alk-1-ynyldiazonium Salts, 1-Azidoalk-1-ynes, and 1-Nitroalk-1-ynes	
	K. Banert	
<hr/>		
24.4.4.3	Alk-1-ynyldiazonium Salts, 1-Azidoalk-1-ynes, and 1-Nitroalk-1-ynes	1059
24.4.4.3.1	Synthesis of Alk-1-ynyldiazonium Salts, 1-Azidoalk-1-ynes, and 1-Nitroalk-1-ynes	1059
24.4.4.3.1.1	Method 1: Synthesis of Alk-1-ynyldiazonium Salts	1059
24.4.4.3.1.1.1	Variation 1: From a 1-Nitrosoalk-1-yne	1059
24.4.4.3.1.1.2	Variation 2: From a 1-Chloro-1-(tosylazo)alk-1-ene	1060
24.4.4.3.1.2	Method 2: Synthesis of 1-Azidoalk-1-ynes	1061
24.4.4.3.1.2.1	Variation 1: Introduction of the Azido Group by Nucleophilic Substitution	1061
24.4.4.3.1.2.2	Variation 2: Formation of the C≡C Bond by Elimination of Halogen	1062
24.4.4.3.1.3	Method 3: Synthesis of 1-Nitroalk-1-ynes	1064
24.4.4.3.1.3.1	Variation 1: Formation of the C≡C Bond by Elimination	1064
24.4.4.3.1.3.2	Variation 2: Introduction of the Nitro Group by Substitution Reactions	1065
24.4.4.3.1.3.3	Variation 3: Oxidation of 1-Nitrosoalk-1-ynes	1067
24.4.4.3.2	Applications of Alk-1-ynyldiazonium Salts, 1-Azidoalk-1-ynes, and 1-Nitroalk-1-ynes in Organic Synthesis	1068
<hr/>		
24.4.5	Product Subclass 5: 1-Phosphorus-Functionalized Alk-1-ynes	
	K. M. Pietrusiewicz and M. Stankević	
<hr/>		
24.4.5	Product Subclass 5: 1-Phosphorus-Functionalized Alk-1-ynes	1073
24.4.5.1	Synthesis of Product Subclass 5	1073
24.4.5.1.1	Method 1: Nucleophilic Substitution Reactions at Phosphorus with Alkali Metal Acetylides	1073
24.4.5.1.2	Method 2: Reaction of Phosphorus Nucleophiles with Electrophilic Alkynes	1074
24.4.5.1.2.1	Variation 1: From Triorgano Phosphites (Michaelis–Arbuzov Reaction)	1074
24.4.5.1.2.2	Variation 2: From Diorgano Phosphites (Michaelis–Becker Reaction)	1075
24.4.5.1.2.3	Variation 3: From Tertiary Phosphines by Quaternization	1076
24.4.5.1.3	Method 3: Elimination	1076
24.4.5.1.3.1	Variation 1: From Phosphorus-Substituted Alkenes	1076
24.4.5.1.3.2	Variation 2: From α -Phosphorus-Substituted Ketones	1077
24.4.5.1.4	Method 4: Coupling of Phosphorus Derivatives with Alkynes and Alkenes	1078
24.4.5.1.5	Method 5: Structural Modification of Other Phosphorus-Substituted Alkynes	1079
24.4.5.1.5.1	Variation 1: Modification of the Phosphorus Functionality	1079
24.4.5.1.5.2	Variation 2: Modification of the Alkyne Fragment	1080
24.4.5.2	Applications of Product Subclass 5 in Organic Synthesis	1081

Keyword Index	1087
Author Index	1145
Abbreviations	1189