

# Contents

<b>Introduction</b>	.....	v
<b>1 Phase Space Model of Particle Production</b>	.....	1
1.1 <i>High energy nuclear events</i>	.....	
E. Fermi		
Prog. Theor. Phys. <b>5</b> , 570 (1950)	.....	6
1.2 <i>On multiparticle production in a single interaction process</i>	.....	
I. Pomeranchuk		
Proceedings of USSR Academy of Sciences <b>78</b> , 889 (1951)	.....	20
1.3 <i>Statistical thermodynamics of strong interactions at high energies</i>	.....	
R. Hagedorn		
Suppl. Nuovo Cimento <b>3</b> , 147 (1965)	.....	24
1.4 <i>On the hadronic mass spectrum</i>	.....	
R. Hagedorn		
Nuovo Cimento <b>52</b> , 1336 (1967)	.....	64
1.5 <i>Strange anti-baryons from quark-gluon plasma</i>	.....	
J. Rafelski		
Phys. Lett. B <b>262</b> , 333 (1991)	.....	69
<b>2 Perturbative QCD Plasma</b>	.....	77
2.1 <i>Superdense matter: neutrons or asymptotically free quarks?</i>	.....	
J. C. Collins and M. J. Perry		
Phys. Rev. Lett. <b>34</b> , 1353 (1975)	.....	82
2.2 <i>Fermions and gauge vector mesons at finite temperature and density. III. The ground-state energy of a relativistic quark gas</i>	.....	
B. A. Freedman and L. D. McLerran		
Phys. Rev. D <b>16</b> , 1169 (1977)	.....	86
2.3 <i>Theory of hadron plasma</i>	.....	
É. V. Shuryak		
Zh. Eksp. Teor. Fiz. <b>74</b> , 408 (1978)	.....	
[Sov. Phys. JETP <b>47</b> , 212 (1978)]	.....	103
2.4 <i>Quantum chromodynamics at high temperature</i>	.....	
J. I. Kapusta		
Nucl. Phys. B <b>148</b> , 461 (1979)	.....	111
2.5 <i>Infrared problem in the thermodynamics of the Yang-Mills gas</i>	.....	
A. D. Linde		
Phys. Lett. B <b>96</b> , 289 (1980)	.....	149
2.6 <i>Covariant calculations at finite temperature: the relativistic plasma</i>	.....	
H. A. Weldon		
Phys. Rev. D <b>26</b> , 1394 (1982)	.....	153

2.7	<i>Spectrum of elementary Fermi excitations in quark-gluon plasma</i>	
V. V. Klimov		
Yad. Fiz. <b>33</b> , 1734 (1981)		
[Sov. J. Nucl. Phys. <b>33</b> , 934 (1981)]	167	
2.8	<i>Soft amplitudes in hot gauge theories: a general analysis</i>	
E. Braaten and R. D. Pisarski		
Nucl. Phys. B <b>337</b> , 569 (1990)	169	
<b>3</b>	<b>Lattice Gauge Theory</b>	<b>235</b>
3.1	<i>Lattice models of quark confinement at high temperature</i>	
L. Susskind		
Phys. Rev. D <b>20</b> , 2610 (1979)	239	
3.2	<i>Quark liberation at high temperature: a Monte Carlo study of SU(2) gauge theory</i>	
L. D. McLerran and B. Svetitsky		
Phys. Rev. D <b>24</b> , 450 (1981)	248	
3.3	<i>Monte Carlo study of SU(2) gauge theory at finite temperature</i>	
J. Kuti, J. Polónyi and K. Szlachányi		
Phys. Lett. B <b>98</b> , 199 (1981)	259	
3.4	<i>The order of the deconfinement transition in SU(3) Yang-Mills theory</i>	
T. Çelik, J. Engels and H. Satz		
Phys. Lett. B <b>125</b> , 411 (1983)	265	
3.5	<i>On the existence of a phase transition for QCD with three light quarks</i>	
F. R. Brown, F. P. Butler, H. Chen, N. H. Christ, Z.-H. Dong, W. Schaffer, L. I. Unger and A. Vaccarino		
Phys. Rev. Lett. <b>65</b> , 2491 (1990)	269	
3.6	<i>Remarks on the chiral phase transition in chromodynamics</i>	
R. D. Pisarski and F. Wilczek		
Phys. Rev. D <b>29</b> , 338 (1984)	273	
<b>4</b>	<b>Fluid Dynamics and Flow</b>	<b>277</b>
4.1	<i>On multiple production of particles during collisions of fast particles</i>	
L. D. Landau		
Izv. Akad. Nauk SSSR, Physics Series, <b>17</b> , 51 (1953); in English: L. D. Landau, <i>Collected Papers of L. D. Landau</i> , edited by D. Ter Haar, Pergamon, Oxford (1965), p569.	283	
4.2	<i>Highly relativistic nucleus-nucleus collisions: The central rapidity region</i>	
J. D. Bjorken		
Phys. Rev. D <b>27</b> , 140 (1983)	300	
4.3	<i>Hydrodynamics of ultra-relativistic heavy ion collisions</i>	
G. Baym, B.L. Friman, J.-P. Blaizot, M. Soyeur and W. Czyz		
Nucl. Phys. A <b>407</b> , 541 (1983)	312	

<b>4.4 Single particle distribution in the hydrodynamic and statistical thermodynamic models of multiparticle production</b>	
F. Cooper and G. Frye	
Phys. Rev. D <b>10</b> , 186 (1974) . . . . .	342
<b>4.5 Evidence for a blast wave from compressed nuclear matter</b>	
P. J. Siemens and J. O. Rasmussen	
Phys. Rev. Lett. <b>42</b> , 880 (1979) . . . . .	346
<b>4.6 Transverse momentum analysis of collective motion in relativistic nuclear collisions</b>	
P. Danielewicz and G. Odyniec	
Phys. Lett. B <b>157</b> , 146 (1985) . . . . .	350
<b>4.7 Anisotropy as a signature of transverse collective flow</b>	
J.-Y. Ollitrault	
Phys. Rev. D <b>46</b> , 229 (1992) . . . . .	355
<b>5 Strangeness</b>	372
<b>5.1 Strangeness production in the quark-gluon plasma</b>	
J. Rafelski and B. Müller	
Phys. Rev. Lett. <b>48</b> , 1066 (1982) [Erratum: <b>56</b> , 2334 (1986)] . .	378
<b>5.2 Quarkochemistry in relativistic heavy-ion collisions</b>	
T. S. Biró and J. Zimányi	
Phys. Lett. B <b>113</b> , 6 (1982) . . . . .	383
<b>5.3 How much strangeness production is there in ultrarelativistic nucleus-nucleus collisions?</b>	
J. Kapusta and A. Mekjian	
Phys. Rev. D <b>33</b> , 1304 (1986) . . . . .	388
<b>5.4 Time evolution of strange-particle densities in hot hadronic matter</b>	
P. Koch and J. Rafelski	
Nucl. Phys. A <b>444</b> , 678 (1985) . . . . .	398
<b>5.5 Separation of strangeness from antistrangeness in the phase transition from quark to hadron matter: possible formation of strange quark matter in heavy-ion collisions</b>	
C. Greiner, P. Koch and H. Stöcker	
Phys. Rev. Lett. <b>58</b> , 1825 (1987) . . . . .	412
<b>6 Charm</b>	416
<b>6.1 <math>J/\psi</math> suppression by quark-gluon plasma formation</b>	
T. Matsui and H. Satz	
Phys. Lett. B <b>178</b> , 416 (1986) . . . . .	419
<b>6.2 Color screening and deconfinement for bound states of heavy quarks</b>	
F. Karsch, M. T. Mehr and H. Satz	
Z. Phys. C <b>37</b> , 617 (1988) . . . . .	426

<b>7 Electromagnetic Signals . . . . .</b>	<b>432</b>
7.1 <i>Direct production of photons and dileptons in thermodynamical models of multiple hadron production</i> E. L. Feinberg <i>Nuovo Cim. A</i> <b>34</b> , 391 (1976) . . . . .	436
7.2 <i>Quark-gluon plasma and the production of leptons, photons and psions in hadron collisions</i> É. V. Shuryak <i>Yad. Fiz.</i> <b>28</b> , 796 (1978) [Sov. J. Nucl. Phys. <b>28</b> , 408 (1978)] . . . . .	457
7.3 <i>Muon pair production in very high energy nucleus-nucleus collisions</i> K. Kajantie and H. I. Miettinen <i>Z. Phys. C</i> <b>14</b> , 357 (1982) . . . . .	465
7.4 <i>Direct lepton production in high-energy collisions of nuclei</i> G. Domokos <i>Phys. Rev. D</i> <b>28</b> , 123 (1983) . . . . .	471
7.5 <i>Dilepton emission and the QCD phase transition in ultrarelativistic nuclear collisions</i> K. Kajantie, J. Kapusta, L. McLerran and A. Mekjian <i>Phys. Rev. D</i> <b>34</b> , 2746 (1986) . . . . .	478
7.6 <i>High-energy photons from quark-gluon plasma versus hot hadronic gas</i> J. Kapusta, P. Lichard and D. Seibert <i>Phys. Rev. D</i> <b>44</b> , 2774 (1991) [Erratum: <b>47</b> , 4171 (1993)] . . . . .	487
<b>8 Quark-Gluon Plasma Formation . . . . .</b>	<b>503</b>
8.1 <i>Minijet production in high-energy nucleus-nucleus collisions</i> K. Kajantie, P. V. Landshoff and J. Lindfors <i>Phys. Rev. Lett.</i> <b>59</b> , 2527 (1987) . . . . .	508
8.2 <i>The early stage of ultra-relativistic heavy ion collisions</i> J.-P. Blaizot and A. H. Mueller <i>Nucl. Phys. B</i> <b>289</b> , 847 (1987) . . . . .	512
8.3 <i>Quark and gluon production in high-energy nucleus-nucleus collisions</i> K. J. Eskola, K. Kajantie and J. Lindfors <i>Nucl. Phys. B</i> <b>323</b> , 37 (1989) . . . . .	526
8.4 <i>HIJING: A Monte Carlo model for multiple jet production in pp, pA and AA collisions</i> X.-N. Wang and M. Gyulassy <i>Phys. Rev. D</i> <b>44</b> , 3501 (1991) . . . . .	542
8.5 <i>Dynamics of parton cascades in highly relativistic nuclear collisions</i> K. Geiger and B. Müller <i>Nucl. Phys. B</i> <b>369</b> , 600 (1992) . . . . .	558

8.6	<i>Kinetic theory for plasmas with non-abelian interactions</i>	
	U. Heinz	
	Phys. Rev. Lett. <b>51</b> , 351 (1983)	613
<b>9</b>	<b>Parton Energy Loss</b>	<b>617</b>
9.1	<i>Jets as a probe of quark-gluon plasmas</i>	
	D. A. Appel	
	Phys. Rev. D <b>33</b> , 717 (1986)	620
9.2	<i>Jets in expanding quark-gluon plasmas</i>	
	J.-P. Blaizot and L. D. McLerran	
	Phys. Rev. D <b>34</b> , 2739 (1986)	626
9.3	<i>Gluon shadowing and jet quenching in A+A collisions at <math>\sqrt{s} = 200A \text{ GeV}</math></i>	
	X.-N. Wang and M. Gyulassy	
	Phys. Rev. Lett. <b>68</b> , 1480 (1992)	633
<b>10</b>	<b>Density Interferometry</b>	<b>637</b>
10.1	<i>Influence of Bose-Einstein statistics on the antiproton-proton annihilation process</i>	
	G. Goldhaber, S. Goldhaber, W. Lee and A. Pais	
	Phys. Rev. <b>120</b> , 300 (1960)	641
10.2	<i>Like particle correlations as a tool to study the multiple production mechanism</i>	
	G. I. Kopylov	
	Phys. Lett. B <b>50</b> , 472 (1974)	654
10.3	<i>Pion interferometry of nuclear collisions. I. Theory</i>	
	M. Gyulassy, S. K. Kauffmann and L. W. Wilson	
	Phys. Rev. C <b>20</b> , 2267 (1979)	657
10.4	<i>Proton pictures of high-energy nuclear collisions</i>	
	S. E. Koonin	
	Phys. Lett. B <b>70</b> , 43 (1977)	683
10.5	<i>Pion interferometry for exploding sources</i>	
	S. Pratt	
	Phys. Rev. Lett. <b>53</b> , 1219 (1984)	688
10.6	<i>Pion interferometry of quark-gluon plasma</i>	
	S. Pratt	
	Phys. Rev. D <b>33</b> , 1314 (1986)	691
<b>11</b>	<b>Disoriented Chiral Condensate</b>	<b>705</b>
11.1	<i>Classical states of the chiral field and nuclear collisions at very high energy</i>	
	A. A. Anselm	
	Phys. Lett. B <b>217</b> , 169 (1989)	708
11.2	<i>Soft-pion emission in high-energy heavy-ion collisions</i>	
	J.-P. Blaizot and A. Krzywicki	
	Phys. Rev. D <b>46</b> , 246 (1992)	712

11.3	<i>Static and dynamic critical phenomena at a second order QCD phase transition</i>	
	K. Rajagopal and F. Wilczek	
	Nucl. Phys. B <b>399</b> , 395 (1993) . . . . .	718
<b>12</b>	<b>Phase Transition Dynamics and Cosmology</b>	<b>749</b>
12.1	<i>Cosmic separation of phases</i>	
	E. Witten	
	Phys. Rev. D <b>30</b> , 272 (1984) . . . . .	752
12.2	<i>Big bang nucleosynthesis and the quark-hadron transition</i>	
	H. Kurki-Suonio, R. A. Matzner, K. A. Olive and	
	D. N. Schramm	
	Astrophys. J. <b>353</b> , 406 (1990) . . . . .	766
12.3	<i>Bubble growth and droplet decay in the quark-hadron phase transition in the early Universe</i>	
	K. Kajantie and H. Kurki-Suonio	
	Phys. Rev. D <b>34</b> , 1719 (1986) . . . . .	771
12.4	<i>Dynamics of the QCD phase transition</i>	
	L. P. Csernai and J. I. Kapusta	
	Phys. Rev. Lett. <b>69</b> , 737 (1992) . . . . .	791
<b>13</b>	<b>Color Superconductivity</b>	<b>795</b>
13.1	<i>Superconducting quark matter</i>	
	B. C. Barrois	
	Nucl. Phys. B <b>129</b> , 390 (1977) . . . . .	798
13.2	<i>Superconductivity in quark matter</i>	
	D. Bailin and A. Love	
	Nucl. Phys. B <b>205</b> , 119 (1982) . . . . .	805
<b>Author Index</b>		<b>817</b>