

CONTENTS

<i>List of tables and figures</i>	ix
<i>Notes on contributors</i>	xiv
<i>Acknowledgements</i>	xvii
<i>Foreword by Sue Campbell</i>	xix
<i>Foreword by Clyde Williams</i>	xx
Introduction	1
EDWARD M. WINTER, PAUL D. BROMLEY, R.C. RICHARD DAVISON, ANDREW M. JONES AND THOMAS H. MERCER	
PART 1	
General principles	5
Rationale	7
EDWARD M. WINTER, PAUL D. BROMLEY, R.C. RICHARD DAVISON, ANDREW M. JONES AND THOMAS H. MERCER	
1 Health and safety	11
GRAHAM JARMAN	
2 Psychological issues in exercise testing	18
CRAIG A. MAHONEY	
3 Blood sampling	25
RON MAUGHAN, SUSAN M. SHIRREFFS AND JOHN B. LEIPER	
4 Ethics and physiological testing	30
STEVE OLIVIER	

PART 2	
Methodological issues	39
5 Method agreement and measurement error in the physiology of exercise	41
GREG ATKINSON AND ALAN M. NEVILL	
6 Scaling: adjusting physiological and performance measures for differences in body size	49
EDWARD M. WINTER	
7 Circadian rhythms	54
THOMAS REILLY	
PART 3	
General procedures	61
8 Lung and respiratory muscle function	63
ALISON MCCONNELL	
9 Surface anthropometry	76
ARTHUR D. STEWART AND ROGER ESTON	
10 Measuring flexibility	84
NICOLA PHILLIPS	
11 Pulmonary gas exchange	101
DAVID V.B. JAMES, LEIGH E. SANDALS, DAN M. WOOD AND ANDREW M. JONES	
12 Lactate testing	112
NEIL SPURWAY AND ANDREW M. JONES	
13 Ratings of perceived exertion	120
JOHN BUCKLEY AND ROGER ESTON	
14 Strength testing	130
ANTHONY J. BLAZEVIK AND DALE CANNAVAN	
15 Upper-body exercise	138
PAUL M. SMITH AND MIKE J. PRICE	
PART 4	
Clinical exercise physiology	145
16 Exercise testing for people with diabetes	147
PELAGIA KOUFAKI	

17 Cardiac disorders	156
KEITH GEORGE, PAUL D. BROMLEY AND GREGORY P. WHYTE	
18 Peripheral circulatory disorders	169
JOHN M. SAXTON AND NIGEL T. CABLE	
19 Cardiopulmonary exercise testing in patients with ventilatory disorders	179
LEE M. ROMER	
20 Exercise assessment for people with end-stage renal failure	189
PELAGIA KOUFAKI AND THOMAS H. MERCER	
21 Physiological testing for neuromuscular disorders	199
DAVID A. JONES AND JOAN M. ROUND	
PART 5	
Special populations	209
22 Children and fitness testing	211
GARETH STRATTON AND CRAIG A. WILLIAMS	
23 Testing older people	224
JOHN M. SAXTON	
24 Testing the female athlete	237
MELONIE BURROWS	
25 Testing an aesthetic athlete: contemporary dance and classical ballet dancers	249
MATTHEW WYON	
<i>Index</i>	263

TABLES AND FIGURES

TABLES

1.1	An example of a 3 × 3 risk rating system	14
7.1	Circadian variation in muscle strength and power from various sources	56
9.1	Skinfold measurements	80
9.2	Girth measurements	81
11.1	Effect of a 1% increase in $F_{E}O_2$ and $F_{E}CO_2$ on the error incurred in the calculation of $\dot{V}O_2$ and $\dot{V}CO_2$ at three levels of exercise intensity	106
11.2	Effect of measurement precision on the determined $\dot{V}O_2$ for heavy intensity exercise with 45 s expirate collections	107
11.3	Total precision in the calculation of $\dot{V}O_2$ and $\dot{V}CO_2$ at three levels of exercise intensity and for four collection periods	108
13.1	Summary of the relationship between the percentages of maximal aerobic power, maximal heart rate reserve, maximal heart rate and Borg's rating of perceived exertion	121
14.1	Correlation between sprint running and selected test performances	134
14.2	Examples of equations used to calculate 1-RM lifting performances from multiple maximal repetitions	135
15.1	Recommended starting and increments in exercise intensity for graded arm crank ergometry tests	141
15.2	Recommended ranges of resistive loads to be used in association with an optimisation procedure linked to corrected peak power output	144
16.1	Plasma glucose levels for the diagnosis of diabetes and in impaired glucose tolerance state	148
17.1	Common congenital cardiovascular defects	163
17.2	Common inherited cardiovascular diseases	164

18.1	Interpretation of ABPI results	171
19.1	Discriminating measurements during exercise in patients with obstructive and restrictive ventilatory disorders	185
20.1	Absolute and relative contraindications to exercise testing in patients with ESRF	191
20.2	Special considerations for exercise testing of patients with ESRF	192
20.3	Reasons to terminate the exercise test	193
21.1	Summary of the main disorders and diseases affecting skeletal muscle, arranged according to their main presenting symptom	200
21.2	Possible investigations of muscle function in relation to symptoms of weakness and fatigue	204
22.1	Cut off points for girls and boys between age 5 and 18 years defined to pass through UK BMI 25 and 30 at age 19.5 years	216
22.2	The EUROFIT fitness test battery	220
23.1	Common tests of balance and agility in the elderly	231
24.1	Definitions for menstrual terms in female athletes	242
25.1	Peak strength values for quadriceps and hamstrings in dancers	252
25.2	Indices of anaerobic power in dancers and comparative indices from other sports	253
25.3	Maximal aerobic uptake of dancers, other selected sports and untrained individuals	254
25.4	Reported ranges of movement in dancers	255
25.5	Anthropometric data for dancers	258

FIGURES

2.1	Models of the stages of behaviour	23
5.1	A nomogram to estimate the effects of measurement repeatability error on whether 'analytical goals' are attainable or not in exercise physiology research	44
5.2	Using a confidence interval and 'region of equivalence' for the mean difference between methods/tests	45
5.3	Various examples of relationships between systematic and random error and the size of the measured value as shown on a Bland-Altman plot	46
8.1	Static lung volumes	67
8.2	(a) Spirogram of volume against time, (b) Spirogram of volume against flow	68
9.1	A triceps skinfold measurement illustrating appropriate technique	79
9.2	Skinfold locations	81
10.1	Measuring shoulder flexion in supine	87

10.2	Measuring combined elevation and external rotation (back scratch)	88
10.3	Measuring shoulder internal rotation at 90° abduction in supine	89
10.4	Measuring hamstring flexibility using the straight leg raise	90
10.5	Measuring hip flexor length using the Thomas test	92
10.6	Measuring hip flexor length in prone lying	93
10.7	Measuring gastrocnemius length in stride standing	95
10.8	Measuring soleus length in stride standing	96
10.9	Measuring hamstring flexibility using the sit and reach test	97
10.10	Measuring cervical spine rotation in sitting	99
12.1	Typical blood lactate and heart rate responses to a multi-stage incremental treadmill test in an endurance athlete	114
12.2	Determination of the running speed at the MLSS in an endurance athlete	115
12.3	Schematic illustration of the response of blood [lactate] in the first 15 min of recovery from exhaustive high-intensity exercise in an endurance-trained athlete and a sprint-trained athlete	118
13.1	The Children's Effort Rating Table	124
15.1	An illustration of step and ramp patterns of increases in exercise intensity used to elicit peak physiological responses during a graded arm crank ergometry test	140
15.2	Mean values of uncorrected and corrected PPO achieved using a range of resistive loads during an optimisation procedure conducted by 25 untrained men	143
16.1	Simplified schematic representation of exercise-induced hypoglycaemia and post-exercise-induced hyperglycaemia in type 1 diabetes and in people with long-standing insulin deficiency	153
17.1	An exemplar '12-lead' ECG	158
17.2	An example of an M-mode echocardiogram across the left ventricle	162
19.1	Graphical representation of standard incremental exercise protocols	182
21.1	Changes in voluntary isometric quadriceps strength with age in healthy females	205
21.2	Voluntary isometric quadriceps strength and vertical jump height for younger and older healthy males and females	206
24.1	Diagrammatic representation of the menstrual cycle	238
24.2	The use of menstrual cycle diaries to identify the menstrual phases	239
24.3	The continuum of menstrual cycle irregularities	242
25.1	Passive range of movement test	256
25.2	Active range of movement test	257