

Contents

I	Introduction	1
1	Introduction	3
1.1	Overview Intersecting Axes	5
1.2	Overview of the intertwining cases	8
1.3	Why an algorithm is needed	10
2	The Acute Triangle Theorem	13
2.1	Nielsen equivalence	13
2.1.1	Groups and Triangles	14
2.1.2	The Geometric Description of Trace Minimizing .	15
2.1.3	Groups and pentagons	18
2.2	Idea of proof: Acute triangle theorem	19
2.3	Labeling Conventions	20
2.4	Ascending order conventions	21
2.5	The Triangle Algorithm	21
2.6	Q and the last triangle along A	25
2.7	Combining triangle algorithm steps	28
2.8	The sides and heights converge to 0	31
2.9	Acute triangle theorem: proof	31
3	Discreteness Theorem Proof Outline	33
3.1	The Discreteness Theorem	33
3.2	Discreteness theorem	35
3.3	Geometric equivalence theorems	36
II	Preliminaries	39

4 Triangle Groups and their Tilings	41
4.1 Basic facts about triangle groups	42
4.2 Minimal tiling distances	44
4.3 The wedge at a vertex	46
4.4 Proofs of lemmas and theorems	50
4.5 Additional Notation	55
4.6 Distances in the extended wedge	55
5 Pentagons	61
5.1 Constructing the pentagon, $P_{A,B}$	61
5.2 Notation	66
5.3 Applying the Poincaré Polygon Theorem	66
5.4 Pentagon Tilings	67
5.5 Distances in the shingling	68
5.6 Distance lemmas in P	71
6 Hyperbolic Formulae & Geometry	73
6.1 Addition formulas for the hyperbolic sine and cosine	73
6.2 Hyperbolic Triangles	74
6.3 Geometric Corollaries and Lemmas	75
6.3.1 Consequences of the Hyperbolic Law of Cosines	75
6.3.2 Geometric corollaries for quadrilaterals and pentagons	76
6.3.3 The geometry of acute and equilateral triangles	78
7 Extending Knapp & Poincaré	81
7.1 Extending the Knapp Count	82
7.2 Facts and Notation	83
7.3 Restrict to $P = P_{A,B}$	85
7.4 Counting the images of vertices	91
III Geometric Equivalence and the Discreteness Theorem	95
8 The Standard Acute Triangles	97
8.1 Stact: $(2, 3, n)t = 3, k = 3$	98

8.2	Stact: $(2, 4, n)t = 2; k = 2$	102
8.3	Stact: $(2, 3, 7)t = 9; k = 2$	103
8.4	Pentagon distances $(2, 3, n)t = 3; k = 3$	107
9	Nielsen Eq: $(2, 3, n)t = 3; k = 3$	109
9.1	Introduction	109
9.2	Types of triples: distances	110
9.3	Locating t_2 and t_3	110
10	Nielsen Eq: $(2, 4, n)t = 2; k = 2$	113
10.1	Introduction	113
10.2	Types of triples	114
	10.2.1 Distances in the standard pentagon	115
10.3	Location of t_1, t_2 and t_3	119
11	Pentagon $t = 9$ & 2-2 Spectrum	121
11.1	Step 1: Label the wedge	122
11.2	Step 2: Double and Extend	123
11.3	Step 3: Drop perpendiculars	126
11.4	The two-two spectrum	129
11.5	More distance computations	130
11.6	Distances to q'_0	132
11.7	Locate three order two points	140
12	The Seven & Geometric Eq $t = 9$	141
12.1	Introduction	141
12.2	The variation of h and b	142
12.3	Rule out a seven on the β side	144
12.4	Rule out a seven on the D side	144
12.5	Interior sevens	146
12.6	Notation	148
12.6.1	$b = T_0$	148
12.6.2	Rule out $b = 2T_0 = T_1$	149
12.6.3	Rule out $\{\mathbf{q}, \mathbf{A}^{-1}(\mathbf{q}), \mathbf{q}''\}$	150
12.6.4	Rule out $b = T_2$	151
12.7	Geometric equivalence $(2, 3, 7)t = 9; k = 2$	156

13 Discreteness Theorem Proof	159
13.1 The Proof of the Discreteness Theorem	159
13.2 The proof of sufficiency	161
IV The Real Number Algorithm and the Turing Machine Algorithm	165
14 Forms of the Algorithm	167
14.1 What is an algorithm?	168
14.1.1 Turing machine Algorithms	170
14.1.2 Real Number Algorithms	171
14.2 The Elliptic Order Algorithm	173
14.3 Notation and Preliminary Computations	176
14.3.1 Fixed points and cross-ratios	176
14.3.2 Computation of p_2 and γ	177
14.3.3 Positive and Negative Rotations	178
14.4 The Real Number Algorithm	179
14.5 The Turing Machine Algorithm	190
V Appendix	193
A Verify Matelski-Beardon Count	195
B A Summary of Notation	199