

Contents



| | |
|---|----|
| <i>Series Introduction</i> | ix |
| <i>Preface</i> | xi |
| 1 Introduction | 1 |
| 1.1 Examples of dynamic systems with sliding modes | 1 |
| 1.2 Sliding modes in relay and variable-structure systems | 4 |
| 1.3 Multidimensional sliding modes | 9 |
| 1.4 Outline of sliding mode control methodology | 11 |
| References | 13 |
| 2 Mathematical Background | 15 |
| 2.1 Problem statement | 15 |
| 2.2 Regularization | 18 |
| 2.3 Equivalent control method | 24 |
| 2.4 Physical meaning of equivalent control | 27 |
| 2.5 Existence conditions | 28 |
| References | 34 |
| 3 Design Concepts | 35 |
| 3.1 Introductory example | 35 |
| 3.2 Decoupling | 36 |
| 3.3 Regular form | 39 |
| 3.4 Invariance | 41 |
| 3.5 Unit control | 43 |
| References | 46 |
| 4 Pendulum Systems | 47 |
| 4.1 Design methodology | 47 |
| 4.2 Cart–pendulum | 51 |
| 4.3 Double inverted pendulum | 55 |

| | | |
|------------|---|------------|
| 4.4 | Rotational inverted pendulum system | 62 |
| 4.4.1 | Control of inverted pendulum | 63 |
| 4.4.2 | Control of the base angle and the inverted pendulum | 66 |
| 4.5 | Simulation and experimental results for rotational inverted pendulum | 68 |
| 4.5.1 | Stabilization of the inverted pendulum | 70 |
| 4.5.2 | Stabilization of the inverted pendulum and the base | 73 |
| | References | 76 |
| 5 | Control of Linear Systems | 79 |
| 5.1 | Eigenvalue placement | 79 |
| 5.2 | Invariant systems | 82 |
| 5.3 | Sliding mode dynamic compensators | 83 |
| 5.4 | Ackermann's formula | 87 |
| 5.5 | Output feedback sliding mode control | 94 |
| 5.6 | Control of time-varying systems | 99 |
| | References | 102 |
| 6 | Sliding Mode Observers | 103 |
| 6.1 | Linear asymptotic observers | 103 |
| 6.2 | Observers for linear time-invariant systems | 105 |
| 6.3 | Observers for linear time-varying systems | 106 |
| 6.3.1 | Block-observable form | 106 |
| 6.3.2 | Observer design | 109 |
| 6.3.3 | Simulation results | 110 |
| | References | 113 |
| 7 | Integral Sliding Mode | 115 |
| 7.1 | Motivation | 115 |
| 7.2 | Problem statement | 116 |
| 7.3 | Design principles | 117 |
| 7.4 | Perturbation and uncertainty estimation | 118 |
| 7.5 | Application examples | 120 |
| 7.5.1 | Linear time-invariant systems | 120 |
| 7.5.2 | Control of robot manipulators | 122 |
| 7.5.3 | Pulse-width modulation for electric drives | 124 |
| 7.5.4 | Robust current control for PMSMs | 125 |
| 7.6 | Summary | 129 |
| | References | 129 |
| 8 | The Chattering Problem | 131 |
| 8.1 | Problem analysis | 131 |
| 8.1.1 | Example system: model | 132 |
| 8.1.2 | Example system: ideal sliding mode | 132 |
| 8.1.3 | Example system: causes of chattering | 134 |
| 8.2 | Boundary layer solution | 139 |
| 8.3 | Observer-based solution | 141 |
| 8.4 | Regular form solution | 144 |
| 8.5 | Disturbance rejection solution | 147 |

| | |
|--|-----|
| 8.6 Comparing the different solutions | 151 |
| References | 153 |
| 9 Discrete-Time and Delay Systems | 155 |
| 9.1 Discrete-time systems | 155 |
| 9.2 Discrete-time sliding mode concept | 157 |
| 9.3 Linear discrete-time systems with known parameters | 161 |
| 9.4 Linear discrete-time systems with unknown parameters | 163 |
| 9.5 Distributed systems and systems with delays | 164 |
| 9.6 Linear systems with delays | 165 |
| 9.7 Distributed systems | 166 |
| 9.8 Summary | 168 |
| References | 169 |
| 10 Electric Drives | 171 |
| 10.1 DC motors | 172 |
| 10.1.1 Introduction | 172 |
| 10.1.2 Model of the DC motor | 172 |
| 10.1.3 Current control | 173 |
| 10.1.4 Speed control | 174 |
| 10.1.5 Integrated structure for speed control | 175 |
| 10.1.6 Observer design | 176 |
| 10.1.7 Speed control with reduced-order model | 179 |
| 10.1.8 Observer design for sensorless control | 182 |
| 10.1.9 Discussion | 185 |
| 10.2 Permanent-magnet synchronous motors | 187 |
| 10.2.1 Introduction | 187 |
| 10.2.2 Model of the PMSH motor | 188 |
| 10.2.3 Current control | 193 |
| 10.2.4 Speed control | 201 |
| 10.2.5 Current observer | 205 |
| 10.2.6 Observer design for sensorless speed control | 206 |
| 10.2.7 Discussion | 211 |
| 10.3 Induction motors | 212 |
| 10.3.1 Introduction | 212 |
| 10.3.2 Model of the induction motor | 213 |
| 10.3.3 Rotor flux observer with known rotor speed | 218 |
| 10.3.4 Speed control | 219 |
| 10.3.5 Observer for rotor flux and rotor speed | 223 |
| 10.3.6 Discussion | 228 |
| 10.4 Summary | 228 |
| References | 229 |
| 11 Power Converters | 231 |
| 11.1 DC/DC converters | 231 |
| 11.1.1 Bilinear systems | 232 |
| 11.1.2 Direct sliding mode control | 233 |
| 11.1.3 Observer based control | 240 |
| 11.2 Boost-type AC/DC converters | 251 |

| | | |
|-----------|---|-----|
| 11.2.1 | Model of the boost-type AC/DC converter | 252 |
| 11.2.2 | Control problems | 254 |
| 11.2.3 | Observer for sensorless control | 262 |
| 11.3 | Summary | 268 |
| | References | 269 |
| 12 | Advanced Robotics | 271 |
| 12.1 | Dynamic modelling | 271 |
| 12.1.1 | Generic inertial dynamics | 272 |
| 12.1.2 | Holonomic robot model | 273 |
| 12.1.3 | Nonholonomic robots: model of a wheel set | 277 |
| 12.2 | Trajectory tracking control | 278 |
| 12.2.1 | Componentwise control | 279 |
| 12.2.2 | Vector control | 283 |
| 12.2.3 | Continuous feedback/feedforward plus a discontinuity term | 286 |
| 12.2.4 | Comparing the design choices | 290 |
| 12.3 | Gradient tracking control | 292 |
| 12.3.1 | Control objectives | 296 |
| 12.3.2 | Holonomic robots | 298 |
| 12.3.3 | Nonholonomic robots | 299 |
| 12.4 | Application examples | 302 |
| 12.4.1 | Torque control for flexible robot | 302 |
| 12.4.2 | Collision avoidance in a known planar workspace | 306 |
| 12.4.3 | Collision avoidance in known workspaces of higher dimension | 310 |
| 12.4.4 | Automatic steering control for passenger cars | 312 |
| | References | 318 |
| | <i>Index</i> | 319 |