

Contents

Preface	ix
9. Trace of $f_{\mathbf{A}}$ on the discrete spectrum	1
(9.0) Introduction	1
(9.1) Automorphic representations	2
(9.2) Cuspidal automorphic representations	14
(9.3) L^2 -automorphic representations	24
(9.4) One dimensional automorphic representations	30
(9.5) Trace of $f_{\mathbf{A}}$ into the discrete spectrum	33
(9.6) Main theorem	45
(9.7) Comments and references	46
10. Non-invariant Arthur trace formula: the geometric side	47
(10.0) Introduction	47
(10.1) The kernel $K(h, g)$	47
(10.2) Integrability of $K(h, g)$ along the diagonal	50
(10.3) Harder's reduction theory revisited	52
(10.4) Proof of the integrability of $k(g)$	62
(10.5) The distributions J_{geom} and $J_{\mathcal{O}}$	71
(10.6) Kazhdan's trick	73
(10.7) The distributions J_{δ}	80
(10.8) Reduction of (10.7.6)	86
(10.9) Proof of lemma (10.8.5)	97
(10.10) Flicker–Kazhdan simple trace formula	114
(10.11) Comments and references	119

11. Non-invariant Arthur trace formula: the spectral side	120
(11.0) Introduction	120
(11.1) Arthur's truncation operators	120
(11.2) $J_{\text{geom}}(f)$ as the integral over the diagonal of the truncated kernel	132
(11.3) Expansion of the kernel following the cuspidal data	146
(11.4) Evaluation of $J_c^T(f)$ in a special case: the operators $M_{f,\pi}^T(\lambda)$	150
(11.5) Evaluation of $J_c^T(f)$ in a special case: $(G, M)^\sim$ -families	168
(11.6) Evaluation of $J_c^T(f)$ in a special case: normalization of intertwining operators	185
(11.7) Evaluation of $J_c^T(f)$ in a special case: Waldspurger's theorem	195
(11.8) A "simple" spectral side for the trace formula	199
(11.9) Comments and references	200
12. Cohomology with compact supports of Drinfeld modular varieties	201
(12.0) Introduction	201
(12.1) Cohomological correspondences and the Deligne conjecture	201
(12.2) Application of the Deligne conjecture to Drinfeld modular varieties	204
(12.3) Application of the non-invariant Arthur trace formula to Drinfeld modular varieties	209
(12.4) Langlands correspondence	213
(12.5) The virtual module $W_{\mathcal{I}}^d$	221
(12.6) Comments and references	222
13. Intersection cohomology of Drinfeld modular varieties: conjectures	224
(13.0) Introduction	224
(13.1) A conjectural trace formula	224
(13.2) Some particular cases of conjecture (13.1.6)	228

(13.3) A cohomological interpretation of the constants $V_{d'}(\mathcal{I})$	242
(13.4) Intersection cohomology	244
(13.5) Comments and references	248

Appendices

D. Representations of unimodular, locally compact, totally discontinuous, separated, topological groups: addendum	249
(D.9) Restricted tensor products	249
(D.10) Rationality properties	256
(D.11) The Grothendieck group of admissible representations	259
(D.12) Comments and references	261
E. Reduction theory and strong approximation	262
(E.0) Introduction	262
(E.1) Reduction theory	262
(E.2) Strong approximation	272
(E.3) Comments and references	274
F. Proof of lemma (10.6.4)	275
(F.0) Notations	275
(F.1) Reductions	275
(F.2) A geometric construction	276
(F.3) The Harish-Chandra lemma	277
(F.4) An application of the Harish-Chandra lemma	279
(F.5) End of the proof of (10.6.4)	281
(F.6) Comments and references	282
G. The decomposition of L_G^2 following the cuspidal data	283
(G.0) Introduction	283
(G.1) Cuspidal data	283

(G.2) Paley–Wiener functions	288
(G.3) Fourier transformation	290
(G.4) Eisenstein series	291
(G.5) Intertwining operators	299
(G.6) The constant terms of the Eisenstein series	310
(G.7) Pseudo-Eisenstein series	315
(G.8) The scalar product of two pseudo-Eisenstein series	320
(G.9) Analytic continuation of Eisenstein series	325
(G.10) The spectral decomposition of $L^2_{G,1\infty,c}$ for regular cuspidal data c	329
(G.11) Comments and references	334
References	335
Some residue computations by J.-L. Waldspurger	341
Index	365