

Contents

Chapter 4

Parabolic Evolution Operators. Hilbert Theory

1. Notation and Hypotheses. First Regularity Theorem	1
1.1 Notation	1
1.2 Statement of the Problems	3
1.3 (Formal) Green's Formulas	3
1.4 First Existence and Uniqueness Theorem (Statement)	5
1.5 Orientation	5
2. The Spaces $H^{r,s}(Q)$. Trace Theorems. Compatibility Relations	6
2.1 $H^{r,s}$ -Spaces	6
2.2 First Trace Theorem	9
2.3 Local Compatibility Relations	10
2.4 Global Compatibility Relations for a Particular Case	12
2.5 General Compatibility Relations	17
3. Evolution Equations and the Laplace Transform	20
3.1 Vector Distribution Solutions	20
3.2 L^2 -Solutions	22
4. The Case of Operators Independent of t	24
4.1 Hypotheses	24
4.2 Basic Inequalities	25
4.3 Solution of the Problem	27
5. Regularity	28
5.1 Preliminaries	28
5.2 Basic Inequalities	29
5.3 An Abstract Result	30
5.4 Solution of the Boundary Value Problem	32
6. Case of Time-Dependent Operators. Existence of Solutions in the Spaces $H^{2r,m,m}(Q)$, Real $r \geq 1$	33
6.1 Hypotheses. Statement of the Result	33
6.2 Local Result in t	34
6.3 Proof of Theorem 6.1	36
6.4 Regular Non-Homogeneous Problems	36
7. Adjoint Isomorphism of Order r	39
7.1 The Adjoint Problem	39
7.2 Adjoint Isomorphism of Order r	40

8.	Transposition of the Adjoint Isomorphism of Order ν . (I): Generalities	40
8.1	Transposition	40
8.2	Orientation	41
8.3	The Spaces $H^{-\alpha, -\beta}(Q)$, $H^{-\alpha, -\beta}(\Sigma)$, $\alpha, \beta \geq 0$	41
8.4	(Formal) Choice of L	42
9.	Choice of f . The Spaces $\mathcal{E}^{2r_m, r}(Q)$	43
9.1	The Space $\mathcal{E}^{2r_m, r}(Q)$	43
9.2	The Space $\mathcal{E}^{-2r_m, -r}(Q)$	43
9.3	Choice of f . The Space $D_{\mathcal{P}}^{(r-1)}(Q)$	45
10.	Trace Theorems for the Spaces $D_{\mathcal{P}}^{(r-1)}(Q)$, $r \geq 1$	46
10.1	Density Theorem	46
10.2	Trace Theorem on Σ	49
10.3	Continuity of the Trace on Surfaces Neighbouring Σ	53
10.4	Trace Theorem on Ω_0	55
10.5	Continuity of the Trace on Sections Neighbouring Ω	57
11.	Choice of g_j and u_0 . The Spaces $H^{2\alpha m} \mathcal{E}^\alpha(\Sigma)$	57
11.1	The Spaces $H^{2\alpha m} \mathcal{E}^\alpha(\Sigma)$	57
11.2	Choice of g_j	59
11.3	Choice of u_0	59
12.	Transposition of the Adjoint Isomorphism of Order ν . (II): Results; Existence of Solutions in $H^{2m\nu, r}(Q)$ -Spaces, Real $\nu \leq 0$	59
12.1	Final Choice of L	59
12.2	Results	60
12.3	Complements	62
13.	State of the Problem. Complements on the Transposition of the Adjoint Isomorphism of Order 1	65
13.1	State of the Problem	65
13.2	Complements on the Transposition of the Adjoint Isomorphism of Order 1	66
13.3	Orientation	67
14.	Some Interpolation Theorems	68
14.1	Notation. Statement of the Main Result	68
14.2	Outline of the Proof	69
14.3	First Auxiliary Interpolation Theorem	70
14.4	Second Auxiliary Interpolation Theorem	71
14.5	Third Auxiliary Interpolation Theorem	75
14.6	Proof of Theorem 14.1	78
15.	Final Results; Existence of Solutions in the Spaces $H^{2m\nu, r}(Q)$, $0 < \nu < 1$. Applications	78
15.1	Application of the Results of Section 14	78
15.2	Examples; Generalities	80
15.3	Examples (I)	81
15.4	Examples (II)	82
15.5	Some Complements on the Dirichlet Problem	83
16.	Comments	85
17.	Problems	87

Hyperbolic Evolution Operators, of Petrowski and of Schroedinger. Hilbert Theory

1.	Application of the Results of Chapter 3 and General Remarks	91
1.1	Notation. Hypotheses	91
1.2	Application of the Results of Chapter 3	93
1.3	A Counter-Example	93
2.	A Regularity Theorem (I)	95
3.	Regular Non-Homogeneous Problems	99
3.1	Statement of the Problem	99
3.2	The Compatibility Relations	100
3.3	The Case of the Dirichlet Problem	104
4.	Transposition	105
4.1	Adjoint Isomorphism	105
4.2	Transposition	106
4.3	Choice of L	107
4.4	Conclusion	107
5.	Interpolation	108
5.1	Statement of the Problem	108
5.2	Some Interpolation Results	109
5.3	Consequences	114
5.4	The Case of the Dirichlet Problem	115
6.	Applications and Examples	117
6.1	General Results	117
6.2	Examples	119
7.	Regularity Theorem (II)	122
7.1	Statement	122
7.2	Proof of Theorem 7.1	123
8.	Non-Integer Order Regularity Theorem	127
8.1	Orientation	127
8.2	Interpolation in \mathcal{r}	127
8.3	Interpretation of the Space $V^{(2r-1)m, 2r}(Q)$, $r \geq 1$	128
9.	Adjoint Isomorphism of Order \mathcal{r} and Transposition	129
9.1	Adjoint Isomorphism of Order \mathcal{r}	129
9.2	Transposition	130
9.3	Formal Choice of L	131
10.	Choice of f, \vec{g}, u_0, u_1	130
10.1	Choice of f	131
10.2	The Space $D_{\mathcal{A}+D_{\frac{1}{2}}}^{-(2r-1)}(Q)$	131
10.3	Choice of g_j	131
10.4	Choice of u_0, u_1	132
10.5	Conclusion	132

11.	Trace Theorems in the Space $D_{A+D_1^2}^{-(2r-1)}(\mathcal{Q})$	133
11.1	Density Theorem	133
11.2	Traces on Σ	137
11.3	Continuity of the Trace on Neighbouring Surfaces	140
11.4	Traces on Ω_0	140
11.5	Continuity of the Trace on Sections Neighbouring Ω_0	141
11.6	Remark	142
12.	Schroedinger Type Equations	142
12.1	Notation	142
12.2	First Regularity Theorem. Parabolic Regularization	143
12.3	Second Regularity Theorem	145
12.4	r -Isomorphism Theorem	148
12.5	Choice of L	149
12.6	Trace Theorem	149
13.	Comments	150
14.	Problems	152

Chapter 6

Applications to Optimal Control Problems

1.	Statement of the Problems for the Linear Parabolic Case	157
1.1	Notation	157
1.2	Optimization Problems	159
2.	Choice of the Norms in the Cost Function	160
2.1	Reminder. Condition on $K_1(\mathcal{Q})$	160
2.2	Space Described by $\vec{\mathfrak{S}}y$. Conditions on $K_2(\Sigma)$	161
2.3	Space Described by $y(x, T; u)$. Condition on $K_3(\Omega)$	162
3.	Optimality Condition for Quadratic Cost Functions	163
3.1	Notation	163
3.2	Optimality Condition	163
4.	Optimality Condition and Green's Formula	164
4.1	Optimality Condition. Application of Section 3.2	164
4.2	The Isomorphisms A_1	165
4.3	The "Adjoint" Problem	165
4.4	New Form of the Optimality Condition	166
5.	The Particular Case $\mu = m + \frac{1}{2}$, $E_3 \neq 0$	168
5.1	Properties of y	168
5.2	Choice of $K_1(\mathcal{Q})$	168
5.3	Choice of $K_2(\Sigma)$ and $K_3(\Omega)$	168
5.4	Adjoint Problem and Optimality Condition	168
6.	Consequences of the Optimality Condition (I)	169
6.1	Generalities	169
6.2	Consequences of Theorem 6.1	169
7.	Consequences of the Optimality Condition (II)	171
7.1	Additional Hypotheses	171
7.2	Optimality Condition	171

8.	Complements on the Choice of the Spaces K_l	173
8.1	Orientation	173
8.2	Choice of $K_1(Q)$	173
8.3	Choice of $K_2(\Sigma)$	173
8.4	Choice of $K_3(\Omega)$	174
9.	Examples	174
10.	Non-Parabolic Cases. Statement of the Problems. Generalities	178
10.1	Notation	178
10.2	Cost Function	179
10.3	Optimality Condition (I)	180
10.4	Adjoint Problem	181
10.5	Green's Formula	182
10.6	Optimality Condition (II)	183
10.7	Consequences	183
11.	Applications. Examples	183
11.1	Control in the Boundary Conditions	183
11.2	Choice of K_1	183
11.3	Choice of K_2	185
11.4	Examples	189
12.	Comments	191
13.	Problems	192

Appendix

Boundary Value Problems and Operator Extensions

1.	Statement of the Problem. Well-Posed Spaces	193
1.1	Notation	193
1.2	First Condition for U to be Well-Posed	194
1.3	The Space D_0	195
2.	Abstract Boundary Conditions	196
2.1	Boundary Spaces and Operators	196
2.2	Characterization of Well-Posed Spaces	196
3.	Example 1. Elliptic Operators	198
3.1	Notation	198
3.2	The Boundary Operators and Spaces	199
3.3	Consequences	199
3.4	Various Remarks	200
4.	Example 2. Parabolic Operators	202
4.1	Notation	202
4.2	The Boundary Operators and Spaces	203
4.3	Consequences	205
5.	Example 3. Evolution Operators of the Second Order in t	205
5.1	Notation	205
5.2	Formal Results	206
6.	Comments and Problems	206
	Bibliography	208