

Contents

1	Sense, Denotation and Semantics	1
1.1	Sense and denotation in logic	1
1.1.1	The algebraic tradition	3
1.1.2	The syntactic tradition	3
1.2	The two semantic traditions	4
1.2.1	Tarski	4
1.2.2	Heyting	5
2	Natural Deduction	8
2.1	The calculus	9
2.1.1	The rules	10
2.2	Computational significance	11
2.2.1	Interpretation of the rules	11
2.2.2	Identification of deductions	13
3	The Curry-Howard Isomorphism	14
3.1	Syntax	15
3.1.1	Types	15
3.1.2	Terms	15
3.2	Denotational significance	16
3.3	Operational significance	17
3.4	Conversion	18
3.5	Description of the isomorphism	19
3.6	Relevance of the isomorphism	20
4	The Normalisation Theorem	22
4.1	The Church-Rosser property	22
4.2	The weak normalisation theorem	24
4.3	Proof of the weak normalisation theorem	24
4.3.1	Degree and substitution	25
4.3.2	Degree and conversion	25
4.3.3	Conversion of maximal degree	26

4.3.4	Proof of the theorem	26
4.4	The strong normalisation theorem	26
5	Sequent Calculus	28
5.1	The calculus	29
5.1.1	Sequents	29
5.1.2	Structural rules	29
5.1.3	The intuitionistic case	30
5.1.4	The “identity” group	30
5.1.5	Logical rules	31
5.2	Some properties of the system without cut	33
5.2.1	The last rule	33
5.2.2	Subformula property	33
5.2.3	Asymmetrical interpretation	34
5.3	Sequent Calculus and Natural Deduction	35
5.4	Properties of the translation	39
6	Strong Normalisation Theorem	42
6.1	Reducibility	42
6.2	Properties of reducibility	43
6.2.1	Atomic types	43
6.2.2	Product type	44
6.2.3	Arrow type	44
6.3	Reducibility theorem	45
6.3.1	Pairing	45
6.3.2	Abstraction	45
6.3.3	The theorem	46
7	Gödel’s system T	47
7.1	The calculus	48
7.1.1	Types	48
7.1.2	Terms	48
7.1.3	Intended meaning	48
7.1.4	Conversions	48
7.2	Normalisation theorem	49
7.3	Expressive power: examples	50
7.3.1	Booleans	50
7.3.2	Integers	50
7.4	Expressive power: results	52
7.4.1	Canonical forms	52
7.4.2	Representable functions	52

8	Coherence Spaces	54
8.1	General ideas	54
8.2	Coherence Spaces	56
8.2.1	The web of a coherence space	56
8.2.2	Interpretation	57
8.3	Stable functions	58
8.3.1	Stable functions on a flat space	60
8.3.2	Parallel Or	60
8.4	Direct product of two coherence spaces	61
8.5	The Function-Space	62
8.5.1	The trace of a stable function	62
8.5.2	Representation of the function space	64
8.5.3	The Berry order	65
8.5.4	Partial functions	66
9	Denotational Semantics of T	67
9.1	Simple typed calculus	67
9.1.1	Types	67
9.1.2	Terms	68
9.2	Properties of the interpretation	69
9.3	Gödel's system	70
9.3.1	Booleans	70
9.3.2	Integers	70
9.3.3	Infinity and fixed point	72
10	Sums in Natural Deduction	73
10.1	Defects of the system	74
10.2	Standard conversions	75
10.3	The need for extra conversions	76
10.3.1	Subformula Property	76
10.3.2	Extension to the full fragment	77
10.4	Commuting conversions	78
10.5	Properties of conversion	79
10.6	The associated functional calculus	80
10.6.1	Empty type (corresponding to \perp)	80
10.6.2	Sum type (corresponding to \vee)	81
10.6.3	Additional conversions	81
11	System F	82
11.1	The calculus	82
11.2	Comments	83
11.3	Representation of simple types	84
11.3.1	Booleans	84

11.3.2	Product of types	84
11.3.3	Empty type	85
11.3.4	Sum type	85
11.3.5	Existential type	86
11.4	Representation of a free structure	86
11.4.1	Free structure	87
11.4.2	Representation of the constructors	88
11.4.3	Induction	88
11.5	Representation of inductive types	89
11.5.1	Integers	89
11.5.2	Lists	91
11.5.3	Binary trees	93
11.5.4	Trees of branching type U	93
11.6	The Curry-Howard Isomorphism	94
12	Coherence Semantics of the Sum	95
12.1	Direct sum	96
12.2	Lifted sum	96
12.2.1	dI-domains	98
12.3	Linearity	99
12.3.1	Characterisation in terms of preservation	99
12.3.2	Linear implication	100
12.4	Linearisation	101
12.5	Linearised sum	103
12.6	Tensor product and units	104
13	Cut Elimination (Hauptsatz)	105
13.1	The key cases	105
13.2	The principal lemma	109
13.3	The Hauptsatz	111
13.4	Resolution	112
14	Strong Normalisation for F	114
14.1	Idea of the proof	115
14.1.1	Reducibility candidates	115
14.1.2	Remarks	115
14.1.3	Definitions	116
14.2	Reducibility with parameters	117
14.2.1	Substitution	118
14.2.2	Universal abstraction	118
14.2.3	Universal application	118
14.3	Reducibility theorem	119

15 Representation Theorem	120
15.1 Representable functions	121
15.1.1 Numerals	121
15.1.2 Total recursive functions	122
15.1.3 Provably total functions	123
15.2 Proofs into programs	124
15.2.1 Formulation of HA_2	125
15.2.2 Translation of HA_2 into F	126
15.2.3 Representation of provably total functions	127
15.2.4 Proof without undefined objects	129
A Semantics of System F	132
A.1 Terms of universal type	132
A.1.1 Finite approximation	132
A.1.2 Saturated domains	133
A.1.3 Uniformity	134
A.2 Rigid Embeddings	134
A.2.1 Functoriality of arrow	136
A.3 Interpretation of Types	136
A.3.1 Tokens for universal types	137
A.3.2 Linear notation for tokens	138
A.3.3 The three simplest types	139
A.4 Interpretation of terms	141
A.4.1 Variable coherence spaces	141
A.4.2 Coherence of tokens	142
A.4.3 Interpretation of F	144
A.5 Examples	145
A.5.1 Of course	145
A.5.2 Natural Numbers	147
A.5.3 Linear numerals	148
A.6 Total domains	149
B What is Linear Logic?	150
B.1 Classical logic is not constructive	150
B.2 Linear Sequent Calculus	152
B.3 Proof nets	155
B.4 Cut elimination	158
B.5 Proof nets and natural deduction	161
Bibliography	162
Index and index of notation	166