

CONTENTS

| | | |
|---------|--|----|
| Preface | | xi |
| 0.1 | Background on sheaves of vector spaces over a manifold | 3 |
| 0.2 | Background on sheaf cohomology | 12 |

CHAPTER I

HYPERFUNCTIONS IN A MAXIMAL HYPO-ANALYTIC STRUCTURE

| | | |
|--|---|-----|
| Introduction | | 25 |
| I.1 | Analytic functionals in open subsets of \mathbb{C}^m | 29 |
| I.2 | Analytic functionals in \mathbb{C}^m | 38 |
| I.3 | Integral representations of analytic functionals carried by small compact subsets of a maximally real submanifold | 52 |
| I.4 | Support of an analytic functional carried by small compact subsets of a maximally real submanifold | 66 |
| I.5 | Hyperfunctions on a maximally real submanifold of complex space. Hyperfunctions on a manifold equipped with a maximal hypo-analytic structure | 77 |
| I.6 | Hyperfunction theory, polynomial convexity and Serre duality | 91 |
| Appendix to Section I.6: Homomorphisms of Fréchet spaces | | 107 |

CHAPTER II

MICROLOCAL THEORY OF HYPERFUNCTIONS ON A MAXIMALLY REAL SUBMANIFOLD OF COMPLEX SPACE

| | | |
|--------------|--|-----|
| Introduction | | 113 |
|--------------|--|-----|

| | | |
|------|---|-----|
| II.1 | Boundary values of holomorphic functions in wedges | 115 |
| II.2 | FBI transform of a hyperfunction. Inversion of the FBI transform. Hypo-analyticity characterized by the exponential decay of the FBI transform | 125 |
| II.3 | Local representation of a hyperfunction as a sum of boundary values of holomorphic functions in wedges. Hypo-analytic wave front set of a hyperfunction | 141 |
| II.4 | Delimitation of the hypo-analytic wave-front set of a hyperfunction by the decay of its FBI transform | 150 |
| II.5 | Edge of the wedge | 161 |
| II.6 | The sheaf of microfunctions | 170 |

CHAPTER III

HYPERFUNCTION SOLUTIONS IN A HYPO-ANALYTIC MANIFOLD

| | | |
|--------------|--|-----|
| Introduction | | 179 |
| III.1 | Definition of hyperfunction solutions in a hypo-analytic manifold | 181 |
| III.2 | Statement of the main theorem on the invariance of the sheaves $\mathcal{S}al^{(q)}$ | 195 |
| III.3 | Proof of the Main Theorem | 211 |

CHAPTER IV

TRANSVERSAL SMOOTHNESS OF HYPERFUNCTION SOLUTIONS

| | | |
|--------------|--|-----|
| Introduction | | 235 |
| IV.1 | Analytic functionals depending smoothly on t | 239 |
| IV.2 | Hyperfunctions depending smoothly on t | 259 |

| | | |
|------|--|-----|
| IV.3 | Hyperfunction solutions depending smoothly on t | 272 |
| IV.4 | Partial regularity of all hyperfunction solutions | 295 |
| IV.5 | Consequences and additional remarks | 306 |
| IV.6 | FBI transform of hyperfunctions depending smoothly on t | 316 |
| IV.7 | Use of the fine embedding. CR hyperfunctions | 327 |
| IV.8 | FBI minitransform. Jump Theorem in hypo-analytic structures of the hypersurface type | 337 |
| IV.9 | Nonvanishing of the local cohomology in hypo-analytic structures of the hypersurface type | 344 |
| | Historical Notes | 357 |
| | Bibliographical References | 365 |
| | Index of Terms | 371 |