

Contents

Translator's Preface	v
Preface	vii
Introduction	xvii
 Chapter I. DYNAMIC SYSTEMS IN A PLANE REGION AND ON THE SPHERE	1
§1. Dynamic systems in a plane region	1
<p>1. Introduction (1). 2. Geometric interpretation of the dynamic system (1) in the space R^n (2). 3. Simplest properties of solutions of system (1) (3). 4. Geometric interpretation of a dynamic system on the phase plane (7). 5. Phase portrait in a region G of the phase plane. Elementary discussion (8). 6. Comparison of geometric interpretation in R^n and geometric interpretation on the phase plane (12). 7. Direction on a path. Change of parametrization (13). 8. Terminology and notation (16). 9. Continuity with respect to initial values (17). 10. Change of variables (18). 11. The differential equation corresponding to a dynamic system (20). 12. Isoclines (22). 13. The classical concepts "integral," "integral curve," "general integral" in regard to analytic systems (22). 14. Examples (24). 15. Comments on the examples (38).</p>	
§2. Dynamic systems on the sphere	39
<p>1. Introduction (39). 2. Definition of dynamic system on the sphere (40). 3. Dynamic system on the sphere as a vector field on the sphere (43). 4. Solutions and paths of a dynamic system on the sphere (43). 5. Examples of dynamic systems on the sphere (49).</p>	
 Chapter II. LIMIT POINTS AND SETS. FUNDAMENTAL PROPERTIES OF PATHS	53
Introduction	53
§3. Auxiliary propositions on the intersection of paths with cycles and arcs without contact	55
<p>1. Arc without contact (55). 2. Generalized arc without contact (57). 3. Intersection of a path with an arc without contact (57). 4. Configuration of paths in the neighborhood of an arc without contact (58). 5. Some properties of the functions $\Phi(t, s)$, $\Psi(t, s)$ (61). 6. Paths crossing two arcs without contact. Correspondence function (64). 7. Case of a path having several points in common with an arc without contact (69). 8. Succession function (73). 9. Closed curves formed by combining an arc of a path and an arc without contact; regions bounded by such curves (75). 10. Cycle without contact (78). 11. Family of cycles without contact. Paths entering region filled by cycles without contact (79). 12. Single-crossing cycle (80). 13. Differentiation of function along paths of system (1) (81). 14. Cycle without contact between two successive turns of a path crossing an arc without contact (82).</p>	

§4. Limit points and sets. Fundamental properties of paths . . .	85
1. Limit points of a semipath and a path (85). 2. Examples of limit points (87). 3. Fundamental properties of the set of limit points (87). 4. Properties of paths characteristic for dynamic systems on the plane or the sphere (89). 5. Some properties of limit paths (91). 6. Limit paths of dynamic systems with finitely many equilibrium states. Possible types of paths (94). 7. Theorem on existence of an equilibrium state within a closed path (96). 8. Fundamental theorem on equilibrium states (99). 9. Isolated closed path—limit cycle. Possible configuration of paths near a limit cycle (100).	
Chapter III. FUNDAMENTAL CONCEPTS OF THE QUALITATIVE THEORY OF DYNAMIC SYSTEMS	103
§5. Quantitative and qualitative investigation of dynamic systems	103
1. Introduction (103). 2. Topological structure of a dynamic system (105). 3. Local topological structure (111). 4. Properties of phase portraits in the large and effective methods of qualitative investigation (112).	
Chapter IV. SIMPLE EQUILIBRIUM STATES	115
Introduction	115
§6. Reduction of a dynamic system to canonical form in the neighborhood of a simple equilibrium state	117
1. Analytical conditions characterizing a simple equilibrium state (117). 2. Reduction of a dynamic system to canonical form in the neighborhood of a simple equilibrium state (119). 3. Invariance of the characteristic equation under a regular mapping (125). 4. Preliminary remarks on the possible topological structure of simple equilibrium states (125).	
§7. Configuration of paths in the neighborhood of simple equilibrium points: characteristic roots with nonzero real parts .	127
1. Case 1: characteristic roots λ_1 and λ_2 real and of the same sign (node) (127). 2. Case 2: complex conjugate characteristic roots $\lambda_1 = \alpha + i\beta$, $\lambda_2 = \alpha - i\beta$, $\beta \neq 0$, $\alpha \neq 0$ (focus) (132). 3. Case 3: characteristic roots λ_1 and λ_2 real and of opposite sign ($\lambda_1 \lambda_2 < 0$) (saddle point) (134). 4. Stable and unstable equilibrium states (141). 5. Other methods for investigating equilibrium states whose characteristic roots have nonzero real parts (141). 6. Examples (143). 7. Simple examples of multiple equilibrium states (145).	
§8. Equilibrium state with pure imaginary characteristic roots .	147
1. Introductory remarks (147). 2. Transformation to polar coordinates (147). 3. Comparison of paths of system (I) and integral curves of equation (7) (151). 4. Construction of the succession function on a ray $\theta = \text{const}$ (153). 5. Description of the path through a point in a sufficiently small neighborhood of the equilibrium state (155). 6. Phase portrait in a sufficiently small neighborhood of an equilibrium state O (157). 7. Examples (160).	
§9. Mode of approach of paths to a simple equilibrium state . . .	162
1. Fundamental definition (162). 2. Slope at which a path can tend to a simple equilibrium state (165). 3. Node with distinct characteristic roots (167). 4. Dcritical node (171). 5. Degenerate node (175). 6. Saddle point and focus (179). 7. Survey of simple equilibrium states whose characteristic roots have nonzero real parts (182). 8. Examples (184).	

Chapter V. THEORY OF THE INDEX AND ITS APPLICATIONS TO DYNAMIC SYSTEMS	185
Introduction	185
§10. The Poincaré index	185
1. Rotation of a vector field (185). 2. Index of a simple closed curve relative to a vector field (188). 3. Field of tangents to a closed curve (191). 4. Poincaré's definition of the index (193).	
§11. Application of the theory of the index to dynamic systems	194
1. Two fundamental theorems (194). 2. Index of an isolated singular point (194). 3. The index as a line integral (195). 4. Evaluation of indices of simple equilibrium states of a system (197).	
Chapter VI. SPECIAL METHODS FOR QUALITATIVE INVESTIGATION OF DYNAMIC SYSTEMS	200
Introduction	200
§12. Tests for closed paths	203
1. General remarks on annular regions filled by closed paths (203). 2. Case in which the configuration of isoclines and the properties of the field between them directly imply the absence of limit cycles (204). 3. Tests of Dulac and Bendixson (205). 4. Use of Poincaré indices and single-crossing cycles in relation to the existence of limit cycles (208). 5. Topographic system of curves and contact curve (210). 6. Examples (211).	
§13. Behavior of paths at infinity	216
1. General remarks. Bendixson transformation (216). 2. Consideration of algebraic dynamic systems on the Poincaré sphere (219). 3. Sample investigation of the equator (227).	
§14. Use of numerical methods to determine the qualitative structure of the phase portrait	228
1. General remarks (228). 2. Method of isoclines (228). 3. Specific character of numerical methods applied to determination of qualitative structure of phase portraits (230). 4. Cases in which existence of a limit cycle can be proved by approximation of arcs of paths (231). 5. Case in which the topological structure of the phase portrait is indeterminable in principle by numerical methods (232).	
Chapter VII. "SINGULAR" PATHS AND CELLS OF A DYNAMIC SYSTEM	234
Introduction	234
§15. Orbitally stable and orbitally unstable paths and semipaths .	235
1. Fundamental definitions (235). 2. Simple examples of orbitally stable and orbitally unstable paths (238). 3. Possible types of orbitally unstable semipaths and paths (239). 4. Lemmas on the behavior of semipaths in the neighborhood of an equilibrium state (240). 5. Orbitally unstable paths tending to an equilibrium state (242). 6. Separatrices	

of an equilibrium state (251). 7. Auxiliary propositions (252). 8. Semipaths whose limit points are not all equilibrium states (254). 9. Possible types of singular and non-singular paths in case of finitely many equilibrium states. Case of finitely many singular paths (258).

§16. Cells of a dynamic system which has finitely many singular paths 258

1. Introductory remarks (258). 2. Normal boundary of a bounded subregion $\bar{\sigma}^*$ of the domain of definition (259). 3. Lemma on the set of points of singular elements (260). 4. Proof that the number of cells is finite (case of finitely many singular elements) (261). 5. Dynamic systems on the sphere (263). 6. Behavior of paths near orbitally stable paths (263). 7. Propositions pertaining to nonclosed orbitally stable paths (268). 8. Behavior of nonsingular elements inside the same cell (271). 9. Cells filled by closed paths (271). 10. Cells filled by nonclosed paths (274). 11. Properties of the boundary of a doubly connected cell filled by nonclosed paths (277). 12. Cells whose boundaries include boundary arcs (281). 13. Complete qualitative investigation of a dynamic system. Scheme of a dynamic system (283).

Chapter VIII. SCHEME OF AN EQUILIBRIUM STATE 285

Introduction 285

§17. Equilibrium state approached by at least one semipath . . . 285

1. Auxiliary propositions (285). 2. Types of curvilinear sector. Hyperbolic (saddle), parabolic and elliptic sector (290). 3. Lemmas on elliptic regions (295).

§18. Elementary regions. Types of elementary region 297

1. Arc without contact in a parabolic sector (297). 2. Arcs without contact in an elliptic region (302). 3. Regular saddle region (303). 4. Topological equivalence of phase portraits in elementary regions of the same type (304).

§19. Local and global scheme of an equilibrium state 310

1. Cyclic order of separatrices and elliptic regions of an equilibrium state which is not a center (310). 2. Canonical closed curve about an equilibrium state (313). 3. Local scheme of an equilibrium state other than a center (314). 4. Global scheme of an equilibrium state other than a center (318). 5. Equilibrium states of the center type (322).

Chapter IX. INVESTIGATION OF CERTAIN TYPES OF MULTIPLE EQUILIBRIUM STATES 324

Introduction 324

§20. Directions of approach of paths to multiple equilibrium states 324

1. Transformation to polar coordinates (324). 2. General case (326). 3. Singular case (328). 4. Examples (333).

§21. Topological structure of a multiple equilibrium state in the case $\sigma = P'_x(0,0) + Q'_y(0,0) \neq 0$	333
1. Auxiliary transformations. Lemmas (333). 2. Topological structure of a multiple equilibrium state, $\sigma \neq 0$ (337).	
§22. Topological structure of a multiple equilibrium state in the case $\sigma = 0$	346
1. Auxiliary lemmas (346). 2. Topological structure of a multiple equilibrium state in the case $\sigma = 0$ (356). 3. Simplified version. Examples (363).	
Chapter X. SCHEME OF LIMIT CONTINUUM AND BOUNDARY SCHEME OF REGION G^*	370
Introduction	370
§23. Properties of limit continua and boundary continua of cells filled by closed paths	371
1. Properties of ω - and α -limit continua which are not equilibrium states (371). 2. Zero-limit continua and their properties (375). 3. Continuum consisting of singular paths which are continuations of one another (377).	
§24. Local scheme of a limit continuum and canonical neighborhood	378
1. $\omega(\alpha)$ -enumeration of ω -, α - and 0-limit continua (378). 2. Equivalence of enumerations of two limit continua (380). 3. "One-sided" canonical neighborhood of a limit continuum (380). 4. Local schemes of ω -, α - and 0-limit continua. Equivalence of phase portraits in canonical neighborhoods with equivalent local schemes (382).	
§25. Global scheme of a limit continuum	387
1. Simple closed curves formed by constituent paths of a limit continuum (387). 2. One-sided and two-sided limit continua (390). 3. Relative positions of continua and their canonical curves (393). 4. Free and nonfree continua (395). 5. Global scheme of a limit continuum (396).	
§26. Scheme of the boundary of a region	400
1. Corner points of boundary curves (400). 2. Scheme of a boundary curve, scheme of the boundary, equivalence of two boundary schemes (402).	
Chapter XI. SCHEME OF A DYNAMIC SYSTEM AND FUNDAMENTAL THEOREM	406
Introduction	406
§ 27. Regular system of canonical neighborhoods. $\omega(\alpha)$ -arcs and $\omega(\alpha)$ -cycles	407
1. Notation for singular elements of a dynamic system (407). 2. Regular systems of canonical neighborhoods (407). 3. Elementary arcs and free cycles without contact (410). 4. Conjugate elementary ω - and α -arcs and conjugate free ω - and α -cycles (412).	

§28. Conjugate free ω -, α - and 0-limit continua and the regions between their canonical neighborhoods	414
1. Relative position of two conjugate free ω - and α -cycles (414). 2. Conjugate ω - and α -limit continua (415). 3. Conjugate 0-limit continua (416). 4. Paths passing through endpoints of conjugate ω - and α -arcs (417). 5. Lemma on boundary singular elements and ω - and α -arcs which are subarcs of boundary arcs without contact (419). 6. Chains of singular elements, paths and boundary arcs joining the endpoints of conjugate ω - and α -arcs (421). 7. Regions between conjugate canonical curves or elementary arcs (427).	
§29. Scheme of a dynamic system and fundamental theorem	429
1. Scheme of a dynamic system (429). 2. Scheme correspondence between canonical curves and arcs of canonical curves (433). 3. Conjugate ω - and α -arcs of systems D and D' with equivalent schemes (435). 4. Fundamental theorem (436). 5. Scheme of a dynamic system on the sphere. Scheme of a dynamic system defined on the plane and mapped onto the Poincaré sphere (442).	
Chapter XII. QUALITATIVE INVESTIGATION OF CONCRETE DYNAMIC SYSTEMS "IN THE LARGE"	443
§30. Examples	443
APPENDIX	462
§1. Elementary theory of sets in euclidean space	462
1. Notation (462). 2. Closed and open intervals (462). 3. Point of accumulation, boundary and interior points (462). 4. Open and closed sets (463). 5. Distance between sets (463). 6. Connected sets. Continuum and region (463). 7. Regions with common boundary (464). 8. Dense and nowhere dense sets (464). 9. Neighborhoods, covers (464). 10. Topological limit (464). 11. Mappings of sets (465). 12. Topological mappings (465). 13. Brouwer's theorem on invariance of regions (465). 14. Systems of functions defining mappings (466). 15. Simple arcs (466). 16. Simple closed curves (466).	
§2. Simple closed curves and simple arcs on the plane. Orientation of the plane (traversal of simple closed curves). Types of topological mapping	467
1. Two fundamental theorems (467). 2. Lemmas on simple closed curves (467). 3. Traversal of simple closed curves. Cyclic order on a simple closed curve (469). 4. Induced direction on a simple subarc of a simple closed curve (469). 5. Orientation of the plane (470). 6. Propositions on traversals of simple closed curves with a common arc or common point (471). 7. Two propositions on the relation between order of points on disjoint simple closed curves (473). 8. Two types of topological mapping of a plane (orientation-preserving and orientation-reversing) (473).	
§3. Positive and negative "sides" of a simple arc	474
1. Regions defining different "sides" of a simple arc (474). 2. Definition of regions defining different sides of a simple arc by using curvilinear coordinates (476). 3. Propositions on the relative position of arcs and simple closed curves (478). 4. Bounded regions in the plane (479).	

§4. Hadamard's lemma and the implicit function theorem	480
1. Classes of functions (480). 2. Hadamard's lemma (480). 3. The implicit function theorem (480).	
§5. Angle between vectors. Smooth simple arc and smooth simple closed curve. Angle between two smooth arcs	483
1. Angle between vectors (483). 2. Smooth simple arc (483). 3. Smooth simple closed curve, piecewise-smooth simple closed curve (484). 4. Smooth curves (484). 5. Smooth simple arcs with a common point (484).	
§6. Regular mappings. Curvilinear coordinates. Some propositions on smooth arcs and smooth closed curves	486
1. Regular mappings (486). 2. Curvilinear coordinates (487). 3. Transformation of components of a vector under regular mappings. Contravariant vector. Transformation of the tangent vector (488). 4. Change of angle between vectors under a regular mapping. The role of the Jacobian (488). 5. Regular mappings and regions defining sides of a smooth simple arc (489). 6. Construction of functions $x = \varphi(s, t)$, $y = \psi(s, t)$ (490). 7. Intersection of two smooth arcs and intersection of a smooth arc with a smooth or piecewise-smooth simple closed curve (493). 8. Construction of functions with prescribed properties (494).	
§7. The sphere in euclidean space	496
1. Neighborhoods on the sphere (496). 2. Simple arcs and simple closed curves on the sphere (497). 3. Atlas on the sphere. Coordinates on the sphere (498). 4. Simple atlases on the sphere §500). 5. Orientation of the sphere and types of topological mapping on the sphere (501). 6. Functions defined on the sphere (501).	
§8. Fundamental theorems of the theory of differential equations.	502
1. Existence-uniqueness theorem (502). 2. Continuity of the solution with respect to initial values (504). 3. Derivatives with respect to independent variable and initial values (504).	
§9. On the concept of "qualitative structure" of the phase portrait and the concept of singular and nonsingular paths	505
1. Comparison of invariants of topological and regular mappings (505). 2. Different approaches to definition of regions characterized by "identical" phase portraits (506). 3. Case of infinitely many orbitally unstable paths (508).	
§10. Bendixson's theorem on the index of a multiple equilibrium state	510
Bibliography	516
Subject index	521