

Contents

Part I. Multiple Microphone Blind Speech Separation with ICA

1 Convolutive Blind Source Separation for Audio Signals	3
<i>Scott C. Douglas and Malay Gupta</i>	
1.1 Historical Perspective	3
1.1.1 Blind Equalization and Deconvolution	4
1.1.2 Neurological Structures and Information Representation	4
1.2 Mixture and Separation Models	5
1.2.1 Instantaneous Mixture and Separation Models	5
1.2.2 Convolutive Mixture and Separation Model	6
1.3 Ambiguities of BSS	8
1.4 Criteria for BSS in Speech Separation	9
1.5 Time-Domain Convolutive BSS Using Spatial Independence	10
1.5.1 Density Matching BSS Algorithms Using Natural Gradient Adaptation	10
1.5.2 Contrast-Function-based Convolutive BSS	17
1.6 Frequency-Domain Convolutive BSS	25
1.6.1 Criteria for Frequency-Domain Convolutive BSS	27
1.6.2 Permutation and Scaling Ambiguities in Frequency-Domain BSS	29
1.7 Numerical Evaluations	32
1.7.1 Laboratory Setup	33
1.7.2 Effect of Array Configuration and Room Reverberation	35
1.7.3 Effect of Initial Conditions	37
1.7.4 Effect of Signal Power Mismatch	38
1.8 Summary and Conclusions	42
References	42
2 Frequency-Domain Blind Source Separation	47
<i>Hiroshi Sawada, Shoko Araki, and Shoji Makino</i>	
2.1 Introduction	47
2.2 Problem Formulation	49
2.3 Overview of Frequency-Domain BSS	51
2.4 Complex-Valued ICA	55
2.4.1 Source Density Function	56
2.4.2 Whitening	57

2.4.3	FastICA	58
2.4.4	Maximum Likelihood Estimation	60
2.5	Permutation Alignment	62
2.5.1	Various Approaches	62
2.5.2	Method Based on TDOA Estimations	63
2.5.3	Handling Permutations	67
2.6	Time–Frequency Masking	69
2.7	Experiments	70
2.7.1	Basic 3-Source 3-Microphone Case	71
2.7.2	With Many Background Interference Sources	73
2.8	Conclusion	75
	References	75
3	Blind Source Separation using Space–Time Independent Component Analysis	79
	<i>Mike Davies, Maria Jafari, Samer Abdallah, Emmanuel Vincent, and Mark Plumbley</i>	
3.1	Introduction	79
3.2	Review of Convolutional Blind Source Separation	80
3.2.1	Multi-Channel Blind Deconvolution	81
3.2.2	Frequency Domain ICA (FD-ICA)	82
3.2.3	A Unifying Framework	84
3.3	Space–Time ICA	86
3.3.1	Learning the ST-ICA Basis	88
3.3.2	Component Grouping in ST-ICA	89
3.3.3	Clustering using Source DOAs	89
3.3.4	Separation and Reconstruction	91
3.4	An Experiment with Stereo Mixtures	91
3.4.1	Evaluation	93
3.5	Future Work	94
3.5.1	Computation and Data Requirements	94
3.5.2	Noise Reduction	95
3.5.3	Local ST-ICA Bases	95
3.6	Conclusions	96
	References	97
4	TRINICON-based Blind System Identification with Application to Multiple-Source Localization and Separation	101
	<i>Herbert Buchner, Robert Aichner, and Walter Kellermann</i>	
4.1	Introduction	101
4.1.1	Overview	101
4.1.2	Blind Adaptive MIMO Filtering Tasks and Matrix Formulation	103

4.2	Blind MIMO System Identification and Relation to Blind Source Separation	110
4.2.1	Square Case for Two Sources and Two Sensors	111
4.2.2	Relation to SIMO System Identification	113
4.2.3	Ideal Separation Solution in the General Square Case for More than Two Sources and Sensors	115
4.2.4	Ideal Separation Solution and Optimum Separating Filter Length for an Arbitrary Number of Sources and Sensors	115
4.2.5	General Scheme for Blind System Identification	117
4.2.6	Summary	118
4.3	TRINICON – A General Framework for Adaptive MIMO Signal Processing and Application to the Blind Adaptation Problems	119
4.3.1	Cost Function and Gradient-Based Coefficient Optimization	120
4.3.2	Special Cases and Illustration in the Time Domain	125
4.3.3	On Frequency-Domain Realizations	129
4.4	Acoustic Source Localization: An Overview of the Approaches and TRINICON as a Generic Source Localization Scheme	131
4.5	Acoustic Source Localization Based on Time-Differences of Arrival	135
4.5.1	Basic Geometric Considerations	135
4.5.2	Microphone Array Geometry and Grid of Potential Source Positions	136
4.5.3	Estimation of Time Differences of Arrival	139
4.6	Simultaneous Localization of Multiple Sound Sources in Reverberant Environments Using Blind Adaptive MIMO System Identification	141
4.7	Conclusions	143
	References	143

5 SIMO-Model-Based Blind Source Separation – Principle and its Applications 149

Hiroshi Saruwatari, Tomoya Takatani, and Kiyohiro Shikano

5.1	Introduction	149
5.2	Mixing Process and Conventional BSS	150
5.2.1	Mixing Process	150
5.2.2	Conventional ICA-Based BSS Method	151
5.2.3	Problems in Conventional ICA	152
5.3	SIMO-Model-Based ICA: Algorithm	153
5.4	Application of SIMO-ICA: Binaural Sound Separation	157
5.4.1	Conditions for Experiments	157
5.4.2	Results and Discussion	158

5.5	Application of SIMO-ICA: BSD of MIMO Systems Driven by Colored Sources	159
5.5.1	System Overview	159
5.5.2	Conditions for Experiment	160
5.5.3	Results and Discussion	161
5.6	Conclusion	163
	References	167
6	Independent Vector Analysis for Convolutional Blind Speech Separation	169
	<i>Intae Lee, Taesu Kim, and Te-Won Lee</i>	
6.1	Introduction	169
6.2	Contrast Functions of Independent Component Analysis	171
6.2.1	Mutual Information	171
6.2.2	Likelihood Function	171
6.2.3	Pictorial View in Information Geometry	173
6.3	What is Independent Vector Analysis?	174
6.4	Contrast Functions of IVA (or MICA): Spatially White Data	176
6.4.1	Entropic Contrasts	176
6.4.2	Likelihood Function	179
6.5	Modelling the Frequency Components of Speech	179
6.5.1	L^p -Norm-Invariant Joint Densities	180
6.5.2	Sparse and Spherically Symmetric Joint Densities	180
6.5.3	A Semi-Nonparametric Contrast Function for Spherical Multivariate Sources	182
6.5.4	Sparse and Locally Spherical Joint Densities	183
6.6	Contrast Optimization and Scaling	184
6.6.1	Quadratic Taylor Expansion in Complex Notations	184
6.6.2	Newton's Method	186
6.6.3	Scaling Problem	189
6.7	Experiments	189
6.8	Conclusions	190
	References	191
7	Relative Newton and Smoothing Multiplier Optimization Methods for Blind Source Separation	193
	<i>Michael Zibulevsky</i>	
7.1	Introduction	193
7.1.1	Quasi-ML Blind Source Separation (BSS)	193
7.1.2	Smoothing Method of Multipliers (SMOM) for Sum-Max Problems	194
7.2	Relative Optimization Algorithm	195

7.3	Hessian Evaluation	195
7.3.1	Hessian of $-\log \det W$	196
7.3.2	Hessian of $\frac{1}{T} \sum_{m,t} h(W_m x(t))$	197
7.4	Newton Method	197
7.5	Relative Newton Method	198
7.5.1	Basic Relative Newton Step	198
7.5.2	Fast Relative Newton Step	199
7.6	Sequential Optimization	200
7.7	Smoothing Method of Multipliers (SMOM)	201
7.7.1	Smoothing the Max-Function	201
7.7.2	Generalized Lagrangian and Augmented Lagrangian	202
7.7.3	SMOM Algorithm	203
7.7.4	Frozen Hessian Strategy	204
7.8	Computational Experiments	204
7.8.1	Relative Newton Method	205
7.8.2	SMOM Combined with the Relative Newton Method	207
7.9	Conclusions	210
References		212

**Part II. Underdetermined Blind Speech Separation
with Sparseness**

8	The DUET Blind Source Separation Algorithm	217
<i>Scott Rickard</i>		
8.1	Introduction	217
8.2	Assumptions	219
8.2.1	Anechoic Mixing	219
8.2.2	W-Disjoint Orthogonality	219
8.2.3	Local Stationarity	220
8.2.4	Microphones Close Together	221
8.2.5	Different Spatial Signatures	221
8.3	DUET	222
8.3.1	Main Observation and Outline	222
8.3.2	Two-Dimensional Smoothed Weighted Histogram ...	224
8.3.3	Separating the Sources	226
8.3.4	The DUET BSS Algorithm	228
8.4	Big Delay DUET	229
8.4.1	Method One: Differential	229
8.4.2	Method Two: Tiling	230
8.5	Approximate W-Disjoint Orthogonality	231
8.5.1	Approximate W-Disjoint Orthogonality of Speech ...	233
8.6	Conclusions	234
References		235

9	<i>K</i>-means Based Underdetermined Blind Speech Separation	243
	<i>Shoko Araki, Hiroshi Sawada, and Shoji Makino</i>	
9.1	Introduction	243
9.2	Separation Procedures	245
9.3	Validity of Sparseness Assumption and Anechoic Assumption	250
9.3.1	Sparseness Evaluation of Speech Signals	250
9.3.2	Sparsest Representation with STFT	252
9.3.3	Sparseness of Reverberant Speech	254
9.3.4	Validity of Anechoic Assumption	254
9.4	Features for <i>K</i> -means Clustering Algorithm	256
9.4.1	<i>K</i> -means Clustering for Features	257
9.4.2	Feature Vectors for Multiple Sensors	258
9.5	Speech Separation Experiments	262
9.5.1	Experimental Conditions	262
9.5.2	Separation Results	263
9.5.3	Weight Parameter	265
9.5.4	Discussion	266
9.6	Conclusion	266
A	Weight Parameter for Modified Feature	267
B	Initial Values for the <i>K</i> -means Clustering	268
	References	269
10	Underdetermined Blind Source Separation of Convolutive Mixtures by Hierarchical Clustering and L_1-Norm Minimization	271
	<i>Stefan Winter, Walter Kellermann, Hiroshi Sawada, and Shoji Makino</i>	
10.1	Introduction	271
10.2	Underdetermined BSS for Acoustic Sources in Reverberant Environments	273
10.2.1	Definitions	273
10.2.2	Two-Stage Approach to Underdetermined BSS	278
10.3	Blind System Identification	280
10.3.1	Hierarchical Clustering	280
10.3.2	Permutation Indeterminacy	284
10.3.3	Scaling Indeterminacy	285
10.4	Blind Source Recovery	286
10.4.1	Sparseness-Based Source Model	286
10.4.2	Constrained ℓ_1 -Norm Minimization	287
10.5	Experiments	292
10.5.1	Experimental Conditions	292
10.5.2	Performance Measures	293
10.5.3	Results	294

10.6	Conclusions	298
	References	299
11	Bayesian Audio Source Separation	305
	<i>Cédric Févotte</i>	
11.1	Introduction	305
	11.1.1 The Bayesian Setting	305
	11.1.2 Sparse Models: Analysis vs Synthesis	307
11.2	Bayesian Sparse Source Separation	309
	11.2.1 Sparse Source Priors	309
	11.2.2 Noise and Mixing Matrix Priors	312
	11.2.3 Markov Chain Monte Carlo Inference	313
11.3	Audio-Specific Models	320
	11.3.1 MDCT Representation	321
	11.3.2 Frequency-Dependent Models	321
	11.3.3 Structural Constraints	322
	11.3.4 Modified Inference Steps	323
11.4	Separation of a Stereophonic Recording with Three Sources	325
	11.4.1 Experimental Setup	325
	11.4.2 Discussion	327
11.5	Conclusions	330
A	Appendices	331
	A.1 Standard Distributions	331
	A.2 M–H Update of the Degrees of Freedom Parameter α_i	331
	A.3 Prior Weight of Horizontal Markov Chains	331
	A.4 Update of Markov Transition Probabilities	332
	References	333

Part III. Single Microphone Blind Speech Separation

12	Monaural Source Separation	339
	<i>Gil-Jin Jang and Te-Won Lee</i>	
12.1	Introduction	339
12.2	Adapting Basis Functions and Model Parameters	341
	12.2.1 A Model for Signal Representation	341
	12.2.2 Learning the Basis Functions	343
	12.2.3 The Generalized Gaussian Distributions	344
12.3	Maximum Likelihood Source Inference	345
	12.3.1 For Single Filter and Single Source	346
	12.3.2 Combining Individual Inference Rules	349
	12.3.3 Updating Scaling Factors	350

12.4	Evaluations	352
12.4.1	Simulation Data	353
12.4.2	Practical Considerations	354
12.4.3	Separation Results of Simulated Mixtures	354
12.4.4	Comparison to Wiener Filtering	357
12.4.5	Experiments with Real Recordings	358
12.5	Discussions	359
12.5.1	Frequency Domain Approaches to Single Channel Separation Techniques	359
12.5.2	Time Domain Approaches to Single Channel Separation Techniques	360
12.5.3	Comparison to Blind Signal Separation	361
12.5.4	Separability	361
12.5.5	Extensions	361
12.6	Conclusions	362
	References	362

**13 Probabilistic Decompositions of Spectra
for Sound Separation** 365

Paris Smaragdís

13.1	Spectral Components for Separation	365
13.2	Probabilistic Latent Component Analysis (PLCA)	367
13.2.1	Sparsity	370
13.2.2	Shift-Invariant Form	372
13.3	Source Separation using PLCA	374
13.3.1	Unsupervised	374
13.3.2	Supervised	377
13.3.3	Semi-Supervised	380
13.4	Discussion	382
13.5	Conclusions	384
	References	385

14 Sparsification for Monaural Source Separation 387

*Hiroki Asari, Rasmus K. Olsson, Barak A. Pearlmutter,
and Anthony M. Zador*

14.1	Introduction	387
14.2	Problem Formulation	389
14.2.1	Dictionary Learning	390
14.3	Sparse Representation by Linear Programming	393
14.3.1	Basics	394
14.3.2	Automatic Differentiation	395
14.3.3	Dictionaries Optimized for Sparsity	397
14.4	Source Separation Example	398
14.4.1	Dictionary Learning	398
14.4.2	Source Separation	399

14.5	Convolutional Mixing and Head-Related Transfer Function	400
14.5.1	Head-Related Transfer Function	400
14.5.2	Reformulation	401
14.6	Separation of Convolute Sources	403
14.6.1	Dictionary Learning	403
14.6.2	Separation with HRTF	404
14.7	Conclusion	406
	References	407
15	Monaural Speech Separation by Support Vector Machines: Bridging the Divide Between Supervised and Unsupervised Learning Methods	411
	<i>Sepp Hochreiter and Michael C. Mozer</i>	
15.1	Introduction	411
15.2	Viewing Sparse Decomposition as ϵ -SVR	414
15.2.1	The Sparse-Decomposition Method	414
15.2.2	ϵ -Support Vector Regression	416
15.2.3	The Relationship Between the Sparse-Decomposition Method and ϵ -SVR	418
15.3	Nonlinear Formulation	419
15.3.1	Nonlinear Mixtures	419
15.3.2	Nonlinear Transformation of Atomic Sources	420
15.3.3	Nonlinear Transformed Atomic Sources: Inhomogeneous Case	421
15.4	Experiments	422
15.4.1	Nonlinear Approximation of the Linear Correlations	422
15.4.2	Transformed Atomic Sources	423
15.5	Conclusions	425
	References	426
	Index	429