

Contents

<i>Foreword to volume II, with an example for the end of volume I</i>	xi
<i>Errata for volume I</i>	xxv
IX Jensen's Formula Again	1
A Pólya's gap theorem	1
B Scholium. A converse to Pólya's gap theorem	8
1 Special case. Σ measurable and of density $D > 0$	8
Problem 29	9
2 General case; Σ not measurable. Beginning of Fuchs' construction	13
3 Bringing in the gamma function	20
Problem 30	22
4 Formation of the group products $R_j(z)$	24
5 Behaviour of $(1/x) \log (x - \lambda)/(x + \lambda) $	29
6 Behaviour of $(1/x) \log R_j(x) $ outside the interval $[X_j, Y_j]$	31
7 Behaviour of $(1/x) \log R_j(x) $ inside $[X_j, Y_j]$	34
8 Formation of Fuchs' function $\Phi(z)$. Discussion	43
9 Converse of Pólya's gap theorem in general case	52
C A Jensen formula involving confocal ellipses instead of circles	57
D A condition for completeness of a collection of imaginary exponentials on a finite interval	62
Problem 31	64
1 Application of the formula from §C	65
2 Beurling and Malliavin's effective density \tilde{D}_Λ	70
E Extension of the results in §D to the zero distribution of entire functions $f(z)$ of exponential type with $\int_{-\infty}^{\infty} (\log^+ f(x) /(1+x^2)) dx$ convergent	87
1 Introduction to extremal length and to its use in estimating harmonic measure	88
Problem 32	101
Problem 33	108
Problem 34	109

	2 Real zeros of functions $f(z)$ of exponential type with $\int_{-\infty}^{\infty} (\log^+ f(x) /(1+x^2)) dx < \infty$	110
F	Scholium. Extension of results in §E.1. Pfluger's theorem and Tsuji's inequality	126
	1 Logarithmic capacity and the conductor potential	127
	Problem 35	131
	2 A conformal mapping. Pfluger's theorem	132
	3 Application to the estimation of harmonic measure. Tsuji's inequality	140
	Problem 36	146
	Problem 37	157
X	Why we want to have multiplier theorems	158
A	Meaning of term 'multiplier theorem' in this book	158
	Problem 38	159
	1 The weight is even and increasing on the positive real axis	159
	2 Statement of the Beurling–Malliavin multiplier theorem	164
B	Completeness of sets of exponentials on finite intervals	165
	1 The Hadamard product over Σ	169
	2 The little multiplier theorem	173
	3 Determination of the completeness radius for real and complex sequences Λ	189
	Problem 39	195
C	The multiplier theorem for weights with uniformly continuous logarithms	195
	1 The multiplier theorem	195
	2 A theorem of Beurling	202
	Problem 40	208
D	Poisson integrals of certain functions having given weighted quadratic norms	209
E	Hilbert transforms of certain functions having given weighted quadratic norms	225
	1 H_p spaces for people who don't want to really learn about them	226
	Problem 41	234
	Problem 42	248
	2 Statement of the problem, and simple reductions of it	249
	3 Application of H_p space theory; use of duality	260
	4 Solution of our problem in terms of multipliers	272
	Problem 43	279
F	Relation of material in preceding § to the geometry of unit sphere in L_∞/H_∞	282
	Problem 44	292
	Problem 45	293
	Problem 46	295
	Problem 47	296

XI Multiplier theorems	298
A Some rudimentary potential theory	298
1 Superharmonic functions; their basic properties	298
2 The Riesz representation of superharmonic functions	311
Problem 48	327
Problem 49	328
3 A maximum principle for pure logarithmic potentials. Continuity of such a potential when its restriction to generating measure's support has that property	329
Problem 50	334
Problem 51	339
B Relation of the existence of multipliers to the finiteness of a superharmonic majorant	341
1 Discussion of a certain regularity condition on weights	341
Problem 52	361
Problem 53	362
2 The smallest superharmonic majorant	363
Problem 54	369
Problem 55	370
Problem 56	371
3 How \mathfrak{WF} gives us a multiplier if it is finite	374
Problem 57	383
C Theorems of Beurling and Malliavin	389
1 Use of the domains from §C of Chapter VIII	391
2 Weight is the modulus of an entire function of exponential type	395
Problem 58	405
3 A quantitative version of the preceding result	407
Problem 59	412
Problem 60	413
4 Still more about the energy. Description of the Hilbert space \mathfrak{H} used in Chapter VIII, §C.5	418
Problem 61	443
Problem 62	444
5 Even weights W with $\ \log W(x)/x\ _E < \infty$	446
Problem 63	451
Problem 64	452
D Search for the presumed essential condition	452
1 Example. Uniform Lip 1 condition on $\log \log W(x)$ not sufficient	454
2 Discussion	467
Problem 65	469
3 Comparison of energies	472
Problem 66	483
Problem 67	484

Problem 68	487
4 Example. The finite energy condition not necessary	487
5 Further discussion and a conjecture	502
E A necessary and sufficient condition for weights meeting the local regularity requirement	511
1 Five lemmas	512
2 Proof of the conjecture from §D.5	524
Problem 69	558
Problem 70	561
Problem 71	565
<i>Bibliography for volume II</i>	566
<i>Index</i>	572