

Table of Contents

Summary of GDB	1
Free software	1
Free Software Needs Free Documentation	1
Contributors to GDB	3
1 A Sample GDB Session	7
2 Getting In and Out of GDB	11
2.1 Invoking GDB	11
2.1.1 Choosing files	12
2.1.2 Choosing modes	13
2.2 Quitting GDB	15
2.3 Shell commands	16
3 GDB Commands	17
3.1 Command syntax	17
3.2 Command completion	17
3.3 Getting help	19
4 Running Programs Under GDB	23
4.1 Compiling for debugging	23
4.2 Starting your program	24
4.3 Your program's arguments	25
4.4 Your program's environment	25
4.5 Your program's working directory	27
4.6 Your program's input and output	27
4.7 Debugging an already-running process	28
4.8 Killing the child process	29
4.9 Debugging programs with multiple threads	29
4.10 Debugging programs with multiple processes	32
5 Stopping and Continuing	35
5.1 Breakpoints, watchpoints, and catchpoints	35
5.1.1 Setting breakpoints	36
5.1.2 Setting watchpoints	40
5.1.3 Setting catchpoints	42
5.1.4 Deleting breakpoints	44
5.1.5 Disabling breakpoints	44
5.1.6 Break conditions	45

5.1.7	Breakpoint command lists	47
5.1.8	Breakpoint menus	49
5.1.9	“Cannot insert breakpoints”	49
5.2	Continuing and stepping	50
5.3	Signals	53
5.4	Stopping and starting multi-thread programs	55
6	Examining the Stack	57
6.1	Stack frames	57
6.2	Backtraces	58
6.3	Selecting a frame	59
6.4	Information about a frame	60
7	Examining Source Files	63
7.1	Printing source lines	63
7.2	Searching source files	65
7.3	Specifying source directories	65
7.4	Source and machine code	66
8	Examining Data	69
8.1	Expressions	69
8.2	Program variables	70
8.3	Artificial arrays	72
8.4	Output formats	73
8.5	Examining memory	74
8.6	Automatic display	75
8.7	Print settings	77
8.8	Value history	82
8.9	Convenience variables	83
8.10	Registers	85
8.11	Floating point hardware	86
8.12	Memory Region Attributes	86
8.12.1	Attributes	87
8.12.1.1	Memory Access Mode	87
8.12.1.2	Memory Access Size	88
8.12.1.3	Data Cache	88

9	Tracepoints	89
9.1	Commands to Set Tracepoints	89
9.1.1	Create and Delete Tracepoints	90
9.1.2	Enable and Disable Tracepoints	90
9.1.3	Tracepoint Passcounts	91
9.1.4	Tracepoint Action Lists	91
9.1.5	Listing Tracepoints	93
9.1.6	Starting and Stopping Trace Experiment	93
9.2	Using the collected data	94
9.2.1	<code>tfind n</code>	94
9.2.2	<code>tdump</code>	96
9.2.3	<code>save-tracepoints filename</code>	97
9.3	Convenience Variables for Tracepoints	97
10	Using GDB with Different Languages	99
10.1	Switching between source languages	99
10.1.1	List of filename extensions and languages	99
10.1.2	Setting the working language	100
10.1.3	Having GDB infer the source language	100
10.2	Displaying the language	101
10.3	Type and range checking	101
10.3.1	An overview of type checking	102
10.3.2	An overview of range checking	103
10.4	Supported languages	104
10.4.1	C and C++	104
10.4.1.1	C and C++ operators	105
10.4.1.2	C and C++ constants	107
10.4.1.3	C++ expressions	107
10.4.1.4	C and C++ defaults	109
10.4.1.5	C and C++ type and range checks	109
10.4.1.6	GDB and C	109
10.4.1.7	GDB features for C++	109
10.4.2	Modula-2	111
10.4.2.1	Operators	111
10.4.2.2	Built-in functions and procedures	113
10.4.2.3	Constants	114
10.4.2.4	Modula-2 defaults	115
10.4.2.5	Deviations from standard Modula-2	115
10.4.2.6	Modula-2 type and range checks	115
10.4.2.7	The scope operators <code>::</code> and	116
10.4.2.8	GDB and Modula-2	116
10.4.3	Chill	116
10.4.3.1	How modes are displayed	117
10.4.3.2	Locations and their accesses	119
10.4.3.3	Values and their Operations	119

	10.4.3.4	Chill type and range checks	122
	10.4.3.5	Chill defaults	122
11		Examining the Symbol Table	123
12		Altering Execution	129
	12.1	Assignment to variables	129
	12.2	Continuing at a different address	130
	12.3	Giving your program a signal	131
	12.4	Returning from a function	132
	12.5	Calling program functions	132
	12.6	Patching programs	132
13		GDB Files	135
	13.1	Commands to specify files	135
	13.2	Errors reading symbol files	139
14		Specifying a Debugging Target	143
	14.1	Active targets	143
	14.2	Commands for managing targets	143
	14.3	Choosing target byte order	145
	14.4	Remote debugging	146
	14.4.1	The GDB remote serial protocol	146
	14.4.1.1	What the stub can do for you	147
	14.4.1.2	What you must do for the stub	148
	14.4.1.3	Putting it all together	150
	14.4.1.4	Communication protocol	151
	14.4.1.5	Using the <code>gdbserver</code> program	164
	14.4.1.6	Using the <code>gdbserve.nlm</code> program	166
	14.5	Kernel Object Display	167

15	Configuration-Specific Information	169
15.1	Native	169
15.1.1	HP-UX	169
15.1.2	SVR4 process information	169
15.1.3	Features for Debugging DJGPP Programs	170
15.2	Embedded Operating Systems	172
15.2.1	Using GDB with VxWorks	172
15.2.1.1	Connecting to VxWorks	173
15.2.1.2	VxWorks download	173
15.2.1.3	Running tasks	174
15.3	Embedded Processors	174
15.3.1	AMD A29K Embedded	174
15.3.1.1	A29K UDI	175
15.3.1.2	EBMON protocol for AMD29K	175
15.3.1.3	Communications setup	175
15.3.1.4	EB29K cross-debugging	177
15.3.1.5	Remote log	177
15.3.2	ARM	177
15.3.3	Hitachi H8/300	178
15.3.3.1	Connecting to Hitachi boards	178
15.3.3.2	Using the E7000 in-circuit emulator	180
15.3.3.3	Special GDB commands for Hitachi micros	180
15.3.4	H8/500	181
15.3.5	Intel i960	181
15.3.5.1	Startup with Nindy	181
15.3.5.2	Options for Nindy	181
15.3.5.3	Nindy reset command	182
15.3.6	Mitsubishi M32R/D	182
15.3.7	M68k	182
15.3.8	M88K	183
15.3.9	MIPS Embedded	183
15.3.10	PowerPC	185
15.3.11	HP PA Embedded	185
15.3.12	Hitachi SH	186
15.3.13	Tsquare Sparclet	186
15.3.13.1	Setting file to debug	186
15.3.13.2	Connecting to Sparclet	187
15.3.13.3	Sparclet download	187
15.3.13.4	Running and debugging	187
15.3.14	Fujitsu Sparclite	188
15.3.15	Tandem ST2000	188
15.3.16	Zilog Z8000	189
15.4	Architectures	189
15.4.1	A29K	189
15.4.2	Alpha	190

15.4.3	MIPS	190
16	Controlling GDB	191
16.1	Prompt	191
16.2	Command editing	191
16.3	Command history	192
16.4	Screen size	193
16.5	Numbers	194
16.6	Optional warnings and messages	194
16.7	Optional messages about internal happenings	195
17	Canned Sequences of Commands	199
17.1	User-defined commands	199
17.2	User-defined command hooks	200
17.3	Command files	201
17.4	Commands for controlled output	202
18	GDB Text User Interface	205
18.1	TUI overview	205
18.2	TUI Key Bindings	206
18.3	TUI specific commands	207
18.4	TUI configuration variables	207
19	Using GDB under GNU Emacs	209
20	GDB Annotations	213
20.1	What is an Annotation?	213
20.2	The Server Prefix	214
20.3	Values	214
20.4	Frames	215
20.5	Displays	217
20.6	Annotation for GDB Input	218
20.7	Errors	218
20.8	Information on Breakpoints	219
20.9	Invalidation Notices	220
20.10	Running the Program	220
20.11	Displaying Source	221
20.12	Annotations We Might Want in the Future	221

21	The GDB/MI Interface	223
	Function and Purpose	223
	Notation and Terminology	223
21.1	GDB/MI Command Syntax	223
21.1.1	GDB/MI Input Syntax	223
21.1.2	GDB/MI Output Syntax	224
21.1.3	Simple Examples of GDB/MI Interaction	226
21.2	GDB/MI Compatibility with CLI	227
21.3	GDB/MI Output Records	227
21.3.1	GDB/MI Result Records	227
21.3.2	GDB/MI Stream Records	228
21.3.3	GDB/MI Out-of-band Records	228
21.4	GDB/MI Command Description Format	228
21.5	GDB/MI Breakpoint table commands	229
21.6	GDB/MI Data Manipulation	238
21.7	GDB/MI Program control	250
21.8	Miscellaneous GDB commands in GDB/MI	261
21.9	GDB/MI Stack Manipulation Commands	263
21.10	GDB/MI Symbol Query Commands	268
21.11	GDB/MI Target Manipulation Commands	272
21.12	GDB/MI Thread Commands	277
21.13	GDB/MI Tracepoint Commands	279
21.14	GDB/MI Variable Objects	279
22	Reporting Bugs in GDB	285
22.1	Have you found a bug?	285
22.2	How to report bugs	285
23	Command Line Editing	289
23.1	Introduction to Line Editing	289
23.2	Readline Interaction	289
23.2.1	Readline Bare Essentials	289
23.2.2	Readline Movement Commands	290
23.2.3	Readline Killing Commands	291
23.2.4	Readline Arguments	291
23.2.5	Searching for Commands in the History	292
23.3	Readline Init File	292
23.3.1	Readline Init File Syntax	293
23.3.2	Conditional Init Constructs	297
23.3.3	Sample Init File	298
23.4	Bindable Readline Commands	302
23.4.1	Commands For Moving	302
23.4.2	Commands For Manipulating The History	303
23.4.3	Commands For Changing Text	304
23.4.4	Killing And Yanking	305

23.4.5	Specifying Numeric Arguments	306
23.4.6	Letting Readline Type For You	307
23.4.7	Keyboard Macros	307
23.4.8	Some Miscellaneous Commands	308
23.5	Readline vi Mode	309
24	Using History Interactively	311
24.1	History Expansion	311
24.1.1	Event Designators	311
24.1.2	Word Designators	312
24.1.3	Modifiers	312
Appendix A	Formatting Documentation	315
Appendix B	Installing GDB	317
B.1	Compiling GDB in another directory	318
B.2	Specifying names for hosts and targets	319
B.3	configure options	320
Appendix C	GNU Free Documentation License	
	323
	ADDENDUM: How to use this License for your documents	329
Index	331