

CONTENTS IN BRIEF

Part I Chemical and Molecular Foundations 1

1. Life Begins with Cells 1
2. Chemical Foundations 31
3. Protein Structure and Function 63

Part II Genetics and Molecular Biology 111

4. Basic Molecular Genetic Mechanisms 111
5. Molecular Genetic Techniques 165
6. Genes, Genomics, and Chromosomes 215
7. Transcriptional Control of Gene Expression 269
8. Post-transcriptional Gene Control 323

Part III Cell Structure and Function 371

9. Visualizing, Fractionating, and Culturing Cells 371
10. Biomembrane Structure 409
11. Transmembrane Transport of Ions and Small Molecules 437
12. Cellular Energetics 479
13. Moving Proteins into Membranes and Organelles 533
14. Vesicular Traffic, Secretion, and Endocytosis 579
15. Cell Signaling I: Signal Transduction and Short-Term Cellular Responses 623
16. Cell Signaling II: Signaling Pathways That Control Gene Activity 665
17. Cell Organization and Movement I: Microfilaments 713
18. Cell Organization and Movement II: Microtubules and Intermediate Filaments 757
19. Integrating Cells into Tissues 801

Part IV Cell Growth and Development 847

20. Regulating the Eukaryotic Cell Cycle 847
21. Cell Birth, Lineage, and Death 905
22. The Molecular Cell Biology of Development 949
23. Nerve Cells 1001
24. Immunology 1055
25. Cancer 1107

Part I Chemical and Molecular Foundations

1 LIFE BEGINS WITH CELLS	1		
1.1 The Diversity and Commonality of Cells	1		
All Cells Are Prokaryotic or Eukaryotic	1	Cells Grow and Divide	18
Unicellular Organisms Help and Hurt Us	4	Cells Die from Aggravated Assault or an Internal Program	19
Viruses Are the Ultimate Parasites	6	1.4 Investigating Cells and Their Parts	20
Changes in Cells Underlie Evolution	6	Cell Biology Reveals the Size, Shape, Location, and Movements of Cell Components	20
Even Single Cells Can Have Sex	7	Biochemistry and Biophysics Reveal the Molecular Structure and Chemistry of Purified Cell Constituents	21
We Develop from a Single Cell	8	Genetics Reveals the Consequences of Damaged Genes	22
Stem Cells, Fundamental to Forming Tissues and Organs, Offer Medical Opportunities	8	Genomics Reveals Differences in the Structure and Expression of Entire Genomes	23
		Developmental Biology Reveals Changes in the Properties of Cells as They Specialize	23
1.2 The Molecules of a Cell	9	Choosing the Right Experimental Organism for the Job	25
Small Molecules Carry Energy, Transmit Signals, and Are Linked into Macromolecules	9	The Most Successful Biological Studies Use Multiple Approaches	27
Proteins Give Cells Structure and Perform Most Cellular Tasks	10	1.5 A Genome Perspective on Evolution	28
Nucleic Acids Carry Coded Information for Making Proteins at the Right Time and Place	11	Metabolic Proteins, the Genetic Code, and Organelle Structures Are Nearly Universal	28
The Genome Is Packaged into Chromosomes and Replicated During Cell Division	12	Darwin's Ideas About the Evolution of Whole Animals Are Relevant to Genes	28
Mutations May Be Good, Bad, or Indifferent	13	Many Genes Controlling Development Are Remarkably Similar in Humans and Other Animals	28
		Human Medicine Is Informed by Research on Other Organisms	29
1.3 The Work of Cells	14	2 CHEMICAL FOUNDATIONS	31
Cells Build and Degrade Numerous Molecules and Structures	15	2.1 Covalent Bonds and Noncovalent Interactions	32
Animal Cells Produce Their Own External Environment and Glues	16	The Electronic Structure of an Atom Determines the Number and Geometry of Covalent Bonds It Can Make	33
Cells Change Shape and Move	16		
Cells Sense and Send Information	16		
Cells Regulate Their Gene Expression to Meet Changing Needs	17		

Electrons May Be Shared Equally or Unequally in Covalent Bonds	34	Life Depends on the Coupling of Unfavorable Chemical Reactions with Energetically Favorable Reactions	57
Covalent Bonds Are Much Stronger and More Stable Than Noncovalent Interactions	35	Hydrolysis of ATP Releases Substantial Free Energy and Drives Many Cellular Processes	57
Ionic Interactions Are Attractions between Oppositely Charged Ions	36	ATP Is Generated During Photosynthesis and Respiration	59
Hydrogen Bonds Determine the Water Solubility of Uncharged Molecules	37	NAD ⁺ and FAD Couple Many Biological Oxidation and Reduction Reactions	59
Van der Waals Interactions Are Caused by Transient Dipoles	37		
The Hydrophobic Effect Causes Nonpolar Molecules to Adhere to One Another	38	3 PROTEIN STRUCTURE AND FUNCTION	63
Molecular Complementarity Mediated via Noncovalent Interactions Permits Tight, Highly Specific Binding of Biomolecules	39		
2.2 Chemical Building Blocks of Cells	40	3.1 Hierarchical Structure of Proteins	64
Amino Acids Differing Only in Their Side Chains Compose Proteins	41	The Primary Structure of a Protein Is Its Linear Arrangement of Amino Acids	65
Five Different Nucleotides Are Used to Build Nucleic Acids	44	Secondary Structures Are the Core Elements of Protein Architecture	66
Monosaccharides Joined by Glycosidic Bonds Form Linear and Branched Polysaccharides	44	Overall Folding of a Polypeptide Chain Yields Its Tertiary Structure	67
Phospholipids Associate Noncovalently to Form the Basic Bilayer Structure of Biomembranes	46	Different Ways of Depicting the Conformation of Proteins Convey Different Types of Information	68
		Structural Motifs Are Regular Combinations of Secondary and Tertiary Structures	68
		Structural and Functional Domains Are Modules of Tertiary Structure	70
		Proteins Associate into Multimeric Structures and Macromolecular Assemblies	72
		Members of Protein Families Have a Common Evolutionary Ancestor	72
2.3 Chemical Equilibrium	49	3.2 Protein Folding	74
Equilibrium Constants Reflect the Extent of a Chemical Reaction	50	Planar Peptide Bonds Limit the Shapes into Which Proteins Can Fold	74
Chemical Reactions in Cells Are at Steady State	50	Information Directing a Protein's Folding Is Encoded in Its Amino Acid Sequence	74
Dissociation Constants of Binding Reactions Reflect the Affinity of Interacting Molecules	50	Folding of Proteins in Vivo Is Promoted by Chaperones	75
Biological Fluids Have Characteristic pH Values	51	Alternatively Folded Proteins Are Implicated in Diseases	77
Hydrogen Ions Are Released by Acids and Taken Up by Bases	52		
Buffers Maintain the pH of Intracellular and Extracellular Fluids	52	3.3 Protein Function	78
		Specific Binding of Ligands Underlies the Functions of Most Proteins	78
2.4 Biochemical Energetics	54	Enzymes Are Highly Efficient and Specific Catalysts	79
Several Forms of Energy Are Important in Biological Systems	54	An Enzyme's Active Site Binds Substrates and Carries Out Catalysis	80
Cells Can Transform One Type of Energy into Another	55	Serine Proteases Demonstrate How an Enzyme's Active Site Works	81
The Change in Free Energy Determines the Direction of a Chemical Reaction	55	Enzymes in a Common Pathway Are Often Physically Associated with One Another	84
The ΔG° of a Reaction Can Be Calculated from Its K_{eq}	56		
The Rate of a Reaction Depends on the Activation Energy Necessary to Energize the Reactants into a Transition State	56		

Enzymes Called Molecular Motors Convert Energy into Motion	85	3.6 Purifying, Detecting, and Characterizing Proteins	92
3.4 Regulating Protein Function I: Protein Degradation	86	Centrifugation Can Separate Particles and Molecules That Differ in Mass or Density	92
Regulated Synthesis and Degradation of Proteins is a Fundamental Property of Cells	86	Electrophoresis Separates Molecules on the Basis of Their Charge-to-Mass Ratio	94
The Proteasome Is a Complex Molecular Machine Used to Degrade Proteins	87	Liquid Chromatography Resolves Proteins by Mass, Charge, or Binding Affinity	96
Ubiquitin Marks Cytosolic Proteins for Degradation in Proteasomes	88	Highly Specific Enzyme and Antibody Assays Can Detect Individual Proteins	98
3.5 Regulating Protein Function II: Noncovalent and Covalent Modifications	88	Radioisotopes Are Indispensable Tools for Detecting Biological Molecules	99
Noncovalent Binding Permits Allosteric, or Cooperative, Regulation of Proteins	89	Mass Spectrometry Can Determine the Mass and Sequence of Proteins	101
Noncovalent Binding of Calcium and GTP Are Widely Used As Allosteric Switches to Control Protein Activity	90	Protein Primary Structure Can Be Determined by Chemical Methods and from Gene Sequences	103
Phosphorylation and Dephosphorylation Covalently Regulate Protein Activity	91	Protein Conformation Is Determined by Sophisticated Physical Methods	103
Proteolytic Cleavage Irreversibly Activates or Inactivates Some Proteins	91	3.7 Proteomics	105
Higher-Order Regulation Includes Control of Protein Location and Concentration	92	Proteomics Is the Study of All or a Large Subset of Proteins in a Biological System	105
		Advanced Techniques in Mass Spectrometry Are Critical to Proteomic Analysis	106

Part II Genetics and Molecular Biology

4 BASIC MOLECULAR GENETIC MECHANISMS	111	Organization of Genes Differs in Prokaryotic and Eukaryotic DNA	122
4.1 Structure of Nucleic Acids	113	Eukaryotic Precursor mRNAs Are Processed to Form Functional mRNAs	123
A Nucleic Acid Strand Is a Linear Polymer with End-to-End Directionality	113	Alternative RNA Splicing Increases the Number of Proteins Expressed from a Single Eukaryotic Gene	125
Native DNA Is a Double Helix of Complementary Antiparallel Strands	114	4.3 The Decoding of mRNA by tRNAs	127
DNA Can Undergo Reversible Strand Separation	116	Messenger RNA Carries Information from DNA in a Three-Letter Genetic Code	127
Torsional Stress in DNA Is Relieved by Enzymes	117	The Folded Structure of tRNA Promotes Its Decoding Functions	129
Different Types of RNA Exhibit Various Conformations Related to Their Functions	118	Nonstandard Base Pairing Often Occurs Between Codons and Anticodons	130
4.2 Transcription of Protein-Coding Genes and Formation of Functional mRNA	120	Amino Acids Become Activated When Covalently Linked to tRNAs	131
A Template DNA Strand Is Transcribed into a Complementary RNA Chain by RNA Polymerase	120	4.4 Stepwise Synthesis of Proteins on Ribosomes	132
		Ribosomes Are Protein-Synthesizing Machines	132

Methionyl-tRNA _i ^{MET} Recognizes the AUG Start Codon	133
Translation Initiation Usually Occurs at the First AUG from the 5' End of an mRNA	133
During Chain Elongation Each Incoming Aminoacyl-tRNA Moves Through Three Ribosomal Sites	135
Translation Is Terminated by Release Factors When a Stop Codon Is Reached	137
Polysomes and Rapid Ribosome Recycling Increase the Efficiency of Translation	138

4.5 DNA Replication 139

DNA Polymerases Require a Primer to Initiate Replication	140
Duplex DNA Is Unwound and Daughter Strands Are Formed at the DNA Replication Fork	141
Several Proteins Participate in DNA Replication	141
DNA Replication Usually Occurs Bidirectionally from Each Origin	143

4.6 DNA Repair and Recombination 145

DNA Polymerases Introduce Copying Errors and Also Correct Them	145
Chemical and Radiation Damage to DNA Can Lead to Mutations	145
High-Fidelity DNA Excision-Repair Systems Recognize and Repair Damage	147
Base Excision Repairs T·G Mismatches and Damaged Bases	147
Mismatch Excision Repairs Other Mismatches and Small Insertions and Deletions	147
Nucleotide Excision Repairs Chemical Adducts That Distort Normal DNA Shape	148
Two Systems Utilize Recombination to Repair Double-Strand Breaks in DNA	149
Homologous Recombination Can Repair DNA Damage and Generate Genetic Diversity	150

4.7 Viruses: Parasites of the Cellular Genetic System 154

Most Viral Host Ranges Are Narrow	154
Viral Capsids Are Regular Arrays of One or a Few Types of Protein	154
Viruses Can Be Cloned and Counted in Plaque Assays	155
Lytic Viral Growth Cycles Lead to the Death of Host Cells	156
Viral DNA Is Integrated into the Host-Cell Genome in Some Nonlytic Viral Growth Cycles	158

5 MOLECULAR GENETIC TECHNIQUES 165

5.1 Genetic Analysis of Mutations to Identify and Study Genes 166

Recessive and Dominant Mutant Alleles Generally Have Opposite Effects on Gene Function	166
Segregation of Mutations in Breeding Experiments Reveals Their Dominance or Recessivity	167
Conditional Mutations Can Be Used to Study Essential Genes in Yeast	170
Recessive Lethal Mutations in Diploids Can Be Identified by Inbreeding and Maintained in Heterozygotes	171
Complementation Tests Determine Whether Different Recessive Mutations Are in the Same Gene	171
Double Mutants Are Useful in Assessing the Order in Which Proteins Function	171
Genetic Suppression and Synthetic Lethality Can Reveal Interacting or Redundant Proteins	173
Genes Can Be Identified by Their Map Position on the Chromosome	174

5.2 DNA Cloning and Characterization 176

Restriction Enzymes and DNA Ligases Allow Insertion of DNA Fragments into Cloning Vectors	176
<i>E. coli</i> Plasmid Vectors Are Suitable for Cloning Isolated DNA Fragments	178
cDNA Libraries Represent the Sequences of Protein-Coding Genes	179
cDNAs Prepared by Reverse Transcription of Cellular mRNAs Can Be Cloned to Generate cDNA Libraries	181
DNA Libraries Can Be Screened by Hybridization to an Oligonucleotide Probe	181
Yeast Genomic Libraries Can Be Constructed with Shuttle Vectors and Screened by Functional Complementation	182
Gel Electrophoresis Allows Separation of Vector DNA from Cloned Fragments	184
Cloned DNA Molecules Are Sequenced Rapidly by the Dideoxy Chain-Termination Method	187
The Polymerase Chain Reaction Amplifies a Specific DNA Sequence from a Complex Mixture	188

5.3 Using Cloned DNA Fragments to Study Gene Expression 191

Hybridization Techniques Permit Detection of Specific DNA Fragments and mRNAs	191
DNA Microarrays Can Be Used to Evaluate the Expression of Many Genes at One Time	192

Cluster Analysis of Multiple Expression Experiments Identifies Co-regulated Genes	193	Nonprotein-Coding Genes Encode Functional RNAs	222
<i>E. coli</i> Expression Systems Can Produce Large Quantities of Proteins from Cloned Genes	194	6.2 Chromosomal Organization of Genes and Noncoding DNA	223
Plasmid Expression Vectors Can Be Designed for Use in Animal Cells	196	Genomes of Many Organisms Contain Much Nonfunctional DNA	223
5.4 Identifying and Locating Human Disease Genes	198	Most Simple-Sequence DNAs Are Concentrated in Specific Chromosomal Locations	224
Many Inherited Diseases Show One of Three Major Patterns of Inheritance	199	DNA Fingerprinting Depends on Differences in Length of Simple-Sequence DNAs	225
DNA Polymorphisms Are Used in Linkage-Mapping Human Mutations	200	Unclassified Spacer DNA Occupies a Significant Portion of the Genome	225
Linkage Studies Can Map Disease Genes with a Resolution of About 1 Centimorgan	201	6.3 Transposable (Mobile) DNA Elements	226
Further Analysis Is Needed to Locate a Disease Gene in Cloned DNA	202	Movement of Mobile Elements Involves a DNA or an RNA Intermediate	226
Many Inherited Diseases Result from Multiple Genetic Defects	203	DNA Transposons Are Present in Prokaryotes and Eukaryotes	227
5.5 Inactivating the Function of Specific Genes in Eukaryotes	204	LTR Retrotransposons Behave Like Intracellular Retroviruses	229
Normal Yeast Genes Can Be Replaced with Mutant Alleles by Homologous Recombination	205	Non-LTR Retrotransposons Transpose by a Distinct Mechanism	230
Transcription of Genes Ligated to a Regulated Promoter Can Be Controlled Experimentally	206	Other Retrotransposed RNAs Are Found in Genomic DNA	234
Specific Genes Can Be Permanently Inactivated in the Germ Line of Mice	207	Mobile DNA Elements Have Significantly Influenced Evolution	234
Somatic Cell Recombination Can Inactivate Genes in Specific Tissues	208	6.4 Organelle DNAs	236
Dominant-Negative Alleles Can Functionally Inhibit Some Genes	209	Mitochondria Contain Multiple mtDNA Molecules	237
RNA Interference Causes Gene Inactivation by Destroying the Corresponding mRNA	210	mtDNA Is Inherited Cytoplasmically	237
6 GENES, GENOMICS, AND CHROMOSOMES	215	The Size, Structure, and Coding Capacity of mtDNA Vary Considerably Between Organisms	238
6.1 Eukaryotic Gene Structure	217	Products of Mitochondrial Genes Are Not Exported	240
Most Eukaryotic Genes Contain Introns and Produce mRNAs Encoding Single Proteins	217	Mitochondria Evolved from a Single Endosymbiotic Event Involving a <i>Rickettsia</i> -like Bacterium	240
Simple and Complex Transcription Units Are Found in Eukaryotic Genomes	217	Mitochondrial Genetic Codes Differ from the Standard Nuclear Code	240
Protein-Coding Genes May Be Solitary or Belong to a Gene Family	219	Mutations in Mitochondrial DNA Cause Several Genetic Diseases in Humans	240
Heavily Used Gene Products Are Encoded by Multiple Copies of Genes	221	Chloroplasts Contain Large DNAs Often Encoding More Than a Hundred Proteins	242
		6.5 Genomics: Genome-wide Analysis of Gene Structure and Expression	243
		Stored Sequences Suggest Functions of Newly Identified Genes and Proteins	243

Comparison of Related Sequences from Different Species Can Give Clues to Evolutionary Relationships Among Proteins	244
Genes Can Be Identified Within Genomic DNA Sequences	244
The Number of Protein-Coding Genes in an Organism's Genome Is Not Directly Related to Its Biological Complexity	245
Single Nucleotide Polymorphisms and Gene Copy-Number Variation Are Important Determinants of Differences Between Individuals of a Species	246

6.6 Structural Organization of Eukaryotic Chromosomes 247

Chromatin Exists in Extended and Condensed Forms	248
Modifications of Histone Tails Control Chromatin Condensation and Function	250
Nonhistone Proteins Provide a Structural Scaffold for Long Chromatin Loops	254
Additional Nonhistone Proteins Regulate Transcription and Replication	256

6.7 Morphology and Functional Elements of Eukaryotic Chromosomes 257

Chromosome Number, Size, and Shape at Metaphase Are Species-Specific	257
During Metaphase, Chromosomes Can Be Distinguished by Banding Patterns and Chromosome Painting	258
Chromosome Painting and DNA Sequencing Reveal the Evolution of Chromosomes	259
Interphase Polytene Chromosomes Arise by DNA Amplification	260
Three Functional Elements Are Required for Replication and Stable Inheritance of Chromosomes	261
Centromere Sequences Vary Greatly in Length	263
Addition of Telomeric Sequences by Telomerase Prevents Shortening of Chromosomes	263

7 TRANSCRIPTIONAL CONTROL OF GENE EXPRESSION 269

7.1 Control of Gene Expression in Bacteria 271

Transcription Initiation by Bacterial RNA Polymerase Requires Association with a Sigma Factor	271
Initiation of <i>lac</i> Operon Transcription Can Be Repressed and Activated	271

Small Molecules Regulate Expression of Many Bacterial Genes via DNA-Binding Repressors and Activators	273
Transcription Initiation from Some Promoters Requires Alternative Sigma Factors	273
Transcription by σ^{54} -RNA Polymerase Is Controlled by Activators That Bind Far from the Promoter	274
Many Bacterial Responses Are Controlled by Two-Component Regulatory Systems	275

7.2 Overview of Eukaryotic Gene Control and RNA Polymerases 276

Regulatory Elements in Eukaryotic DNA Are Found Both Close to and Many Kilobases Away from Transcription Start Sites	276
Three Eukaryotic Polymerases Catalyze Formation of Different RNAs	278
The Largest Subunit in RNA Polymerase II Has an Essential Carboxyl-Terminal Repeat	279
RNA Polymerase II Initiates Transcription at DNA Sequences Corresponding to the 5' Cap of mRNAs	280

7.3 Regulatory Sequences in Protein-Coding Genes 282

The TATA Box, Initiators, and CpG Islands Function as Promoters in Eukaryotic DNA	282
Promoter-Proximal Elements Help Regulate Eukaryotic Genes	282
Distant Enhancers Often Stimulate Transcription by RNA Polymerase II	284
Most Eukaryotic Genes Are Regulated by Multiple Transcription-Control Elements	285

7.4 Activators and Repressors of Transcription 286

Footprinting and Gel-Shift Assays Detect Protein-DNA Interactions	286
Activators Are Modular Proteins Composed of Distinct Functional Domains and Promote Transcription	288
Repressors Inhibit Transcription and Are the Functional Converse of Activators	290
DNA-Binding Domains Can Be Classified into Numerous Structural Types	290
Structurally Diverse Activation and Repression Domains Regulate Transcription	293
Transcription Factor Interactions Increase Gene-Control Options	294
Multiprotein Complexes Form on Enhancers	295

7.5	Transcription Initiation by RNA Polymerase II	296	Mitochondrial and Chloroplast DNAs Are Transcribed by Organelle-Specific RNA Polymerases	317
	General Transcription Factors Position RNA Polymerase II at Start Sites and Assist in Initiation	296		
	Sequential Assembly of Proteins Forms the Pol II Transcription Preinitiation Complex in Vitro	297		
	In Vivo Transcription Initiation by Pol II Requires Additional Proteins	298		
7.6	Molecular Mechanisms of Transcription Repression and Activation	299		
	Formation of Heterochromatin Silences Gene Expression at Telomeres, Near Centromeres, and in Other Regions	299		
	Repressors Can Direct Histone Deacetylation and Methylation at Specific Genes	303		
	Activators Can Direct Histone Acetylation and Methylation at Specific Genes	305		
	Chromatin-Remodeling Factors Help Activate or Repress Transcription	306		
	Histone Modifications Vary Greatly in Their Stabilities	307		
	The Mediator Complex Forms a Molecular Bridge Between Activation Domains and Pol II	307		
	Transcription of Many Genes Requires Ordered Binding and Function of Activators and Co-activators	308		
	The Yeast Two-Hybrid System Exploits Activator Flexibility to Detect cDNAs That Encode Interacting Proteins	310		
7.7	Regulation of Transcription-Factor Activity	311		
	All Nuclear Receptors Share a Common Domain Structure	312		
	Nuclear-Receptor Response Elements Contain Inverted or Direct Repeats	313		
	Hormone Binding to a Nuclear Receptor Regulates Its Activity as a Transcription Factor	313		
7.8	Regulated Elongation and Termination of Transcription	314		
	Transcription of the HIV Genome Is Regulated by an Antitermination Mechanism	315		
	Promoter-Proximal Pausing of RNA Polymerase II Occurs in Some Rapidly Induced Genes	316		
7.9	Other Eukaryotic Transcription Systems	316		
	Transcription Initiation by Pol I and Pol III Is Analogous to That by Pol II	316		
8	POST-TRANSCRIPTIONAL GENE CONTROL	323		
8.1	Processing of Eukaryotic Pre-mRNA	325		
	The 5' Cap Is Added to Nascent RNAs Shortly After Transcription Initiation	325		
	A Diverse Set of Proteins with Conserved RNA-Binding Domains Associate with Pre-mRNAs	326		
	Splicing Occurs at Short, Conserved Sequences in Pre-mRNAs via Two Transesterification Reactions	329		
	During Splicing, snRNAs Base-Pair with Pre-mRNA	330		
	Spliceosomes, Assembled from snRNPs and a Pre-mRNA, Carry Out Splicing	330		
	Chain Elongation by RNA Polymerase II Is Coupled to the Presence of RNA-Processing Factors	333		
	SR Proteins Contribute to Exon Definition in Long Pre-mRNAs	333		
	Self-Splicing Group II Introns Provide Clues to the Evolution of snRNAs	334		
	3' Cleavage and Polyadenylation of Pre-mRNAs Are Tightly Coupled	335		
	Nuclear Exonucleases Degrade RNA That Is Processed Out of Pre-mRNAs	336		
8.2	Regulation of Pre-mRNA Processing	337		
	Alternative Splicing Is the Primary Mechanism for Regulating mRNA Processing	337		
	A Cascade of Regulated RNA Splicing Controls <i>Drosophila</i> Sexual Differentiation	338		
	Splicing Repressors and Activators Control Splicing at Alternative Sites	339		
	RNA Editing Alters the Sequences of Some Pre-mRNAs	340		
8.3	Transport of mRNA Across the Nuclear Envelope	341		
	Nuclear Pore Complexes Control Import and Export from the Nucleus	342		
	Pre-mRNAs in Spliceosomes Are Not Exported from the Nucleus	345		
	HIV Rev Protein Regulates the Transport of Unspliced Viral mRNAs	346		

8.4 Cytoplasmic Mechanisms of Post-transcriptional Control

347

Micro RNAs Repress Translation of Specific mRNAs	347
RNA Interference Induces Degradation of Precisely Complementary mRNAs	349
Cytoplasmic Polyadenylation Promotes Translation of Some mRNAs	351
Degradation of mRNAs in the Cytoplasm Occurs by Several Mechanisms	352
Protein Synthesis Can Be Globally Regulated	353
Sequence-Specific RNA-Binding Proteins Control Specific mRNA Translation	356
Surveillance Mechanisms Prevent Translation of Improperly Processed mRNAs	357

Localization of mRNAs Permits Production of Proteins at Specific Regions Within the Cytoplasm	357
---	-----

8.5 Processing of rRNA and tRNA

358

Pre-rRNA Genes Function as Nucleolar Organizers and Are Similar in All Eukaryotes	359
Small Nucleolar RNAs Assist in Processing Pre-rRNAs	360
Self-Splicing Group I Introns Were the First Examples of Catalytic RNA	363
Pre-tRNAs Undergo Extensive Modification in the Nucleus	363
Nuclear Bodies Are Functionally Specialized Nuclear Domains	364

Part III Cell Structure and Function

9 VISUALIZING, FRACTIONATING, AND CULTURING CELLS

371

9.1 Organelles of the Eukaryotic Cell

372

The Plasma Membrane Has Many Common Functions in All Cells	372
Endosomes Take Up Soluble Macromolecules from the Cell Exterior	372
Lysosomes Are Acidic Organelles That Contain a Battery of Degradative Enzymes	373
Peroxisomes Degrade Fatty Acids and Toxic Compounds	374
The Endoplasmic Reticulum Is a Network of Interconnected Internal Membranes	375
The Golgi Complex Processes and Sorts Secreted and Membrane Proteins	376
Plant Vacuoles Store Small Molecules and Enable a Cell to Elongate Rapidly	377
The Nucleus Contains the DNA Genome, RNA Synthetic Apparatus, and a Fibrous Matrix	378
Mitochondria Are the Principal Sites of ATP Production in Aerobic Nonphotosynthetic Cells	378
Chloroplasts Contain Internal Compartments in Which Photosynthesis Takes Place	379

9.2 Light Microscopy: Visualizing Cell Structure and Localizing Proteins Within Cells

380

The Resolution of the Light Microscope Is About 0.2 μm	381
---	-----

Phase-Contrast and Differential Interference Contrast Microscopy Visualize Unstained Living Cells	381
Fluorescence Microscopy Can Localize and Quantify Specific Molecules in Live Cells	382
Imaging Subcellular Details Often Requires that the Samples Be Fixed, Sectioned, and Stained	384
Immunofluorescence Microscopy Can Detect Specific Proteins in Fixed Cells	385
Confocal and Deconvolution Microscopy Enable Visualization of Three-Dimensional Objects	386
Graphics and Informatics Have Transformed Modern Microscopy	387

9.3 Electron Microscopy: Methods and Applications

388

Resolution of Transmission Electron Microscopy is Vastly Greater Than That of Light Microscopy	388
Cryoelectron Microscopy Allows Visualization of Particles Without Fixation or Staining	389
Electron Microscopy of Metal-Coated Specimens Can Reveal Surface Features of Cells and Their Components	390

9.4 Purification of Cell Organelles

391

Disruption of Cells Releases Their Organelles and Other Contents	391
Centrifugation Can Separate Many Types of Organelles	392
Organelle-Specific Antibodies Are Useful in Preparing Highly Purified Organelles	393

9.5 Isolation, Culture, and Differentiation of Metazoan Cells	394	Lipid-Binding Motifs Help Target Peripheral Proteins to the Membrane	427
Flow Cytometry Separates Different Cell Types	394	Proteins Can Be Removed from Membranes by Detergents or High-Salt Solutions	427
Culture of Animal Cells Requires Nutrient-Rich Media and Special Solid Surfaces	395		
Primary Cell Cultures Can Be Used to Study Cell Differentiation	396		
Primary Cell Cultures and Cell Strains Have a Finite Life Span	396		
Transformed Cells Can Grow Indefinitely in Culture	397		
Some Cell Lines Undergo Differentiation in Culture	398		
Hybrid Cells Called Hybridomas Produce Abundant Monoclonal Antibodies	400		
HAT Medium Is Commonly Used to Isolate Hybrid Cells	402		
CLASSIC EXPERIMENT 9.1 Separating Organelles	407		
<hr/>			
10 BIOMEMBRANE STRUCTURE	409		
<hr/>			
10.1 Biomembranes: Lipid Composition and Structural Organization	411	10.3 Phospholipids, Sphingolipids, and Cholesterol: Synthesis and Intracellular Movement	429
Phospholipids Spontaneously Form Bilayers	411	Fatty Acids Synthesis Is Mediated by Several Important Enzymes	430
Phospholipid Bilayers Form a Sealed Compartment Surrounding an Internal Aqueous Space	411	Small Cytosolic Proteins Facilitate Movement of Fatty Acids	430
Biomembranes Contain Three Principal Classes of Lipids	415	Incorporation of Fatty Acids into Membrane Lipids Takes Place on Organelle Membranes	431
Most Lipids and Many Proteins Are Laterally Mobile in Biomembranes	416	Flippases Move Phospholipids from One Membrane Leaflet to the Opposite Leaflet	431
Lipid Composition Influences the Physical Properties of Membranes	418	Cholesterol Is Synthesized by Enzymes in the Cytosol and ER Membrane	432
Lipid Composition Is Different in the Exoplasmic and Cytosolic Leaflets	419	Cholesterol and Phospholipids Are Transported Between Organelles by Several Mechanisms	433
Cholesterol and Sphingolipids Cluster with Specific Proteins in Membrane Microdomains	420		
<hr/>			
10.2 Biomembranes: Protein Components and Basic Functions	421	11 TRANSMEMBRANE TRANSPORT OF IONS AND SMALL MOLECULES	437
Proteins Interact with Membranes in Three Different Ways	421		
Most Transmembrane Proteins Have Membrane-Spanning α Helices	422	11.1 Overview of Membrane Transport	438
Multiple β Strands in Porins Form Membrane-Spanning "Barrels"	424	Only Small Hydrophobic Molecules Cross Membranes by Simple Diffusion	438
Covalently Attached Hydrocarbon Chains Anchor Some Proteins to Membranes	424	Membrane Proteins Mediate Transport of Most Molecules and All Ions Across Biomembranes	439
All Transmembrane Proteins and Glycolipids Are Asymmetrically Oriented in the Bilayer	426	11.2 Uniport Transport of Glucose and Water	441
		Several Features Distinguish Uniport Transport from Simple Diffusion	441
		GLUT1 Uniporter Transports Glucose into Most Mammalian Cells	442
		The Human Genome Encodes a Family of Sugar-Transporting GLUT Proteins	443
		Transport Proteins Can Be Enriched Within Artificial Membranes and Cells	443
		Osmotic Pressure Causes Water to Move Across Membranes	444
		Aquaporins Increase the Water Permeability of Cell Membranes	444

11.3 ATP-Powered Pumps and the Intracellular Ionic Environment

Different Classes of Pumps Exhibit Characteristic Structural and Functional Properties	447
ATP-Powered Ion Pumps Generate and Maintain Ionic Gradients Across Cellular Membranes	448
Muscle Relaxation Depends on Ca^{2+} ATPases That Pump Ca^{2+} from the Cytosol into the Sarcoplasmic Reticulum	449
Calmodulin Regulates the Plasma Membrane Ca^{2+} Pumps That Control Cytosolic Ca^{2+} Concentrations	451
Na^+/K^+ ATPase Maintains the Intracellular Na^+ and K^+ Concentrations in Animal Cells	452
V-Class H^+ ATPases Maintain the Acidity of Lysosomes and Vacuoles	453
Bacterial Permeases Are ABC Proteins That Import a Variety of Nutrients from the Environment	454
The Approximately 50 Mammalian ABC Transporters Play Diverse and Important Roles in Cell and Organ Physiology	455
Certain ABC Proteins “Flip” Phospholipids and Other Lipid-Soluble Substrates from One Membrane Leaflet to the Opposite Leaflet	456

11.4 Nongated Ion Channels and the Resting Membrane Potential

Selective Movement of Ions Creates a Transmembrane Electric Potential Difference	458
The Membrane Potential in Animal Cells Depends Largely on Potassium Ion Movements Through Open Resting K^+ Channels	460
Ion Channels Contain a Selectivity Filter Formed from Conserved Transmembrane Segments	461
Patch Clamps Permit Measurement of Ion Movements Through Single Channels	463
Novel Ion Channels Can Be Characterized by a Combination of Oocyte Expression and Patch Clamping	464
Na^+ Entry into Mammalian Cells Has a Negative Change in Free Energy (ΔG)	464

11.5 Cotransport by Symporters and Antiporters

Na^+ -Linked Symporters Import Amino Acids and Glucose into Animal Cells Against High Concentration Gradients	466
--	-----

Bacterial Symporter Structure Reveals the Mechanism of Substrate Binding	467
Na^+ -Linked Ca^{2+} Antiporter Exports Ca^{2+} from Cardiac Muscle Cells	468
Several Cotransporters Regulate Cytosolic pH	468
A Putative Cation Exchange Protein Plays a Key Role in Evolution of Human Skin Pigmentation	469
Numerous Transport Proteins Enable Plant Vacuoles to Accumulate Metabolites and Ions	469

11.6 Transepithelial Transport

Multiple Transport Proteins Are Needed to Move Glucose and Amino Acids Across Epithelia	471
Simple Rehydration Therapy Depends on the Osmotic Gradient Created by Absorption of Glucose and Na^+	471
Parietal Cells Acidify the Stomach Contents While Maintaining a Neutral Cytosolic pH	472
CLASSIC EXPERIMENT 11.1 Stumbling Upon Active Transport	477

12 CELLULAR ENERGETICS

12.1 First Steps of Glucose and Fatty Acid Catabolism: Glycolysis and the Citric Acid Cycle

During Glycolysis (Stage I), Cytosolic Enzymes Convert Glucose to Pyruvate	481
The Rate of Glycolysis Is Adjusted to Meet the Cell's Need for ATP	483
Glucose Is Fermented Under Anaerobic Conditions	485
Under Aerobic Conditions, Mitochondria Efficiently Oxidize Pyruvate and Generate ATP (Stages II-IV)	485
Mitochondria Are Dynamic Organelles with Two Structurally and Functionally Distinct Membranes	485
In Stage II, Pyruvate Is Oxidized to CO_2 and High-Energy Electrons Stored in Reduced Coenzymes	487
Transporters in the Inner Mitochondrial Membrane Help Maintain Appropriate Cytosolic and Matrix Concentrations of NAD^+ and NADH	489
Mitochondrial Oxidation of Fatty Acids Generates ATP	491
Peroxisomal Oxidation of Fatty Acids Generates No ATP	491

12.2 The Electron Transport Chain and Generation of the Proton-Motive Force	493	Photoelectron Transport from Energized Reaction-Center Chlorophyll a Produces a Charge Separation	514
Stepwise Electron Transport Efficiently Releases the Energy Stored in NADH and FADH ₂	493	Internal Antenna and Light-Harvesting Complexes Increase the Efficiency of Photosynthesis	515
Electron Transport in Mitochondria Is Coupled to Proton Pumping	493	12.5 Molecular Analysis of Photosystems	517
Electrons Flow from FADH ₂ and NADH to O ₂ Through Four Multiprotein Complexes	494	The Single Photosystem of Purple Bacteria Generates a Proton-Motive Force but No O ₂	517
Reduction Potentials of Electron Carriers Favor Electron Flow from NADH to O ₂	499	Linear Electron Flow Through Both Plant Photosystems, PSII and PSI, Generates a Proton-Motive Force, O ₂ , and NADPH	519
Experiments Using Purified Complexes Established the Stoichiometry of Proton Pumping	499	An Oxygen-Evolving Complex Is Located on the Luminal Surface of the PSII Reaction Center	520
The Q Cycle Increases the Number of Protons Translocated as Electrons Flow Through Complex III	500	Cells Use Multiple Mechanisms to Protect Against Damage from Reactive Oxygen Species During Photoelectron Transport	521
The Proton-Motive Force in Mitochondria Is Due Largely to a Voltage Gradient Across the Inner Membrane	502	Cyclic Electron Flow Through PSI Generates a Proton-Motive Force but No NADPH or O ₂	522
Toxic By-products of Electron Transport Can Damage Cells	502	Relative Activities of Photosystems I and II Are Regulated	523
12.3 Harnessing the Proton-Motive Force for Energy-Requiring Processes	503	12.6 CO₂ Metabolism During Photosynthesis	524
The Mechanism of ATP Synthesis Is Shared Among Bacteria, Mitochondria, and Chloroplasts	505	Rubisco Fixes CO ₂ in the Chloroplast Stroma	525
ATP Synthase Comprises Two Multiprotein Complexes Termed F ₀ and F ₁	505	Synthesis of Sucrose Using Fixed CO ₂ Is Completed in the Cytosol	525
Rotation of the F ₁ γ Subunit, Driven by Proton Movement Through F ₀ , Powers ATP Synthesis	506	Light and Rubisco Activase Stimulate CO ₂ Fixation	525
ATP-ADP Exchange Across the Inner Mitochondrial Membrane Is Powered by the Proton-Motive Force	509	Photorespiration, Which Competes with Photosynthesis, Is Reduced in Plants That Fix CO ₂ by the C ₄ Pathway	527
Rate of Mitochondrial Oxidation Normally Depends on ADP Levels	510	<hr/> 13 MOVING PROTEINS INTO MEMBRANES AND ORGANELLES	533
Brown-Fat Mitochondria Use the Proton-Motive Force to Generate Heat	510	<hr/> 13.1 Translocation of Secretory Proteins Across the ER Membrane	535
12.4 Photosynthesis and Light-Absorbing Pigments	511	A Hydrophobic N-Terminal Signal Sequence Targets Nascent Secretory Proteins to the ER	536
Thylakoid Membranes in Chloroplasts Are the Sites of Photosynthesis in Plants	511	Cotranslational Translocation Is Initiated by Two GTP-Hydrolyzing Proteins	537
Three of the Four Stages in Photosynthesis Occur Only During Illumination	511	Passage of Growing Polypeptides Through the Translocon Is Driven by Energy Released During Translation	539
Each Photon of Light Has a Defined Amount of Energy	513		
Photosystems Comprise a Reaction Center and Associated Light-Harvesting Complexes	514		

ATP Hydrolysis Powers Post-translational Translocation of Some Secretory Proteins in Yeast	540
--	-----

13.2 Insertion of Proteins into the ER Membrane 542

Several Topological Classes of Integral Membrane Proteins Are Synthesized on the ER	543
Internal Stop-Transfer and Signal-Anchor Sequences Determine Topology of Single-Pass Proteins	544
Multipass Proteins Have Multiple Internal Topogenic Sequences	546
A Phospholipid Anchor Tethers Some Cell-Surface Proteins to the Membrane	547
The Topology of a Membrane Protein Often Can Be Deduced from Its Sequence	547

13.3 Protein Modifications, Folding, and Quality Control in the ER 549

A Preformed <i>N</i> -Linked Oligosaccharide Is Added to Many Proteins in the Rough ER	550
Oligosaccharide Side Chains May Promote Folding and Stability of Glycoproteins	552
Disulfide Bonds Are Formed and Rearranged by Proteins in the ER Lumen	552
Chaperones and Other ER Proteins Facilitate Folding and Assembly of Proteins	552
Improperly Folded Proteins in the ER Induce Expression of Protein-Folding Catalysts	555
Unassembled or Misfolded Proteins in the ER Are Often Transported to the Cytosol for Degradation	556

13.4 Sorting of Proteins to Mitochondria and Chloroplasts 557

Amphipathic <i>N</i> -Terminal Signal Sequences Direct Proteins to the Mitochondrial Matrix	558
Mitochondrial Protein Import Requires Outer-Membrane Receptors and Translocons in Both Membranes	558
Studies with Chimeric Proteins Demonstrate Important Features of Mitochondrial Import	560
Three Energy Inputs Are Needed to Import Proteins into Mitochondria	561
Multiple Signals and Pathways Target Proteins to Submitochondrial Compartments	561
Targeting of Chloroplast Stromal Proteins Is Similar to Import of Mitochondrial Matrix Proteins	565
Proteins Are Targeted to Thylakoids by Mechanisms Related to Translocation Across the Bacterial Inner Membrane	565

13.5 Sorting of Peroxisomal Proteins 567

Cytosolic Receptor Targets Proteins with an SKL Sequence at the C-Terminus into the Peroxisomal Matrix	567
Peroxisomal Membrane and Matrix Proteins Are Incorporated by Different Pathways	568

13.6 Transport into and out of the Nucleus 569

Large and Small Molecules Enter and Leave the Nucleus via Nuclear Pore Complexes	570
Importins Transport Proteins Containing Nuclear-Localization Signals into the Nucleus	571
Exportins Transport Proteins Containing Nuclear-Export Signals out of the Nucleus	573
Most mRNAs Are Exported from the Nucleus by a Ran-Independent Mechanism	573

14 VESICULAR TRAFFIC, SECRETION, AND ENDOCYTOSIS 579

14.1 Techniques for Studying the Secretory Pathway 580

Transport of a Protein Through the Secretory Pathway Can Be Assayed in Living Cells	582
Yeast Mutants Define Major Stages and Many Components in Vesicular Transport	584
Cell-Free Transport Assays Allow Dissection of Individual Steps in Vesicular Transport	585

14.2 Molecular Mechanisms of Vesicular Traffic 586

Assembly of a Protein Coat Drives Vesicle Formation and Selection of Cargo Molecules	586
A Conserved Set of GTPase Switch Proteins Controls Assembly of Different Vesicle Coats	587
Targeting Sequences on Cargo Proteins Make Specific Molecular Contacts with Coat Proteins	588
Rab GTPases Control Docking of Vesicles on Target Membranes	589
Paired Sets of SNARE Proteins Mediate Fusion of Vesicles with Target Membranes	591
Dissociation of SNARE Complexes After Membrane Fusion Is Driven by ATP Hydrolysis	591

14.3	Early Stages of the Secretory Pathway	592		
	COPII Vesicles Mediate Transport from the ER to the Golgi	592		
	COPI Vesicles Mediate Retrograde Transport within the Golgi and from the Golgi to the ER	594		
	Anterograde Transport Through the Golgi Occurs by Cisternal Maturation	595		
14.4	Later Stages of the Secretory Pathway	597		
	Vesicles Coated with Clathrin and/or Adapter Proteins Mediate Several Transport Steps	598		
	Dynamin Is Required for Pinching Off of Clathrin Vesicles	599		
	Mannose 6-Phosphate Residues Target Soluble Proteins to Lysosomes	600		
	Study of Lysosomal Storage Diseases Revealed Key Components of the Lysosomal Sorting Pathway	602		
	Protein Aggregation in the <i>trans</i> -Golgi May Function in Sorting Proteins to Regulated Secretory Vesicles	602		
	Some Proteins Undergo Proteolytic Processing After Leaving the <i>trans</i> -Golgi	603		
	Several Pathways Sort Membrane Proteins to the Apical or Basolateral Region of Polarized Cells	604		
14.5	Receptor-Mediated Endocytosis	606		
	Cells Take Up Lipids from the Blood in the Form of Large, Well-Defined Lipoprotein Complexes	606		
	Receptors for Low-Density Lipoprotein and Other Ligands Contain Sorting Signals That Target Them for Endocytosis	608		
	The Acidic pH of Late Endosomes Causes Most Receptor-Ligand Complexes to Dissociate	610		
	The Endocytic Pathway Delivers Iron to Cells without Dissociation of the Receptor-Transferrin Complex in Endosomes	611		
14.6	Directing Membrane Proteins and Cytosolic Materials to the Lysosome	612		
	Multivesicular Endosomes Segregate Membrane Proteins Destined for the Lysosomal Membrane from Proteins Destined for Lysosomal Degradation	612		
	Retroviruses Bud from the Plasma Membrane by a Process Similar to Formation of Multivesicular Endosomes	614		
	CLASSIC EXPERIMENT 14.1 Following a Protein Out of the Cell	621		
15	CELL SIGNALING I: SIGNAL TRANSDUCTION AND SHORT-TERM CELLULAR RESPONSES	623		
15.1	From Extracellular Signal to Cellular Response	625		
	Signaling Cells Produce and Release Signaling Molecules	625		
	Signaling Molecules Can Act Locally or at a Distance	625		
	Binding of Signaling Molecules Activates Receptors on Target Cells	626		
15.2	Studying Cell-Surface Receptors	627		
	Receptor Proteins Bind Ligands Specifically	627		
	The Dissociation Constant Is a Measure of the Affinity of a Receptor for Its Ligand	628		
	Binding Assays Are Used to Detect Receptors and Determine Their Affinities for Ligands	628		
	Maximal Cellular Response to a Signaling Molecule Usually Does Not Require Activation of All Receptors	629		
	Sensitivity of a Cell to External Signals Is Determined by the Number of Surface Receptors and Their Affinity for Ligand	631		
	Receptors Can Be Purified by Affinity Techniques	631		
	Receptors Are Frequently Expressed from Cloned Genes	631		
15.3	Highly Conserved Components of Intracellular Signal-Transduction Pathways	632		
	GTP-Binding Proteins Are Frequently Used As On/Off Switches	633		
	Protein Kinases and Phosphatases are Employed in Virtually All Signaling Pathways	634		
	Second Messengers Carry and Amplify Signals from Many Receptors	634		
15.4	General Elements of G Protein-Coupled Receptor Systems	635		
	G Protein-Coupled Receptors Are a Large and Diverse Family with a Common Structure and Function	635		
	G Protein-Coupled Receptors Activate Exchange of GTP for GDP on the α Subunit of a Trimeric G Protein	637		
	Different G Proteins Are Activated by Different GPCRs and In Turn Regulate Different Effector Proteins	639		

15.5 G Protein-Coupled Receptors That Regulate Ion Channels 640

- Acetylcholine Receptors in the Heart Muscle Activate a G Protein That Opens K^+ Channels 641
- Light Activates $G_{\alpha t}$ -Coupled Rhodopsins 641
- Activation of Rhodopsin Induces Closing of cGMP-Gated Cation Channels 642
- Rod Cells Adapt to Varying Levels of Ambient Light Because of Opsin Phosphorylation and Binding of Arrestin 644

15.6 G Protein-Coupled Receptors That Activate or Inhibit Adenylyl Cyclase 646

- Adenylyl Cyclase Is Stimulated and Inhibited by Different Receptor-Ligand Complexes 646
- Structural Studies Established How $G_{\alpha s}$ -GTP Binds to and Activates Adenylyl Cyclase 646
- cAMP Activates Protein Kinase A by Releasing Catalytic Subunits 647
- Glycogen Metabolism Is Regulated by Hormone-Induced Activation of Protein Kinase A 648
- cAMP-Mediated Activation of Protein Kinase A Produces Diverse Responses in Different Cell Types 649
- Signal Amplification Commonly Occurs in Many Signaling Pathways 650
- Several Mechanisms Down-Regulate Signaling from G Protein-Coupled Receptors 651
- Anchoring Proteins Localize Effects of cAMP to Specific Regions of the Cell 652

15.7 G Protein-Coupled Receptors That Activate Phospholipase C 653

- Phosphorylated Derivatives of Inositol Are Important Second Messengers 654
- Calcium Ion Release from the Endoplasmic Reticulum Is Triggered by IP_3 654
- The Ca^{2+} /Calmodulin Complex Mediates Many Cellular Responses to External Signals 655
- Diacylglycerol (DAG) Activates Protein Kinase C, Which Regulates Many Other Proteins 656
- Signal-Induced Relaxation of Vascular Smooth Muscle Is Mediated by cGMP-Activated Protein Kinase G 656

15.8 Integrating Responses of Cells to Environmental Influences 657

- Integration of Multiple Second Messengers Regulates Glycogenolysis 657

- Insulin and Glucagon Work Together to Maintain a Stable Blood Glucose Level 658

CLASSIC EXPERIMENT 15.1 The Infancy of Signal Transduction—GTP Stimulation of cAMP Synthesis 663

16 CELL-SIGNALING II: SIGNALING PATHWAYS THAT CONTROL GENE ACTIVITY 665

16.1 TGF β Receptors and the Direct Activation of Smads 668

- A TGF β Signaling Molecule Is Formed by Cleavage of an Inactive Precursor 668
- Radioactive Tagging Was Used to Identify TGF β Receptors 669
- Activated TGF β Receptors Phosphorylate Smad Transcription Factors 670
- Negative Feedback Loops Regulate TGF β /Smad Signaling 671
- Loss of TGF β Signaling Plays a Key Role in Cancer 671

16.2 Cytokine Receptors and the JAK/STAT Pathway 672

- Cytokines Influence Development of Many Cell Types 672
- Cytokine Receptors Have Similar Structures and Activate Similar Signaling Pathways 673
- JAK Kinases Activate STAT Transcription Factors 674
- Complementation Genetics Revealed That JAK and STAT Proteins Transduce Cytokine Signals 677
- Signaling from Cytokine Receptors Is Regulated by Negative Signals 678
- Mutant Erythropoietin Receptor That Cannot Be Turned Off Leads to Increased Numbers of Erythrocytes 679

16.3 Receptor Tyrosine Kinases 679

- Ligand Binding Leads to Phosphorylation and Activation of Intrinsic Kinase in RTKs 680
- Overexpression of HER2, a Receptor Tyrosine Kinase, Occurs in Some Breast Cancers 680

Conserved Domains Are Important for Binding Signal-Transduction Proteins to Activated Receptors	682	Hedgehog Signaling Relieves Repression of Target Genes	700
Down-regulation of RTK Signaling Occurs by Endocytosis and Lysosomal Degradation	683		
16.4 Activation of Ras and MAP Kinase Pathways	684	16.7 Pathways That Involve Signal-Induced Protein Cleavage	703
Ras, a GTPase Switch Protein, Cycles Between Active and Inactive States	685	Degradation of an Inhibitor Protein Activates the NF- κ B Transcription Factors	703
Receptor Tyrosine Kinases Are Linked to Ras by Adapter Proteins	685	Ligand-Activated Notch Is Cleaved Twice, Releasing a Transcription Factor	705
Genetic Studies in <i>Drosophila</i> Identified Key Signal-Transducing Proteins in the Ras/MAP Kinase Pathway	685	Matrix Metalloproteases Catalyze Cleavage of Many Signaling Proteins from the Cell Surface	706
Binding of Sos Protein to Inactive Ras Causes a Conformational Change That Activates Ras	687	Inappropriate Cleavage of Amyloid Precursor Protein Can Lead to Alzheimer's Disease	706
Signals Pass from Activated Ras to a Cascade of Protein Kinases	688	Regulated Intramembrane Proteolysis of SREBP Releases a Transcription Factor That Acts to Maintain Phospholipid and Cholesterol Levels	707
MAP Kinase Regulates the Activity of Many Transcription Factors Controlling Early-Response Genes	690		
G Protein-Coupled Receptors Transmit Signals to MAP Kinase in Yeast Mating Pathways	691	<hr/> 17 CELL ORGANIZATION AND MOVEMENT I: MICROFILAMENTS	713
Scaffold Proteins Separate Multiple MAP Kinase Pathways in Eukaryotic Cells	692		
The Ras/MAP Kinase Pathway Can Induce Diverse Cellular Responses	693	17.1 Microfilaments and Actin Structures	716
		Actin Is Ancient, Abundant, and Highly Conserved	717
16.5 Phosphoinositides as Signal Transducers	694	G-Actin Monomers Assemble into Long, Helical F-Actin Polymers	717
Phospholipase C _γ Is Activated by Some RTKs and Cytokine Receptors	694	F-Actin Has Structural and Functional Polarity	718
Recruitment of PI-3 Kinase to Hormone-Stimulated Receptors Leads to Synthesis of Phosphorylated Phosphatidylinositols	694	17.2 Dynamics of Actin Filaments	718
Accumulation of PI 3-Phosphates in the Plasma Membrane Leads to Activation of Several Kinases	695	Actin Polymerization in Vitro Proceeds in Three Steps	719
Activated Protein Kinase B Induces Many Cellular Responses	696	Actin Filaments Grow Faster at (+) Ends Than at (-) Ends	720
The PI-3 Kinase Pathway Is Negatively Regulated by PTEN Phosphatase	697	Actin Filament Treadmilling Is Accelerated by Profilin and Cofilin	721
		Thymosin- β_4 Provides a Reservoir of Actin for Polymerization	722
16.6 Activation of Gene Transcription by Seven-Spanning Cell-Surface Receptors	697	Capping Proteins Block Assembly and Disassembly at Actin Filament Ends	722
CREB Links cAMP and Protein Kinase A to Activation of Gene Transcription	698		
GPCR-Bound Arrestin Activates Several Kinase Cascades	698	17.3 Mechanisms of Actin Filament Assembly	723
Wnt Signals Trigger Release of a Transcription Factor from Cytosolic Protein Complex	699	Formins Assemble Unbranched Filaments	723
		The Arp2/3 Complex Nucleates Branched Filament Assembly	724
		Intracellular Movements Can Be Powered by Actin Polymerization	726

Toxins That Perturb the Pool of Actin Monomers Are Useful for Studying Actin Dynamics	726	Chemotactic Gradients Induce Altered Phosphoinositide Levels Between the Front and Back of a Cell	750
17.4 Organization of Actin-Based Cellular Structures	728	CLASSIC EXPERIMENT 17.1 Looking at Muscle Contraction	755
Cross-Linking Proteins Organize Actin Filaments into Bundles or Networks	728	<hr/>	
Adaptor Proteins Link Actin Filaments to Membranes	728	18 CELL ORGANIZATION AND MOVEMENT II: MICROTUBULES AND INTERMEDIATE FILAMENTS	757
17.5 Myosins: Actin-Based Motor Proteins	731	<hr/>	
Myosins Have Head, Neck, and Tail Domains with Distinct Functions	732	18.1 Microtubule Structure and Organization	758
Myosins Make Up a Large Family of Mechanochemical Motor Proteins	733	Microtubule Walls Are Polarized Structures Built from $\alpha\beta$ -Tubulin Dimers	758
Conformational Changes in the Myosin Head Couple ATP Hydrolysis to Movement	736	Microtubules Are Assembled from MTOCs to Generate Diverse Organizations	760
Myosin Heads Take Discrete Steps Along Actin Filaments	736	18.2 Microtubule Dynamics	762
Myosin V Walks Hand Over Hand Down an Actin Filament	737	Microtubules Are Dynamic Structures Due to Kinetic Differences at Their Ends	763
17.6 Myosin-Powered Movements	738	Individual Microtubules Exhibit Dynamic Instability	763
Myosin Thick Filaments and Actin Thin Filaments in Skeletal Muscle Slide Past One Another During Contraction	738	Localized Assembly and "Search-and-Capture" Help Organize Microtubules	766
Skeletal Muscle Is Structured by Stabilizing and Scaffolding Proteins	740	Drugs Affecting Tubulin Polymerization Are Useful Experimentally and to Treat Diseases	766
Contraction of Skeletal Muscle Is Regulated by Ca^{2+} and Actin-Binding Proteins	740	18.3 Regulation of Microtubule Structure and Dynamics	767
Actin and Myosin II Form Contractile Bundles in Nonmuscle Cells	741	Microtubules Are Stabilized by Side- and End-Binding Proteins	767
Myosin-Dependent Mechanisms Regulate Contraction in Smooth Muscle and Nonmuscle Cells	742	Microtubules Are Disassembled by End Binding and Severing Proteins	768
Myosin-V-Bound Vesicles Are Carried Along Actin Filaments	743	18.4 Kinesins and Dyneins: Microtubule-Based Motor Proteins	769
17.7 Cell Migration: Signaling and Chemotaxis	745	Organelles in Axons Are Transported Along Microtubules in Both Directions	769
Cell Migration Coordinates Force Generation with Cell Adhesion and Membrane Recycling	745	Kinesin-1 Powers Anterograde Transport of Vesicles Down Axons Toward the (+) End of Microtubules	770
The Small GTP-Binding Proteins Cdc42, Rac, and Rho Control Actin Organization	747	Kinesins Form a Large Protein Family with Diverse Functions	771
Cell Migration Involves the Coordinate Regulation of Cdc42, Rac, and Rho	748	Kinesin-1 Is a Highly Processive Motor	772
Migrating Cells Are Steered by Chemotactic Molecules	750	Dynein Motors Transport Organelles Toward the (-) End of Microtubules	774
		Kinesins and Dyneins Cooperate in the Transport of Organelles Throughout the Cell	775

18.5	Cilia and Flagella: Microtubule-Based Surface Structures	777	Microfilaments and Microtubules Cooperate to Transport Melanosomes	796
	Eukaryotic Cilia and Flagella Contain Long Doublet Microtubules Bridged by Dynein Motors	777	Cdc42 Coordinates Microtubules and Microfilaments During Cell Migration	797
	Ciliary and Flagellar Beating Are Produced by Controlled Sliding of Outer Doublet Microtubules	778		
	Intraflagellar Transport Moves Material Up and Down Cilia and Flagella	779		
	Defects in Intraflagellar Transport Cause Disease by Affecting Sensory Primary Cilia	780		
18.6	Mitosis	781	19 INTEGRATING CELLS INTO TISSUES	801
	Mitosis Can Be Divided into Six Phases	782		
	Centrosomes Duplicate Early in the Cell Cycle in Preparation for Mitosis	783	19.1 Cell-Cell and Cell-Matrix Adhesion: An Overview	803
	The Mitotic Spindle Contains Three Classes of Microtubules	784	Cell-Adhesion Molecules Bind to One Another and to Intracellular Proteins	803
	Microtubule Dynamics Increases Dramatically in Mitosis	784	The Extracellular Matrix Participates in Adhesion, Signaling, and Other Functions	805
	Microtubules Treadmill During Mitosis	785	The Evolution of Multifaceted Adhesion Molecules Enabled the Evolution of Diverse Animal Tissues	807
	The Kinetochore Captures and Helps Transport Chromosomes	786		
	Duplicated Chromosomes Are Aligned by Motors and Treadmilling Microtubules	788	19.2 Cell-Cell and Cell-ECM Junctions and Their Adhesion Molecules	808
	Anaphase A Moves Chromosomes to Poles by Microtubule Shortening	789	Epithelial Cells Have Distinct Apical, Lateral, and Basal Surfaces	808
	Anaphase B Separates Poles by the Combined Action of Kinesins and Dynein	789	Three Types of Junctions Mediate Many Cell-Cell and Cell-ECM Interactions	809
	Additional Mechanisms Contribute to Spindle Formation	789	Cadherins Mediate Cell-Cell Adhesions in Adherens Junctions and Desmosomes	810
	Cytokinesis Splits the Duplicated Cell in Two	789	Tight Junctions Seal Off Body Cavities and Restrict Diffusion of Membrane Components	814
	Plant Cells Reorganize Their Microtubules and Build a New Cell Wall in Mitosis	790	Integrins Mediate Cell-ECM Adhesions in Epithelial Cells	816
			Gap Junctions Composed of Connexins Allow Small Molecules to Pass Directly Between Adjacent Cells	817
18.7	Intermediate Filaments	791	19.3 The Extracellular Matrix I: The Basal Lamina	820
	Intermediate Filaments Are Assembled from Subunit Dimers	792	The Basal Lamina Provides a Foundation for Assembly of Cells into Tissues	820
	Intermediate Filaments Proteins Are Expressed in a Tissue-Specific Manner	792	Laminin, a Multiadhesive Matrix Protein, Helps Cross-link Components of the Basal Lamina	821
	Intermediate Filaments Are Dynamic	795	Sheet-Forming Type IV Collagen Is a Major Structural Component of the Basal Lamina	821
	Defects in Lamins and Keratins Cause Many Diseases	795	Perlecan, a Proteoglycan, Cross-links Components of the Basal Lamina and Cell-Surface Receptors	824
18.8	Coordination and Cooperation between Cytoskeletal Elements	796	19.4 The Extracellular Matrix II: Connective and Other Tissues	825
	Intermediate Filament-Associated Proteins Contribute to Cellular Organization	796	Fibrillar Collagens Are the Major Fibrous Proteins in the ECM of Connective Tissues	825

Fibrillar Collagen Is Secreted and Assembled into Fibrils Outside of the Cell	826	Connections Between the ECM and Cytoskeleton Are Defective in Muscular Dystrophy	835
Type I and II Collagens Associate with Nonfibrillar Collagens to Form Diverse Structures	826	IgCAMs Mediate Cell-Cell Adhesion in Neuronal and Other Tissues	836
Proteoglycans and Their Constituent GAGs Play Diverse Roles in the ECM	827	Leukocyte Movement into Tissues Is Orchestrated by a Precisely Timed Sequence of Adhesive Interactions	837
Hyaluronan Resists Compression, Facilitates Cell Migration, and Gives Cartilage Its Gel-like Properties	829		
Fibronectins Interconnect Cells and Matrix, Influencing Cell Shape, Differentiation, and Movement	830	19.6 Plant Tissues	839
19.5 Adhesive Interactions in Motile and Nonmotile Cells	833	The Plant Cell Wall Is a Laminate of Cellulose Fibrils in a Matrix of Glycoproteins	840
Integrins Relay Signals Between Cells and Their Three-Dimensional Environment	833	Loosening of the Cell Wall Permits Plant Cell Growth	840
Regulation of Integrin-Mediated Adhesion and Signaling Controls Cell Movement	834	Plasmodesmata Directly Connect the Cytosols of Adjacent Cells in Higher Plants	840
		Only a Few Adhesive Molecules Have Been Identified in Plants	841

Part IV Cell Growth and Development

20 REGULATING THE EUKARYOTIC CELL CYCLE	847	20.3 Cyclin-Dependent Kinase Regulation During Mitosis	859
20.1 Overview of the Cell Cycle and Its Control	849	MPF Components Are Conserved Between Lower and Higher Eukaryotes	860
The Cell Cycle Is an Ordered Series of Events Leading to Cell Replication	849	Phosphorylation of the CDK Subunit Regulates the Kinase Activity of MPF	861
Regulated Protein Phosphorylation and Degradation Control Passage Through the Cell Cycle	849	Conformational Changes Induced by Cyclin Binding and Phosphorylation Increase MPF Activity	862
Diverse Experimental Systems Have Been Used to Identify and Isolate Cell-Cycle Control Proteins	851	20.4 Molecular Mechanisms for Regulating Mitotic Events	864
20.2 Control of Mitosis by Cyclins and MPF Activity	853	Phosphorylation of Nuclear Lamins and Other Proteins Promotes Early Mitotic Events	864
Maturation-Promoting Factor (MPF) Stimulates Meiotic Maturation in Oocytes and Mitosis in Somatic Cells	854	Unlinking of Sister Chromatids Initiates Anaphase	867
Mitotic Cyclin Was First Identified in Early Sea Urchin Embryos	856	Chromosome Decondensation and Reassembly of the Nuclear Envelope Depend on Dephosphorylation of MPF Substrates	870
Cyclin B Levels and Kinase Activity of Mitosis-Promoting Factor (MPF) Change Together in Cycling <i>Xenopus</i> Egg Extracts	856	20.5 Cyclin-CDK and Ubiquitin-Protein Ligase Control of S phase	872
Anaphase-Promoting Complex (APC/C) Controls Degradation of Mitotic Cyclins and Exit from Mitosis	858	A Cyclin-Dependent Kinase (CDK) Is Critical for S-Phase Entry in <i>S. cerevisiae</i>	872
		Three G ₁ Cyclins Associate with <i>S. cerevisiae</i> CDK to Form S-Phase-Promoting Factors	874

Degradation of the S-Phase Inhibitor Triggers DNA Replication	876	21 CELL BIRTH, LINEAGE, AND DEATH	905
Multiple Cyclins Regulate the Kinase Activity of <i>S. cerevisiae</i> CDK During Different Cell-Cycle Phases	877		
Replication at Each Origin Is Initiated Only Once During the Cell Cycle	877		
20.6 Cell-Cycle Control in Mammalian Cells	879	21.1 The Birth of Cells: Stem Cells, Niches, and Lineage	906
Mammalian Restriction Point Is Analogous to START in Yeast Cells	880	Stem Cells Give Rise to Both Stem Cells and Differentiating Cells	906
Multiple CDKs and Cyclins Regulate Passage of Mammalian Cells Through the Cell Cycle	881	Cell Fates Are Progressively Restricted During Development	907
Regulated Expression of Two Classes of Genes Returns G ₀ Mammalian Cells to the Cell Cycle	881	The Complete Cell Lineage of <i>C. elegans</i> Is Known	908
Passage Through the Restriction Point Depends on Phosphorylation of the Tumor-Suppressor Rb Protein	882	Heterochronic Mutants Provide Clues About Control of Cell Lineage	909
Cyclin A Is Required for DNA Synthesis and CDK1 for Entry into Mitosis	883	Cultured Embryonic Stem Cells Can Differentiate into Various Cell Types	911
Two Types of Cyclin-CDK Inhibitors Contribute to Cell-Cycle Control in Mammals	883	Adult Stem Cells for Different Animal Tissues Occupy Sustaining Niches	912
		Meristems Are Niches for Stem Cells in Postnatal Plants	920
20.7 Checkpoints in Cell-Cycle Regulation	884	21.2 Cell-Type Specification in Yeast	921
The Presence of Unreplicated DNA Prevents Entry into Mitosis	888	Mating-Type Transcription Factors Specify Cell Types	922
Improper Assembly of the Mitotic Spindle Prevents the Initiation of Anaphase	888	MCM1 and α_1 -MCM1 Complexes Activate Gene Transcription	923
Proper Segregation of Daughter Chromosomes Is Monitored by the Mitotic Exit Network	889	α_2 -MCM1 and α_2 -a1 Complexes Repress Transcription	923
Cell-Cycle Arrest of Cells with Damaged DNA Depends on Tumor Suppressors	891	Pheromones Induce Mating of α and a Cells to Generate a Third Cell Type	923
		21.3 Specification and Differentiation of Muscle	924
20.8 Meiosis: A Special Type of Cell Division	892	Embryonic Somites Give Rise to Myoblasts	925
Key Features Distinguish Meiosis from Mitosis	892	Myogenic Genes Were First Identified in Studies with Cultured Fibroblasts	925
Repression of G ₁ Cyclins and a Meiosis-Specific Protein Kinase Promote Premeiotic S Phase	895	Two Classes of Regulatory Factors Act in Concert to Guide Production of Muscle Cells	926
Recombination and a Meiosis-Specific Cohesin Subunit Are Necessary for the Specialized Chromosome Segregation in Meiosis I	895	Differentiation of Myoblasts Is Under Positive and Negative Control	927
Special Properties of Rec8 Regulate Its Cleavage in Meiosis I and II	896	Cell-Cell Signals Are Crucial for Determination and Migration of Myoblasts	928
The Monopolin Complex Co-orientes Sister Kinetochores in Meiosis I	898	bHLH Regulatory Proteins Function in Creation of Other Tissues	929
Tension on Spindle Microtubules Contributes to Proper Spindle Attachment	898	21.4 Regulation of Asymmetric Cell Division	930
CLASSIC EXPERIMENT 20.1 Cell Biology Emerging from the Sea: The Discovery of Cyclins	903	Yeast Mating-Type Switching Depends upon Asymmetric Cell Division	930

Proteins That Regulate Asymmetry Are Localized at Opposite Ends of Dividing Neuroblasts in *Drosophila* 931

21.5 Cell Death and Its Regulation 936

Programmed Cell Death Occurs Through Apoptosis 937

Neurotrophins Promote Survival of Neurons 937

A Cascade of Caspase Proteins Functions in One Apoptotic Pathway 938

Pro-Apoptotic Regulators Permit Caspase Activation in the Absence of Trophic Factors 941

Some Trophic Factors Induce Inactivation of a Pro-Apoptotic Regulator 942

Tumor Necrosis Factor and Related Death Signals Promote Cell Murder by Activating Caspases 943

22 THE MOLECULAR CELL BIOLOGY OF DEVELOPMENT 949

22.1 Highlights of Development 950

Development Progresses from Egg and Sperm to an Early Embryo 950

As the Embryo Develops, Cell Layers Become Tissues and Organs 951

Genes That Regulate Development Are at the Heart of Evolution 952

22.2 Gametogenesis and Fertilization 953

Germ-line Cells Are All That We Inherit 953

Fertilization Unifies the Genome 955

Genomic Imprinting Controls Gene Activation According to Maternal or Paternal Chromosome Origin 958

Too Much of a Good Thing: The X Chromosome Is Regulated by Dosage Compensation 958

22.3 Cell Diversity and Patterning in Early Vertebrate Embryos 959

Cleavage Leads to the First Differentiation Events 960

The Genomes of Most Somatic Cells Are Complete 961

Gastrulation Creates Multiple Tissue Layers, Which Become Polarized 961

Signal Gradients May Induce Different Cell Fates 963

Signal Antagonists Influence Cell Fates and Tissue Induction 965

A Cascade of Signals Distinguishes Left from Right 966

22.4 Control of Body Segmentation: Themes and Variations in Insects and Vertebrates 969

Early *Drosophila* Development Is an Exercise in Speed 970

Transcriptional Control Specifies the Embryo's Anterior and Posterior 971

Translation Inhibitors Reinforce Anterior-Posterior Patterning 973

Insect Segmentation Is Controlled by a Cascade of Transcription Factors 974

Vertebrate Segmentation Is Controlled by Cyclical Expression of Regulatory Genes 977

Differences Between Segments Are Controlled by Hox Genes 978

Hox-Gene Expression Is Maintained by a Variety of Mechanisms 982

Flower Development Requires Spatially Regulated Production of Transcription Factors 983

22.5 Cell-Type Specification in Early Neural Development 985

Neurulation Begins Formation of the Brain and Spinal Cord 986

Signal Gradients and Transcription Factors Specify Cell Types in the Neural Tube and Somites 987

Most Neurons in the Brain Arise in the Innermost Neural Tube and Migrate Outward 988

Lateral Inhibition Mediated by Notch Signaling Causes Early Neural Cells to Become Different 988

22.6 Growth and Patterning of Limbs 990

Hox Genes Determine the Right Places for Limbs to Grow 990

Limb Development Depends on Integration of Multiple Extracellular Signal Gradients 991

Hox Genes Also Control Fine Patterning of Limb Structures 992

So Far, So Good 994

CLASSIC EXPERIMENT 22.1 Using Lethal Mutations to Study Development 999

23 NERVE CELLS 949

23.1 Neurons and Glia: Building Blocks of the Nervous System 1002

Information Flows Through Neurons from Dendrites to Axons 1003

Information Moves as Pulses of Ion Flow Called Action Potentials	1003	Nerve Cells Make an All-or-None Decision to Generate an Action Potential	1025
Information Flows Between Neurons via Synapses	1005	Gap Junctions Also Allow Neurons to Communicate	1025
The Nervous System Uses Signaling Circuits Composed of Multiple Neurons	1005		
23.2 Voltage-Gated Ion Channels and the Propagation of Action Potentials in Nerve Cells	1006	23.4 Sensational Cells: Seeing, Feeling, Hearing, Tasting, and Smelling	1027
The Magnitude of the Action Potential Is Close to E_{Na}	1006	The Eye Features Light-Sensitive Nerve Cells	1027
Sequential Opening and Closing of Voltage-Gated Na^+ and K^+ Channels Generate Action Potentials	1007	Eyes Reflect Evolutionary History	1028
Action Potentials Are Propagated Unidirectionally Without Diminution	1009	Integrated Information from Multiple Ganglion Cells Forms Images of the World	1029
Nerve Cells Can Conduct Many Action Potentials in the Absence of ATP	1009	Mechanosensory Cells Detect Pain, Heat, Cold, Touch, and Pressure	1031
All Voltage-Gated Ion Channels Have Similar Structures	1009	Inner Ear Cells Detect Sound and Motion	1032
Voltage-Sensing S4 α Helices Move in Response to Membrane Depolarization	1011	Five Primary Tastes Are Sensed by Subsets of Cells in Each Taste Bud	1034
Movement of the Channel-Inactivating Segment into the Open Pore Blocks Ion Flow	1013	A Plethora of Receptors Detect Odors	1036
Myelination Increases the Velocity of Impulse Conduction	1013		
Action Potentials "Jump" from Node to Node in Myelinated Axons	1013	23.5 The Path to Success: Controlling Axon Growth and Targeting	1040
Glia Produce Myelin Sheaths and Synapses	1014	The Growth Cone Is a Motorized Sensory Guidance Structure	1040
		The Retinotectal Map Revealed an Ordered System of Axon Connections	1042
		There Are Four Families of Axon Guidance Molecules	1043
		Developmental Regulators Also Guide Axons	1046
		Axon Guidance Molecules Cause the Growth Cone to Turn	1047
23.3 Communication at Synapses	1018		
Formation of Synapses Requires Assembly of Presynaptic and Postsynaptic Structures	1018		
Neurotransmitters Are Transported into Synaptic Vesicles by H^+ -Linked Antiport Proteins	1019	24 IMMUNOLOGY	1055
Synaptic Vesicles Loaded with Neurotransmitter Are Localized near the Plasma Membrane	1020		
Influx of Ca^{2+} Triggers Release of Neurotransmitters	1022	24.1 Overview of Host Defenses	1057
A Calcium-Binding Protein Regulates Fusion of Synaptic Vesicles with the Plasma Membrane	1022	Pathogens Enter the Body Through Different Routes and Replicate at Different Sites	1057
Signaling at Synapses Is Terminated by Degradation or Reuptake of Neurotransmitters	1023	Leukocytes Circulate Throughout the Body and Take Up Residence in Tissues and Lymph Nodes	1057
Fly Mutants Lacking Dynamin Cannot Recycle Synaptic Vesicles	1023	Mechanical and Chemical Boundaries Form a First Layer of Defense Against Pathogens	1059
Opening of Acetylcholine-Gated Cation Channels Leads to Muscle Contraction	1023	Innate Immunity Provides a Second Line of Defense After Mechanical and Chemical Barriers Are Crossed	1059
All Five Subunits in the Nicotinic Acetylcholine Receptor Contribute to the Ion Channel	1024	Inflammation Is a Complex Response to Injury That Encompasses Both Innate and Adaptive Immunity	1061
		Adaptive Immunity, the Third Line of Defense, Exhibits Specificity	1062

24.2 Immunoglobulins: Structure and Function	1063
Immunoglobulins Have a Conserved Structure Consisting of Heavy and Light Chains	1063
Multiple Immunoglobulin Isotypes Exist, Each with Different Functions	1065
Each B Cell Produces a Unique, Clonally Distributed Immunoglobulin	1066
Immunoglobulin Domains Have a Characteristic Fold Composed of Two β Sheets Stabilized by a Disulfide Bond	1067
The Three-Dimensional Structure of Antibody Molecules Accounts for Their Exquisite Specificity	1067
An Immunoglobulin's Constant Region Determines Its Functional Properties	1068

24.3 Generation of Antibody Diversity and B-Cell Development	1069
A Functional Light-Chain Gene Requires Assembly of V and J Gene Segments	1069
Rearrangement of the Heavy-Chain Locus Involves V, D, and J Gene Segments	1071
Somatic Hypermutation Allows the Generation and Selection of Antibodies with Improved Affinities	1073
B-Cell Development Requires Input from a Pre-B Cell Receptor	1073
During an Adaptive Response, B Cells Switch from Making Membrane-Bound Ig to Making Secreted Ig	1074
B Cells Can Switch the Isotype of Immunoglobulin They Make	1075

24.4 The MHC and Antigen Presentation	1076
The MHC Determines the Ability of Two Unrelated Individuals of the Same Species to Accept or Reject Grafts	1077
The Killing Activity of Cytotoxic T Cells Is Antigen Specific and MHC Restricted	1078
Cells with Different Functional Properties Are Guided by Two Distinct Classes of MHC Molecules	1079
MHC Molecules Bind Peptide Antigens and Interact with the T-Cell Receptor	1081
Antigen Presentation Is the Process by Which Protein Fragments Are Complexed with MHC Products and Posted to the Cell Surface	1082
Class I MHC Pathway Presents Cytosolic Antigens	1082
Class II MHC Pathway Presents Antigens Delivered to the Endocytic Pathway	1084

24.5 T Cells, T-Cell Receptors, and T-Cell Development	1088
The Structure of the T-Cell Receptor Resembles the F(ab) Portion of an Immunoglobulin	1088
TCR Genes Are Rearranged in a Manner Similar to Immunoglobulin Genes	1088
T-Cell Receptors Are Very Diverse with Many of Their Variable Residues Encoded in the Junctions between V, D, and J Gene Segments	1089
Signaling via Antigen-Specific Receptors Triggers Proliferation and Differentiation of T and B Cells	1091
T Cells Capable of Recognizing MHC Molecules Develop Through a Process of Positive and Negative Selection	1091
T Cells Require Two Types of Signal for Full Activation	1094
Cytotoxic T Cells Carry the CD8 Co-receptor and Are Specialized for Killing	1095
T Cells Produce an Array of Cytokines That Provide Signals to Other Immune Cells	1095
CD4 T Cells Are Divided into Three Major Classes Based on Their Cytokine Production and Expression of Surface Markers	1096
Leukocytes Move in Response to Chemotactic Cues Provided by Chemokines	1096

24.6 Collaboration of Immune-System Cells in the Adaptive Response	1097
Toll-Like Receptors Perceive a Variety of Pathogen-Derived Macromolecular Patterns	1097
Engagement of Toll-Like Receptors Leads to Activation of Antigen-Presenting Cells	1099
Production of High-Affinity Antibodies Requires Collaboration Between B and T Cells	1099
Vaccines Elicit Protective Immunity Against a Variety of Pathogens	1101

CLASSIC EXPERIMENT 24.1 Two Genes Become One: Somatic Rearrangement of Immunoglobulin Genes 1105

25 CANCER **1107**

25.1 Tumor Cells and the Onset of Cancer	1109
Metastatic Tumor Cells Are Invasive and Can Spread	1109
Cancers Usually Originate in Proliferating Cells	1110
Cancer Stem Cells Can Be a Minority Population	1111
Tumor Growth Requires Formation of New Blood Vessels	1111

Specific Mutations Transform Cultured Cells into Tumor Cells	1113
A Multi-hit Model of Cancer Induction Is Supported by Several Lines of Evidence	1114
Successive Oncogenic Mutations Can Be Traced in Colon Cancers	1116
DNA Microarray Analysis of Expression Patterns Can Reveal Subtle Differences Between Tumor Cells	1116

25.2 The Genetic Basis of Cancer 1119

Gain-of-Function Mutations Convert Proto-oncogenes into Oncogenes	1119
Cancer-Causing Viruses Contain Oncogenes or Activate Cellular Proto-oncogenes	1121
Loss-of-Function Mutations in Tumor-Suppressor Genes Are Oncogenic	1123
Inherited Mutations in Tumor-Suppressor Genes Increase Cancer Risk	1123
Aberrations in Signaling Pathways That Control Development Are Associated with Many Cancers	1124

25.3 Oncogenic Mutations in Growth-Promoting Proteins 1127

Oncogenic Receptors Can Promote Proliferation in the Absence of External Growth Factors	1127
Viral Activators of Growth-Factor Receptors Act as Oncoproteins	1128
Many Oncogenes Encode Constitutively Active Signal-Transduction Proteins	1129
Inappropriate Production of Nuclear Transcription Factors Can Induce Transformation	1130
Molecular Cell Biology Is Changing How Cancer Is Treated	1132

25.4 Mutations Causing Loss of Growth-Inhibiting and Cell-Cycle Controls 1134

Mutations That Promote Unregulated Passage from G ₁ to S Phase Are Oncogenic	1134
Loss-of-Function Mutations Affecting Chromatin-Remodeling Proteins Contribute to Tumors	1135
Loss of p53 Abolishes the DNA-Damage Checkpoint	1136
Apoptotic Genes Can Function as Proto-oncogenes or Tumor-Suppressor Genes	1137
Failure of Cell-Cycle Checkpoints Often Leads to Aneuploidy in Tumor Cells	1138

25.5 Carcinogens and Caretaker Genes in Cancer 1139

Carcinogens Induce Cancer by Damaging DNA	1139
Some Carcinogens Have Been Linked to Specific Cancers	1139
Loss of DNA-Repair Systems Can Lead to Cancer	1141
Telomerase Expression Contributes to Immortalization of Cancer Cells	1143

GLOSSARY G-1

INDEX I-1