
Contents

| | | |
|--|-------------|----|
| Preface | <i>Page</i> | ix |
| 1 Introduction | 1 | |
| 1.1 What is density estimation? | 1 | |
| 1.2 Density estimates in the exploration and presentation of data | 2 | |
| 1.3 Further reading | 5 | |
| 2 Survey of existing methods | 7 | |
| 2.1 Introduction | 7 | |
| 2.2 Histograms | 7 | |
| 2.3 The naive estimator | 11 | |
| 2.4 The kernel estimator | 13 | |
| 2.5 The nearest neighbour method | 19 | |
| 2.6 The variable kernel method | 21 | |
| 2.7 Orthogonal series estimators | 23 | |
| 2.8 Maximum penalized likelihood estimators | 25 | |
| 2.9 General weight function estimators | 26 | |
| 2.10 Bounded domains and directional data | 29 | |
| 2.11 Discussion and bibliography | 32 | |
| 3 The kernel method for univariate data | 34 | |
| 3.1 Introduction | 34 | |
| 3.1.1 Notation and conventions | 34 | |
| 3.1.2 Measures of discrepancy: mean square error and mean integrated square error | 35 | |
| 3.2 Elementary finite sample properties | 36 | |
| 3.2.1 Application to kernel estimates | 36 | |
| 3.3 Approximate properties | 38 | |
| 3.3.1 The bias and variance | 38 | |
| 3.3.2 The ideal window width and kernel | 40 | |

| | | |
|-------|---|----|
| 3.4 | Choosing the smoothing parameter | 43 |
| 3.4.1 | Subjective choice | 44 |
| 3.4.2 | Reference to a standard distribution | 45 |
| 3.4.3 | Least-squares cross-validation | 48 |
| 3.4.4 | Likelihood cross-validation | 52 |
| 3.4.5 | The test graph method | 55 |
| 3.4.6 | Internal estimation of the density roughness | 57 |
| 3.5 | Computational considerations | 61 |
| 3.6 | A possible bias reduction technique | 66 |
| 3.6.1 | Asymptotic arguments | 66 |
| 3.6.2 | Choice of kernel | 68 |
| 3.6.3 | Discussion | 69 |
| 3.7 | Asymptotic properties | 70 |
| 3.7.1 | Consistency results | 71 |
| 3.7.2 | Rates of convergence | 72 |
| 4. | The kernel method for multivariate data | 75 |
| 4.1 | Introduction | 75 |
| 4.2 | The kernel method in several dimensions | 76 |
| 4.2.1 | Definition of the multivariate kernel density estimator | 76 |
| 4.2.2 | Multivariate histograms | 78 |
| 4.2.3 | Scatter plots | 81 |
| 4.3 | Choosing the kernel and the window width | 84 |
| 4.3.1 | Sampling properties | 85 |
| 4.3.2 | Choice of window width for a standard distribution | 86 |
| 4.3.3 | More sophisticated ways of choosing the window width | 87 |
| 4.4 | Computational considerations | 88 |
| 4.4.1 | Regular grids: contour diagrams and perspective views | 89 |
| 4.4.2 | Evaluation at irregular points | 91 |
| 4.5 | Difficulties in high-dimensional spaces | 91 |
| 4.5.1 | The importance of the tails in high dimensions | 92 |
| 4.5.2 | Required sample sizes for given accuracy | 93 |
| 5 | Three important methods | 95 |
| 5.1 | Introduction | 95 |
| 5.2 | The nearest neighbour method | 96 |
| 5.2.1 | Definition and properties | 96 |

| | | |
|----------|---|------------|
| 5.2.2 | Choice of smoothing parameter | 98 |
| 5.2.3 | Computational hints | 99 |
| 5.3 | Adaptive kernel estimates | 100 |
| 5.3.1 | Definition and general properties | 101 |
| 5.3.2 | The method of Breiman, Meisel and Purcell | 102 |
| 5.3.3 | Choice of the sensitivity parameter | 103 |
| 5.3.4 | Automatic choice of the smoothing parameter | 105 |
| 5.3.5 | Some examples | 106 |
| 5.4 | Maximum penalized likelihood estimators | 110 |
| 5.4.1 | Definition and general discussion | 110 |
| 5.4.2 | The approach of Good and Gaskins | 112 |
| 5.4.3 | The discrete penalized likelihood approach | 114 |
| 5.4.4 | Penalizing the logarithm of the density | 115 |
| 5.4.5 | Penalized likelihood as a unified approach | 117 |
| 6 | Density estimation in action | 120 |
| 6.1 | Nonparametric discriminant analysis | 120 |
| 6.1.1 | Classical approaches | 121 |
| 6.1.2 | The nonparametric approach | 122 |
| 6.1.3 | Operational details | 124 |
| 6.1.4 | Generalizations for discrete and mixed data | 126 |
| 6.1.5 | Discussion and conclusions | 129 |
| 6.2 | Cluster analysis | 130 |
| 6.2.1 | A hierarchical method | 131 |
| 6.2.2 | Moving objects uphill | 132 |
| 6.2.3 | Sequence-based methods | 134 |
| 6.3 | Bump hunting and testing for multimodality | 137 |
| 6.3.1 | Definitions and motivation | 137 |
| 6.3.2 | Two possible approaches based on density estimation | 138 |
| 6.3.3 | Critical smoothing | 139 |
| 6.3.4 | Discussion and further references | 141 |
| 6.4 | Simulation and the bootstrap | 141 |
| 6.4.1 | Simulating from density estimates | 142 |
| 6.4.2 | The bootstrap and the smoothed bootstrap | 144 |
| 6.4.3 | A smoothed bootstrap test for multimodality | 146 |
| 6.5 | Estimating quantities that depend on the density | 147 |
| 6.5.1 | Hazard rates | 147 |
| 6.5.2 | Functionals of the density | 152 |
| 6.5.3 | Projection pursuit | 153 |

| | |
|----------------------|------------|
| Bibliography | 159 |
| Author index | 167 |
| Subject index | 170 |