

# Contents

---

<b>Preface</b>	<b>ix</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Cloud seeding	2
1.2 The basic paradigm	7
<b>2 Diagnostic methods using residuals</b>	<b>10</b>
2.1 The ordinary residuals	10
2.1.1 <i>The hat matrix</i>	11
2.1.2 <i>The role of <math>V</math> in data analyses</i>	14
2.1.3 <i>Use of the ordinary residuals</i>	15
<i>Example 2.1.1 Illustration of bias</i>	16
2.2 Other types of residuals	17
2.2.1 <i>Studentized residuals</i>	18
<i>Internal Studentization</i>	18
<i>External Studentization</i>	20
2.2.2 <i>Mean shift outlier model</i>	20
<i>Example 2.2.1 Adaptive score data no. 1</i>	22
<i>Example 2.2.2 Cloud seeding no. 2</i>	25
<i>Accuracy of the Bonferroni bound for the outlier test</i>	26
<i>Example 2.2.3 Adaptive score data no. 2</i>	27
<i>Multiple cases</i>	28
<i>Computations</i>	30
<i>Example 2.2.4 Adaptive score data no. 3</i>	31
<i>Other outlier models</i>	32
2.2.3 <i>Predicted residuals</i>	33
2.2.4 <i>Uncorrelated residuals</i>	34
<i>BLUS residuals</i>	35
<i>Recursive residuals</i>	36
2.3 Plotting methods	36
2.3.1 <i>Standard residual plots</i>	37
<i>Example 2.3.1 Cloud seeding no. 3</i>	38
<i>Example 2.3.2 Old Faithful Geyser</i>	40
<i>Example 2.3.3 Residuals in place</i>	43
2.3.2 <i>Added variable plots</i>	44
<i>Non-null behavior</i>	45

	<i>Computations</i>	46
	<i>Example 2.3.4 Jet fighters no. 1</i>	46
2.3.3	<i>Partial residual plots</i>	49
	<i>Example 2.3.5 Jet fighters no. 2</i>	51
2.3.4	<i>Probability plots</i>	52
	<i>Example 2.3.6 Cloud seeding no. 4</i>	56
2.4	<b>Transformations</b>	57
2.4.1	<i>Families of transformations</i>	60
2.4.2	<i>Selecting a transformation</i>	61
	<i>Invariance</i>	63
	<i>Normality</i>	64
	<i>Choice of model and scaling the predictors</i>	64
	<i>Inference</i>	65
	<i>Example 2.4.1 Tree data no. 1</i>	66
2.4.3	<i>Diagnostic methods</i>	69
	<i>Atkinson's method</i>	70
	<i>Andrews' method</i>	72
	<i>Application to the power family</i>	73
	<i>Tukey's test</i>	73
	<i>Example 2.4.2 Tree data no. 2</i>	74
	<i>Example 2.4.3 Jet fighters no. 3</i>	74
2.4.4	<i>Transforming the explanatory variables</i>	78
	<i>Example 2.4.4 Tree data no. 3</i>	81
	<i>Example 2.4.5 Cloud seeding no. 5</i>	83
2.5	<b>Residual analysis in two-way tables</b>	86
2.5.1	<i>Outliers</i>	86
2.5.2	<i>Nonadditivity</i>	87
	<i>Example 2.5.1 Agricultural experiment</i>	93
<b>3</b>	<b>Assessment of influence</b>	<b>101</b>
3.1	<i>Motivation</i>	102
3.2	<i>The influence curve</i>	104
	<i>Example 3.2.1 The sample average</i>	105
3.3	<i>The influence curve in the linear model</i>	106
3.4	<i>Sample versions of the influence curve</i>	108
3.4.1	<i>Empirical influence curves</i>	108
3.4.2	<i>Sample influence curves</i>	109
	<i>Example 3.4.1 Cloud seeding no. 6</i>	111
	<i>Example 3.4.2 Partial F-tests</i>	111
3.5	<i>Applications of the sample influence curve</i>	113
3.5.1	<i>External scaling</i>	114
	$\mathbf{M} = \mathbf{X}^T \mathbf{X}, c = p' \hat{\sigma}^2$	116
	<i>Example 3.5.1 Combinations of <math>r_i^2, v_{ii}</math></i>	118
	<i>Example 3.5.2 Rat data</i>	118
	<i>Alternative full rank choices for <math>\mathbf{M}, c</math></i>	122
	<i>Lower dimensional norms</i>	124
	<i>Example 3.5.3 Cloud seeding no. 7</i>	126

	<i>Predictions</i>	126
3.5.2	<i>Internal scaling</i>	129
	<i>Ordering using a multivariate outlier statistic</i>	129
	<i>Jackknife method</i>	131
	<i>Example 3.5.4 Cloud seeding no. 8</i>	131
3.5.3	<i>Graphical aids</i>	131
	<i>Example 3.5.5 Cloud seeding no. 9</i>	132
	<i>Example 3.5.6 Jet fighters no. 4</i>	134
3.6	<i>Multiple cases</i>	135
	<i>Other norms</i>	137
3.6.1	<i>Generalized potential</i>	137
	<i>Example 3.6.1 <math>m = 2</math></i>	139
	<i>Alternative measures of potential</i>	141
	<i>Example 3.6.2 Adaptive score data no. 4</i>	142
3.6.2	<i>Computing <math>D_1</math></i>	144
	<i>Example 3.6.3 Cloud seeding no. 10</i>	144
	<i>Example 3.6.4 Drill data</i>	148
<b>4</b>	<b>Alternative approaches to influence</b>	<b>157</b>
4.1	Volume of confidence ellipsoids	158
4.2	The Andrews and Pregibon diagnostic	160
4.3	Predictive influence	161
4.3.1	<i>Kullback–Leibler divergences and predictive densities with <math>\sigma^2</math> known</i>	162
4.3.2	<i>Predictive influence functions, <math>\sigma^2</math> known</i>	163
	<i>Example 4.3.1 Predictive influence when <math>q = 1, m = 1, \sigma^2</math> known</i>	164
4.3.3	<i>Predictive influence functions, <math>\sigma^2</math> unknown</i>	166
	<i>An alternative to choosing <math>\mathbf{X}_1 = \mathbf{X}</math></i>	168
4.4	A comparison of influence measures	169
	<i>Example 4.4.1 Cloud seeding no. 11</i>	173
	<i>Calibration</i>	173
<b>5</b>	<b>Assessment of influence in other problems</b>	<b>176</b>
5.1	A general definition of residuals	177
	<i>Example 5.1.1 Leukemia data no. 1</i>	178
5.2	A general approach to influence	182
	<i>Example 5.2.1 Leukemia data no. 2</i>	185
5.3	Nonlinear least squares	186
	<i>Example 5.3.1 Duncan's data</i>	188
5.4	Logistic regression and generalized linear models	191
	<i>Example 5.4.1 Leukemia data no. 3</i>	193
	<i>Example 5.4.2 Leukemia data no. 4</i>	199
5.5	Robust regression	200
	<i>Example 5.5.1 Cloud seeding no. 12</i>	201
	<i>Example 5.5.2 Cloud seeding no. 13</i>	204

5.6 Other problems	204
5.6.1 <i>Correlation coefficient</i>	205
5.6.2 <i>Discriminant analysis</i>	206
5.6.3 <i>Linear regression with incomplete data</i>	207
<b>Appendix</b>	<b>209</b>
A.1 Weighted least squares	209
A.2 Updating formulae	210
A.3 Residual correlations	211
<b>Bibliography</b>	<b>214</b>
<b>Author and Subject indexes</b>	<b>225</b>