
Contents

Notation	XIX
----------------	-----

Part I Introduction, basic concepts and preliminaries

1 Introduction	3
1.1 Basic concepts of fault diagnosis technique	4
1.2 Historical development and some relevant issues	8
1.3 Notes and references	11
2 Basic ideas, major issues and tools in the observer-based FDI framework	13
2.1 On the observer-based residual generator framework	13
2.2 Unknown input decoupling and fault isolation issues	14
2.3 Robustness issues in the observer-based FDI framework	15
2.4 On the parity space FDI framework	17
2.5 Residual evaluation and threshold computation	17
2.6 FDI system synthesis and design	18
2.7 Notes and references	18
3 Modelling of technical systems	21
3.1 Description of nominal system behavior	22
3.2 Coprime factorization technique	23
3.3 Representations of disturbed systems	25
3.4 Representations of system models with model uncertainties ..	25
3.5 Modelling of faults	27
3.6 Modelling of faults in closed loop feedback control systems ..	30
3.7 Benchmark examples	31
3.7.1 Speed control of a DC motor	31
3.7.2 Inverted pendulum control system	34
3.7.3 Three tank system	38

3.7.4	Vehicle lateral dynamic system	42
3.7.5	Electrohydraulic Servo-actuator	46
3.8	Notes and references	49
4	Structural fault detectability, isolability and identifiability .	51
4.1	Structural fault detectability	51
4.2	Excitations and sufficiently excited systems	56
4.3	Structural fault isolability	57
4.3.1	Concept of structural fault isolability	57
4.3.2	Fault isolability conditions	58
4.4	Structural fault identifiability	65
4.5	Notes and references	67

Part II Residual generation

5	Basic residual generation methods .	71
5.1	Analytical redundancy	72
5.2	Residuals and parameterization of residual generators	75
5.3	Problems related to residual generator design and implementation	78
5.4	Fault detection filter	80
5.5	Diagnostic observer scheme	81
5.5.1	Construction of diagnostic observer-based residual generators	81
5.5.2	Characterization of solutions	83
5.5.3	A numerical approach	91
5.5.4	An algebraic approach	95
5.6	Parity space approach	97
5.6.1	Construction of parity relation based residual generators	98
5.6.2	Characterization of parity space	100
5.6.3	Examples	102
5.7	Interconnections, comparison and some remarks	103
5.7.1	Parity space approach and diagnostic observer	103
5.7.2	Diagnostic observer and residual generator of general form	107
5.7.3	Applications of the interconnections and some remarks .	110
5.7.4	Examples	112
5.8	Notes and references	114
6	Perfect unknown input decoupling .	115
6.1	Problem formulation	115
6.2	Existence conditions of PUIDP	117
6.2.1	A general existence condition	117
6.2.2	A check condition via Rosenbrock system matrix	118

6.2.3	Algebraic check conditions	120
6.3	A frequency domain approach	125
6.4	UIDF design	128
6.4.1	The eigenstructure assignment approach	128
6.4.2	Geometric approach	132
6.5	UIDO design	139
6.5.1	An algebraic approach	140
6.5.2	Unknown input observer approach	142
6.5.3	A matrix pencil approach to the UIDO design	147
6.5.4	A numerical approach to the UIDO design	150
6.6	Unknown input parity space approach	153
6.7	An alternative scheme - null matrix approach	153
6.8	Minimum order residual generator	154
6.8.1	Minimum order residual generator design by geometric approach	154
6.8.2	An alternative solution	156
6.9	Notes and references	159
7	Residual generation with enhanced robustness against unknown inputs	161
7.1	Mathematical and control theoretical preliminaries	162
7.1.1	Signal norms	163
7.1.2	System norms	165
7.1.3	Computation of \mathcal{H}_2 and \mathcal{H}_∞ norms	168
7.1.4	Singular value decomposition	169
7.1.5	Co-inner-outer factorization	170
7.1.6	Model matching problem	173
7.1.7	Essentials of the LMI technique	173
7.2	Kalman filter based residual generation	174
7.3	Approximation of UI-distribution matrix	178
7.3.1	Approximation of matrices E_d, F_d	178
7.3.2	Approximation of matrices $H_{d,s}$	180
7.3.3	Some remarks	182
7.4	Robustness, fault sensitivity and performance indices	184
7.4.1	Robustness and sensitivity	184
7.4.2	Performance indices: robustness vs. sensitivity	185
7.4.3	Relations between the performance indices	186
7.5	Optimal selection of parity matrices and vectors	187
7.5.1	$S_{f,+}/R_d$ as performance index	188
7.5.2	$S_{f,-}/R_d$ as performance index	191
7.5.3	J_{S-R} as performance index	193
7.5.4	Optimization performance and system order	195
7.5.5	Summary and some remarks	197
7.6	\mathcal{H}_∞ optimal fault identification scheme	201
7.7	$\mathcal{H}_2/\mathcal{H}_2$ design of residual generators	202

7.8	Relationship between $\mathcal{H}_2/\mathcal{H}_2$ design and optimal selection of parity vectors	206
7.9	LMI aided design of FDF	211
7.9.1	\mathcal{H}_2 to \mathcal{H}_2 trade-off design of FDF	213
7.9.2	On \mathcal{H}_- index	218
7.9.3	\mathcal{H}_2 to \mathcal{H}_- trade-off design of FDF	225
7.9.4	\mathcal{H}_∞ to \mathcal{H}_- trade-off design of FDF	227
7.9.5	An alternative \mathcal{H}_∞ to \mathcal{H}_- trade-off design of FDF	229
7.9.6	A brief summary and discussion	232
7.10	The unified solution	232
7.10.1	$\mathcal{H}_i/\mathcal{H}_\infty$ index and problem formulation	233
7.10.2	$\mathcal{H}_i/\mathcal{H}_\infty$ optimal design of FDF: the standard form	234
7.10.3	Discrete time version of the unified solution	237
7.11	The general form of the unified solution	238
7.11.1	Extended CIOF	238
7.11.2	Generalization of the unified solution	240
7.12	Notes and references	244
8	Residual generation with enhanced robustness against model uncertainties	247
8.1	Preliminaries	248
8.1.1	LMI aided computation for system bounds	248
8.1.2	Stability of stochastically uncertain systems	249
8.2	Transforming model uncertainties into unknown inputs	250
8.3	Reference model strategies	252
8.3.1	Basic idea	252
8.3.2	A reference model based solution for systems with norm bounded uncertainties	252
8.4	Residual generation for systems with polytopic uncertainties	259
8.4.1	The reference model scheme based scheme	259
8.4.2	\mathcal{H}_- to \mathcal{H}_∞ design formulation	263
8.5	Residual generation for stochastically uncertain systems	265
8.5.1	System dynamics and statistical properties	266
8.5.2	Basic idea and problem formulation	266
8.5.3	An LMI solution	267
8.5.4	An alternative approach	274
8.6	Notes and references	276

Part III Residual evaluation and threshold computation

9 Norm based residual evaluation and threshold computation	281
9.1 Preliminaries	282
9.2 Basic concepts	284
9.3 Some standard evaluation functions	285
9.4 Basic ideas of threshold setting and problem formulation	287
9.4.1 Dynamics of the residual generator	288
9.4.2 Definitions of thresholds and problem formulation	289
9.5 Computation of $J_{th,RMS,2}$	291
9.5.1 Computation of $J_{th,RMS,2}$ for the systems with the norm bounded uncertainty	292
9.5.2 Computation of $J_{th,RMS,2}$ for the systems with the polytopic uncertainty	295
9.6 Computation of $J_{th,peak,peak}$	297
9.6.1 Computation of $J_{th,peak,peak}$ for the systems with the norm bounded uncertainty	297
9.6.2 Computation of $J_{th,peak,peak}$ for the systems with the polytopic uncertainty	301
9.7 Computation of $J_{th,peak,2}$	302
9.7.1 Computation of $J_{th,peak,2}$ for the systems with the norm bounded uncertainty	302
9.7.2 Computation of $J_{th,peak,2}$ for the systems with the polytopic uncertainty	305
9.8 Threshold generator	307
9.9 Notes and references	310
10 Statistical methods based residual evaluation and threshold setting	311
10.1 Introduction	311
10.2 Elementary statistical methods	312
10.2.1 Basic hypothesis test	312
10.2.2 Likelihood ratio and generalized likelihood ratio	314
10.2.3 Vector-valued GLR	316
10.2.4 Detection of change in variance	317
10.2.5 Aspects of on-line realization	318
10.3 Criteria for threshold computation	320
10.3.1 The Neyman-Pearson criterion	320
10.3.2 Maximum a posteriori probability (MAP) criterion	321
10.3.3 Bayes' criterion	322
10.3.4 Some remarks	323
10.4 Application of GLR testing methods	324
10.4.1 Kalman filter based fault detection	324
10.4.2 Parity space based fault detection	330

10.5 Notes and references	333
11 Integration of norm based and statistical methods	335
11.1 Residual evaluation in stochastic systems with deterministic	
disturbances	335
11.1.1 Residual generation	336
11.1.2 Problem formulation	337
11.1.3 GLR solutions	338
11.1.4 Discussion and example	341
11.2 Residual evaluation scheme for stochastically uncertain systems	343
11.2.1 Problem formulation	343
11.2.2 Solution and design algorithms	345
11.3 Probabilistic robustness technique aided threshold computation	356
11.3.1 Problem formulation	356
11.3.2 Outline of the basic idea	358
11.3.3 LMIs needed for the solutions	359
11.3.4 Problem solutions in the probabilistic framework	360
11.3.5 An application example	362
11.3.6 Concluding remarks	364
11.4 Notes and references	364

Part IV Fault detection, isolation and identification schemes

12 Integrated design of fault detection systems	369
12.1 FAR and FDR	370
12.2 Maximization of fault detectability by a given FAR	373
12.2.1 Problem formulation	374
12.2.2 Essential form of the solution	374
12.2.3 A general solution	376
12.2.4 Interconnections and comparison	378
12.2.5 Examples	382
12.3 Minimizing false alarm number by a given FDR	386
12.3.1 Problem formulation	387
12.3.2 Essential form of the solution	388
12.3.3 The state space form	390
12.3.4 The extended form	391
12.3.5 Interpretation of the solutions and discussion	393
12.3.6 An example	396
12.4 On the application to stochastic systems	398
12.4.1 Application to maximizing FDR by a given FAR	398
12.4.2 Application to minimizing FAR by a given FDR	399
12.5 Notes and references	399

13 Fault isolation schemes	403
13.1 Essentials	404
13.1.1 Existence conditions for a perfect fault isolation	404
13.1.2 PFIs and unknown input decoupling	406
13.1.3 PFIs with unknown input decoupling (PFIUID)	409
13.2 A frequency domain approach	410
13.3 Fault isolation filter design	412
13.3.1 A design approach based on the duality to decoupling control	412
13.3.2 The geometric approach	415
13.3.3 A generalized design approach	417
13.4 An algebraic approach to fault isolation	426
13.5 Fault isolation using a bank of residual generators	431
13.5.1 The dedicated observer scheme (DOS)	432
13.5.2 The generalized observer scheme (GOS)	435
13.6 Notes and references	438
14 On fault identification	441
14.1 Fault identification filter and perfect fault identification	442
14.2 FIF design with additional information	445
14.3 On the optimal fault identification problem	448
14.4 Study on the role of the weighting matrix	450
14.5 Approaches to the design of FIF	456
14.5.1 A general fault identification scheme	456
14.5.2 An alternative fault detection scheme	457
14.5.3 Identification of the size of a fault	458
14.6 Notes and references	460
References	463
Index	471