

Contents

1	Preliminaries	9
1.1	Open sets	9
1.1.1	The boundaries	9
1.2	Spaces	12
1.2.1	Sobolev spaces on open subsets	12
1.2.2	Weighted Sobolev spaces	14
1.2.3	Manifolds	15
1.3	Basic properties	16
1.3.1	Density results	16
1.3.2	Imbeddings	17
1.3.3	Polygonal domains	20
1.4	Trace spaces	24
1.4.1	Smooth domains	25
1.4.2	Polygonal domains	25
1.4.3	Green's formulas	28
1.5	Systems of P.D.E.'s	37
1.5.1	The systems	37
1.5.2	Examples	39
1.5.3	A priori estimates	42
1.6	The networks	44
1.6.1	Two-dimensional networks	44
1.6.2	Vectorial operator defined on a finite topological network	48
1.6.3	Ramified cone and ramified strip	54
1.6.4	A priori estimate on a ramified strip	66
2	Laplace operator	71
2.1	Setting of the problem	71
2.1.1	Strong formulation	72
2.1.2	Weak formulation	73
2.1.3	The kernel	76

2.2	The semi-Fredholm property	79
2.2.1	A priori estimates	79
2.2.2	The kernel	83
2.3	The Fredholm alternative	92
2.3.1	Weighted Sobolev spaces	92
2.3.2	Usual Sobolev spaces	98
2.4	Examples	99
3	Higher regularity results	109
3.1	Reformulation of the problem	110
3.2	B.v.p. on a ramified cone	113
3.2.1	Existence results in weighted Sobolev spaces	113
3.2.2	Comparison between weighted Sobolev spaces	116
3.2.3	Polynomial data	119
3.3	The b.v.p. in weighted Sobolev spaces	126
3.3.1	Homogeneous transmission conditions	127
3.3.2	The general case	131
3.4	The b.v.p. in classical Sobolev spaces	135
4	Differential equations	143
4.1	Introduction	143
4.2	Main results	146
4.2.1	The abstract setting	146
4.2.2	Resolution in weighted spaces	150
4.2.3	Weaker assumption	155
4.3	The logarithmo-polynomial resolution	157
4.3.1	The polynomial case	157
4.3.2	The general case	159
4.4	Some applications to b.v.p.'s in infinite cones	161
4.4.1	Weighted Sobolev spaces	161
4.4.2	The logarithmo-polynomial resolution	171
5	The biharmonic operator	175
5.1	The problem	175
5.1.1	Strong formulation	176
5.1.2	Weak formulation	178
5.1.3	Origin of the problem	183
5.2	A localization procedure	185
5.2.1	Existence results in weighted Sobolev spaces	185
5.2.2	Jordan chains	191
5.2.3	Polynomial resolution	195
5.3	The b.v.p. in weighted Sobolev spaces	197
5.3.1	Homogeneous interface conditions	197

5.3.2	Non-homogeneous interface conditions	200
5.3.3	Coefficient of the singularities	202
5.4	Usual Sobolev spaces	204
5.5	Examples	207
6	Operators of different order	217
6.1	Foreword	217
6.2	An existence result	219
6.3	Regularity for interior data in L^2	222
6.3.1	Some decoupled problems	222
6.3.2	A decomposition result	224
6.4	More regular data	225
6.4.1	The Fredholm property	225
6.4.2	The singularities	228
6.5	The non Fredholm property	231