

Contents

Preface	ix	Two independent samples	60
		Nominal variables: χ^2 test of independence (cross-table analysis)	60
0 Statistical analyses for marketing research: when and how to use them	1	Ordinal variables: Mann-Whitney U test	65
Descriptive statistics	1	Interval scaled variables: t-test for independent samples	66
Univariate statistics	2	K independent samples	68
Multivariate statistics	3	Nominal variables: χ^2 test of independence	68
		Ordinal variables: Kruskal-Wallis test	68
1 Working with SPSS	7	Interval scaled variables: Analysis of variance	68
Chapter objectives	7	K dependent samples	68
General	7	Nominal variables: Cochran Q	68
Data input	7	Ordinal variables: Friedman test	70
Typing data directly into SPSS	9	Interval scaled variables: Repeated measures analysis of variance	70
Inputting data from other application programs	11	Further reading	70
Data editing	11		
Creating labels	11	4 Analysis of variance	71
Working with missing values	13	Chapter objectives	71
Creating/calculating a new variable	14	Technique	71
Research on a subset of observations	16	Example 1: Analysis of variance as a test of difference or one-way ANOVA	72
Recoding variables	19	Managerial problem	72
Further reading	22	Problem	72
		Solution	73
2 Descriptive statistics	23	SPSS commands	73
Chapter objectives	23	Interpretation of the SPSS output	75
Introduction	23	Example 2: Analysis of variance with a covariate (ANCOVA)	77
Frequency tables and graphs	25	Technique: supplement	77
Multiple response tables	38	Managerial problem	78
Mean and dispersion	44	Problem	78
Further reading	46	Solution	79
		SPSS commands	79
3 Univariate tests	47	Interpretation of the SPSS output	82
Chapter objectives	47	Example 3: Analysis of variance for a complete 2 × 2 × 2 factorial design	92
General	47	Managerial problem	92
One sample	48	Problem	93
Nominal variables: Binomial test (z-test for proportion)	48	Solution	93
Nominal variables: χ^2 test	50	SPSS commands	93
Ordinal variables: Kolmogorov-Smirnov test	52	Interpretation of the SPSS output	96
Interval scaled variables: Z-test or t-test for the mean	52		
Two dependent samples	54		
Nominal variables: McNemar test	54		
Ordinal variables: Wilcoxon test	57		
Interval scaled variables: t-test for paired observations	58		

Example 4: Multivariate analysis of variance (MANOVA)			
Technique: supplement	108		
Managerial problem	108		
Problem	109		
Solution	110		
SPSS commands	110		
Interpretation of the SPSS output	113		
Example 5: Analysis of variance with repeated measures	120		
Managerial problem	120		
Problem	122		
Solution	122		
SPSS commands	122		
Interpretation of the SPSS output	125		
Example 6: Analysis of variance with repeated measures and between-subjects factor	129		
Managerial problem	129		
Problem	129		
Solution	129		
SPSS commands	129		
Interpretation of the SPSS output	131		
Further reading	136		
Endnote	136		
5 Linear regression analysis	137		
Chapter objectives	137		
Technique	137		
Example 1: A cross-section analysis	141		
Managerial problem	141		
Problem	142		
Solution	142		
SPSS commands	142		
Interpretation of the SPSS output	150		
Example 2: The 'Stepwise' method, in addition to the 'Enter' method	174		
Problem	174		
Solution	175		
SPSS commands	175		
Interpretation of the SPSS output	175		
Example 3: The presence of a nominal variable in the regression model	179		
Problem	179		
Solution	179		
SPSS commands	179		
Interpretation of the SPSS output	181		
Further reading	183		
Endnotes	183		
6 Logistic regression analysis	184		
Chapter objectives	184		
Technique	184		
Example 1: Interval-scaled and categorical independent variables, without interaction term	187		
Managerial problem	187		
Problem	187		
Solution	188		
SPSS commands	188		
Interpretation of the SPSS output	192		
Example 2: Interval-scaled and categorical independent variables, with interaction term	206		
Managerial problem	206		
Problem	207		
Solution	208		
SPSS commands	210		
Interpretation of the SPSS output	220		
Important guidelines	229		
One last remark	229		
Example 3: The 'stepwise' method, in addition to the 'enter' method, and more than one 'block'	230		
Managerial problem	230		
Problem	230		
Solution	230		
SPSS commands	230		
Interpretation of the SPSS output	233		
Example 4: Categorical independent variables with more than two categories	237		
Managerial problem	237		
Problem	237		
Solution	238		
SPSS commands	238		
Interpretation of the SPSS output	241		
Further reading	243		
Endnotes	244		
7 Exploratory factor analysis	245		
Chapter objectives	245		
Technique	245		
Example: Exploratory factor analysis	249		
Managerial problem	249		
Problem	250		
Solution	251		
SPSS commands	251		
Interpretation of the SPSS output	255		
Further reading	278		
Endnote	278		

8 Confirmatory factor analysis and path analysis using SEM	279	10 Multidimensional scaling techniques	363
Chapter objectives	279	Chapter objectives	363
Technique	279	Technique	363
Example 1: Confirmatory factor analysis	281	The form of the data matrix: the number of ways and the number of modes	363
Managerial problem	281	The technique: the measurement level of the input and output and the representation of the data	366
Problem	282	Data collection method: direct or indirect measurement	368
Solution	282	Example 1: 'Two-way, two-mode'	
AMOS commands	294	MDS – correspondence analysis	370
Interpretation of the AMOS output	311	Technique: supplement	370
Example 2: Path analysis	311	Managerial problem	370
Problem	311	Problem	373
Solution	311	Solution	373
AMOS commands	312	SPSS Commands	373
Interpretation of the AMOS output	316	Interpretation of the SPSS output	384
Further reading	316	Example 2: 'Three-way, two-mode'	
9 Cluster analysis	317	MDS – 'two-way, one-mode' MDS using replications in PROXSCAL	398
Chapter objectives	317	Managerial problem	398
Technique	317	Technique: supplement	400
Example 1: Cluster analysis with binary attributes – hierarchical clustering	319	Problem	401
Managerial problem	319	Solution	402
Problem	320	SPSS commands: data specification	402
Solution	320	SPSS commands: dimensionality of the solution	404
SPSS Commands	320	Interpretation of the SPSS output: dimensionality of the solution	407
Interpretation of the SPSS output	324	Further reading	415
Example 2: Cluster analysis with continuous attributes – hierarchical clustering as input for K-means clustering	342	Website reference	415
Managerial problem	342	Endnotes	416
Problem	342	11 Conjoint analysis	417
Solution	343	Chapter objectives	417
SPSS commands: Hierarchical clustering	344	Technique	417
Interpretation of the SPSS output: Hierarchical clustering	347	Example: Conjoint analysis	418
SPSS commands: K-means clustering	353	Managerial problem	418
Interpretation of the SPSS output: K-means clustering	355	Problem	419
Further reading	362	Solution	419
Endnotes	362	SPSS commands	419
		Interpretation of the SPSS output	428
		Further reading	433
		Index	435