

Contents

| | |
|--------------------------------|------|
| Preface | v |
| List of Contributors | xiii |

Chapter 1. Dynamic components utilizing long-range surface plasmon polaritons, *Sergey I. Bozhevolnyi (Aalborg Øst, Denmark)*

1

| | |
|--|----|
| § 1. Introduction | 3 |
| § 2. Fundamentals of long-range surface plasmon polaritons | 5 |
| 2.1. Long-range surface plasmon polaritons | 6 |
| 2.2. LRSPP stripe modes | 10 |
| § 3. Basic waveguide fabrication and characterization | 12 |
| § 4. Interferometric modulators and directional-coupler switches | 16 |
| 4.1. Mach-Zehnder interferometric modulators | 18 |
| 4.2. Directional coupler switches | 20 |
| § 5. In-line extinction modulators | 21 |
| § 6. Integrated power monitors | 26 |
| 6.1. Design considerations | 26 |
| 6.2. Fabrication and characterization | 28 |
| 6.3. Sensitivity | 30 |
| § 7. Outlook | 32 |
| Acknowledgments | 33 |
| References | 33 |

Chapter 2. Metal strip and wire waveguides for surface plasmon polaritons, *J.R. Krenn (Graz, Austria) and J.-C. Weeber, A. Dereux (Dijon, France)*

35

| | |
|---|----|
| § 1. Introduction | 37 |
| § 2. Experimental aspects | 38 |
| 2.1. Lithographic sample fabrication | 38 |
| 2.2. Light/SPP coupling | 39 |
| 2.3. SPP imaging | 40 |
| 2.3.1. Far-field microscopy | 40 |
| 2.3.2. Near-field microscopy | 41 |
| § 3. Metal strips | 42 |
| 3.1. Field distribution of metal strip modes | 42 |
| 3.2. Microstructured metal strips | 45 |
| 3.3. Routing SPPs with integrated Bragg mirrors | 49 |
| § 4. Metal nanowires | 51 |
| 4.1. Lithographically fabricated nanowires | 52 |

| | |
|--|----|
| 4.2. Chemically fabricated nanowires | 55 |
| § 5. Summary and future directions | 58 |
| Acknowledgments | 59 |
| References | 60 |

Chapter 3. Super-resolution microscopy using surface plasmon

| | |
|---|-----------|
| polaritons, Igor I. Smolyaninov (College Park, MD) and Anatoly V. Zayats (Belfast, UK) | 63 |
| § 1. Introduction | 65 |
| § 2. Principles of SPP-assisted microscopy | 70 |
| 2.1. Experimental realization of dielectric SPP mirrors | 70 |
| 2.2. Properties of short-wavelength SPPs | 72 |
| 2.3. Image formation in focusing SPP mirrors | 77 |
| § 3. Imaging through photonic crystal space | 81 |
| § 4. Imaging and resolution tests | 86 |
| § 5. The role of effective refractive index of the SPP crystal mirror in image magnification | 92 |
| § 6. Experimental observation of negative refraction | 97 |
| § 7. SPP microscopy application in biological imaging. | 100 |
| § 8. Digital resolution enhancement. | 103 |
| § 9. Conclusion | 106 |
| Acknowledgements | 106 |
| References | 106 |

Chapter 4. Active plasmonics, Alexey V. Krasavin,

| | |
|--|------------|
| Kevin F. MacDonald, Nikolay I. Zheludev (Southampton, UK) | 109 |
|--|------------|

| | |
|---|-----|
| § 1. Introduction | 111 |
| § 2. The concept of active plasmonics | 112 |
| § 3. Coupling light to and from SPP waves with gratings. | 114 |
| § 4. Modelling SPP propagation in an active plasmonic device. | 123 |
| § 5. Active plasmonics: experimental tests. | 131 |
| § 6. Summary and conclusions | 135 |
| Acknowledgements | 137 |
| References | 137 |

Chapter 5. Surface plasmons and gain media, M.A. Noginov, G. Zhu

| | |
|--|------------|
| (Norfolk, VA) and V.P. Drachev, V.M. Shalaev (West Lafayette, IN) | 141 |
|--|------------|

| | |
|--|-----|
| § 1. Introduction | 143 |
| § 2. Estimation of the critical gain. | 148 |
| § 3. Experimental samples and setups | 149 |
| § 4. Experimental results and discussion | 149 |
| 4.1. Absorption spectra | 149 |
| 4.2. Spontaneous emission | 151 |
| 4.3. Enhanced Rayleigh scattering due to compensation of loss in metal by gain in dielectric | 154 |

| | |
|--|-----|
| 4.4. Discussion of the results of the absorption and emission measurements | 156 |
| 4.4.1. Suppression of the SP resonance by absorption in surrounding dielectric media | 156 |
| 4.4.2. Emission intensity and absorption | 157 |
| 4.5. Stimulated emission studied in a pump-probe experiment | 158 |
| 4.6. Effect of Ag aggregate on the operation of R6G dye laser | 161 |
| § 5. Summary | 164 |
| Acknowledgments | 165 |
| References | 165 |

Chapter 6. Optical super-resolution for ultra-high density optical data storage, Junji Tominaga (Tsukuba, Japan) 171

| | |
|--|-----|
| § 1. Introduction | 173 |
| § 2. Features and mechanisms of super-RENS disk – types A and B | 174 |
| § 3. Features of super-RENS disk – type C | 177 |
| § 4. Understanding the super-resolution mechanism of type C disk | 179 |
| § 5. Combination of plasmonic enhancement and type C super-RENS disk | 183 |
| § 6. Summary | 187 |
| Acknowledgement | 188 |
| References | 188 |

Chapter 7. Metal stripe surface plasmon waveguides, Rashid Zia, Mark Brongersma (Stanford, CA) 191

| | |
|---|-----|
| § 1. Introduction | 193 |
| § 2. Experimental techniques | 194 |
| § 3. Numerical methods | 197 |
| § 4. Leaky modes supported by metal stripe waveguides | 199 |
| § 5. Analytical models for stripe modes | 204 |
| § 6. Propagation along metal stripe waveguides | 209 |
| § 7. Summary | 214 |
| References | 216 |

Chapter 8. Biosensing with plasmonic nanoparticles, Thomas Arno Klar (West Lafayette, IN) 219

| | |
|---|-----|
| § 1. The current need for new types of biosensors | 221 |
| § 2. Nanoparticle plasmons | 222 |
| 2.1. Volume plasmons | 223 |
| 2.2. Surface plasmons | 224 |
| 2.3. Nanoparticle plasmons | 228 |
| § 3. Metal nanoparticles replacing fluorophores in assays | 231 |
| 3.1. Greyscale-assays | 233 |
| 3.2. Single metal nanoparticles as labels | 234 |
| § 4. Coupled NPP resonances as sensor signal | 238 |
| 4.1. The basic idea | 238 |
| 4.2. Using the extinction spectrum | 239 |

| | |
|---|-----|
| 4.2.1. Immunoassays | 239 |
| 4.2.2. Oligonucleotide sensors | 240 |
| 4.3. Using light scattering | 241 |
| 4.3.1. Scattering spectrum | 241 |
| 4.3.2. Angular distribution of scattered light | 242 |
| 4.4. The nanoruler | 242 |
| § 5. Dielectric environment plasmonic biosensors | 243 |
| 5.1. Surface plasmon resonance sensors | 243 |
| 5.2. Nanoparticle plasmon resonance sensors | 245 |
| 5.2.1. Working principle | 245 |
| 5.2.2. Ensemble sensors | 247 |
| 5.2.3. Single nanoparticle sensors | 248 |
| 5.2.4. Nanohole sensors | 250 |
| 5.2.5. Analytical applications | 250 |
| 5.2.6. Nanoparticles for spectroscopy in the biophysical window | 250 |
| 5.3. A short comparison of SPR and NPPR sensors | 251 |
| § 6. Biosensing with surface-enhanced Raman scattering | 252 |
| 6.1. SERS mechanism | 253 |
| 6.1.1. Raman scattering | 253 |
| 6.1.2. Surface enhancement | 254 |
| 6.1.3. SERS substrates | 256 |
| 6.2. Biosensing with SERS | 258 |
| 6.2.1. Applications in cell and molecular biology | 258 |
| 6.2.2. Diagnostics with SERS labels | 259 |
| 6.2.3. Label-free SERS diagnostics | 262 |
| 6.2.4. Other selected biomedical applications | 262 |
| § 7. Concluding remarks | 263 |
| Acknowledgements | 264 |
| References | 264 |

Chapter 9. Thin metal-dielectric nanocomposites with a negative index of refraction, Alexander V. Kildishev, Thomas A. Klar, Vladimir P. Drachev, Vladimir M. Shalaev (Indiana) 271

| | |
|---|-----|
| § 1. Introduction | 273 |
| 1.1. The index of refraction | 273 |
| 1.2. Downscaling split ring resonators | 275 |
| 1.3. Metamaterials using localized plasmonic resonances | 276 |
| 1.3.1. Metal nanorods | 276 |
| 1.3.2. Voids | 282 |
| 1.4. Pairs of metal strips for impedance-matched negative index metamaterials | 283 |
| 1.5. Gain, compensating for losses | 286 |
| § 2. Optical characteristics of cascaded NIMs | 291 |
| 2.1. Bloch-Floquet waves in cascaded layers | 293 |
| 2.2. Eigenvalue problem | 294 |
| 2.3. Mixed boundary-value problem | 295 |
| 2.4. A simple validation test | 297 |
| 2.5. Cascading the elementary layers | 299 |
| 2.6. Reflection and transmission coefficients | 299 |
| 2.7. Discussions | 300 |
| § 3. Combining magnetic resonators with semicontinuous films | 301 |

| | |
|--|-----|
| 3.1. Sensitivity of the design | 304 |
| 3.2. Conclusion | 304 |
| Acknowledgment | 307 |
| References | 307 |
| | |
| Author index | 309 |
| Subject index | 323 |