

Contents

| | |
|------------------------------------------------------------------------|------|
| Preface | XIII |
| 1. Historical review | 1 |
| Summary | 1 |
| 1. Historical review | 1 |
| References | 4 |
| THEORY | |
| 2. Principles of electrophoretic techniques | 7 |
| Summary | 7 |
| 2.1. Introduction | 7 |
| 2.2. Principle of zone electrophoresis | 7 |
| 2.3. Principle of moving-boundary electrophoresis | 9 |
| 2.4. Principle of isotachopheresis | 13 |
| 2.4.1. Introduction | 13 |
| 2.4.2. Simplified model for isotachopheresis' | 15 |
| 2.4.3. Concentration adaptation | 18 |
| 2.4.4. Some isotachopherograms | 20 |
| 2.5. Principle of isoelectric focusing | 23 |
| 2.6. Discussion | 24 |
| 3. Concept of mobility | 27 |
| Summary | 27 |
| 3.1. Introduction | 27 |
| 3.2. Interpretation of electrophoretic migration | 27 |
| 3.3. Ionic mobility and ionic equivalent conductivity | 29 |
| 3.4. Effective ionic mobility | 31 |
| 3.4.1. Partial dissociation | 32 |
| 3.4.1.1. Protolysis | 33 |
| 3.4.1.2. Complex formation | 33 |
| 3.4.2. Relaxation and electrophoretic retardation | 36 |
| 3.5. Determination of ionic mobilities | 37 |
| 3.5.1. Relationship between volume and ionic mobility | 37 |
| 3.5.2. Relationship between entropy and ionic mobility | 39 |
| 3.5.3. Discussion | 40 |
| References | 40 |
| 4. Mathematical model for isotachopheresis | 41 |
| Summary | 41 |
| 4.1. Introduction | 41 |
| 4.2. General equations | 43 |
| 4.2.1. Equilibrium equations | 45 |
| 4.2.2. Electroneutrality equations | 47 |
| 4.2.3. Mass balances for all ionic species | 48 |
| 4.2.4. Modified Ohm's law | 51 |
| 4.2.5. Parameters and equations | 51 |
| 4.3. Mathematical model for the steady state in isotachopheresis | 55 |
| 4.3.1. Concept of isotachopheretic separation | 55 |
| 4.3.2. Mathematical model of isotachopheresis | 58 |
| 4.3.2.1. Equilibrium equations | 58 |
| 4.3.2.2. The isotachopheretic condition | 58 |

| | |
|---------------------------------------------------------------------------------|-----|
| 4.3.2.3. Mass balance of the buffer | 59 |
| 4.3.2.4. Principle of electroneutrality | 60 |
| 4.3.2.5. Modified Ohm's law | 61 |
| 4.3.3. Computer program for calculation of the steady state | 62 |
| 4.3.3.1. Computation procedure | 62 |
| 4.3.3.2. Iteration procedure | 62 |
| 4.3.3.3. Discussion | 69 |
| 4.4. Validity of the isotachophoretic model | 69 |
| 4.4.1. Introduction | 69 |
| 4.4.2. Influence of diffusion on the zone boundaries | 74 |
| 4.4.3. Influence of axial and radial temperature differences | 75 |
| 4.4.4. Influence of activity coefficients | 76 |
| 4.5. Check of the isotachophoretic model | 76 |
| References | 81 |
| 5. Choice of electrolyte systems | 83 |
| Summary | 83 |
| 5.1. Introduction | 83 |
| 5.1.1. General remarks | 84 |
| 5.2. Choice of the solvent | 84 |
| 5.2.1. Methanol as a solvent | 87 |
| 5.2.1.1. Comparative behaviour with water | 87 |
| 5.2.1.2. Determination of pK values in methanolic solutions | 89 |
| 5.3. Choice of the buffering counter ionic species | 92 |
| 5.4. Choice of the pH of the leading electrolyte | 93 |
| 5.5. Choice of the terminating and leading ionic species | 96 |
| 5.6. Additions to the electrolyte solutions | 99 |
| 5.6.1. Stabilizers | 99 |
| 5.6.2. Surface-active chemicals | 99 |
| 5.6.3. Reference materials for identification and calibration of concentrations | 99 |
| 5.6.4. Spacers and carriers | 99 |
| 5.7. Discussion | 100 |
| 5.8. Examples | 100 |
| References | 113 |
| INSTRUMENTATION | |
| 6. Detection systems | 117 |
| Summary | 117 |
| 6.1. Introduction | 117 |
| 6.1.1. Universal detectors | 118 |
| 6.1.2. Specific detectors | 118 |
| 6.1.3. Combinations of universal and specific detectors | 119 |
| 6.2. Thermometric recording | 119 |
| 6.2.1. Introduction | 119 |
| 6.2.2. Construction | 119 |
| 6.2.3. Experimental | 125 |
| 6.2.4. Resolution | 126 |
| 6.2.5. Conclusion | 129 |
| 6.3. High-frequency conductivity detection | 130 |
| 6.3.1. Introduction | 130 |
| 6.3.2. Construction | 131 |
| 6.4. Conductivity detection | 133 |
| 6.4.1. Introduction | 133 |

| | |
|-----------------------------------------------------------------------------------------|-----|
| 6.4.2. The d.c. method of resistance determination | 135 |
| 6.4.3. The d.c.–a.c. converter | 140 |
| 6.4.4. The a.c. method of resistance determination | 143 |
| 6.4.5. Conductivity probe with equiplanar-mounted sensing electrodes | 143 |
| 6.5. UV absorption meter | 153 |
| 6.5.1. Introduction | 153 |
| 6.5.2. Construction of the UV source | 155 |
| 6.5.3. UV detector in combination with a non-modulated UV source | 159 |
| 6.5.4. UV detector in combination with a modulated UV source | 161 |
| 6.5.5. UV cell | 164 |
| 6.5.6. Experimental | 165 |
| 6.6. Additives to the electrolytes | 171 |
| 6.6.1. Introduction | 171 |
| 6.6.2. Effect of additives on the electroosmotic flow | 171 |
| 6.6.3. Effect of additives on the micro-sensing electrodes | 174 |
| 6.6.4. Additives | 180 |
| 6.7. Coating of the micro-sensing electrodes | 191 |
| 6.7.1. Introduction | 191 |
| 6.7.2. Experimental | 191 |
| 6.8. Detection limits | 193 |
| 6.8.1. Introduction | 193 |
| 6.8.2. Experimental | 196 |
| 6.9. Conclusion | 199 |
| References | 201 |
| 7. Instrumentation | 203 |
| Summary | 203 |
| 7.1. Introduction | 203 |
| 7.2. Injection systems | 203 |
| 7.2.1. Introduction | 203 |
| 7.2.2. Four-way tap | 204 |
| 7.2.3. Six-way valve | 205 |
| 7.2.4. Injection block | 208 |
| 7.2.5. Simplified injection block | 211 |
| 7.3. Counter electrode compartments | 211 |
| 7.3.1. Introduction | 211 |
| 7.3.2. Cylindrical counter electrode compartment | 213 |
| 7.3.3. Counter electrode compartment with flat membrane | 215 |
| 7.4. Equipment | 217 |
| 7.4.1. Introduction | 217 |
| 7.4.2. Narrow-bore tube surrounded with a water-jacket | 219 |
| 7.4.3. Narrow-bore tube thermostated with an aluminium block | 221 |
| 7.4.4. Equipment with high-resolution detectors | 224 |
| 7.5. Counter flow of electrolyte | 230 |
| 7.5.1. Introduction | 230 |
| 7.5.2. Counter flow with level regulation | 231 |
| 7.5.3. Counter flow with light-dependent resistor regulation | 233 |
| 7.5.4. Counter flow with direct control on the pumping mechanism via the power supply | 237 |
| 7.5.5. Counter flow with no regulation | 238 |
| 7.5.6. Counter flow regulated by the current-stabilized power supply; the membrane pump | 241 |

APPLICATIONS

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 8. Introduction | 249 |
| Summary | 249 |
| 8. Introduction | 249 |
| 9. Practical aspects | 253 |
| Summary | 253 |
| 9.1. Introduction | 253 |
| 9.2. Disturbances caused by hydrogen and hydroxyl ions | 253 |
| 9.2.1. Disturbances from the terminator zone in unbuffered systems | 253 |
| 9.2.1.1. H_I-M_I boundary | 254 |
| 9.2.1.2. M_I-M_{II} boundary | 254 |
| 9.2.2. Disturbances from the leading zone in unbuffered systems | 257 |
| 9.2.3. Disturbances due to the presence of hydrogen and hydroxyl ions in buffered systems | 260 |
| 9.3. Disturbances due to the presence of carbon dioxide | 263 |
| 9.4. Enforced isotachopheresis | 264 |
| 9.4.1. Disc electrophoresis | 265 |
| 9.5. Water as terminator | 267 |
| 9.6. Purification of the terminator | 268 |
| 9.7. Conversion of data measured with different detectors | 270 |
| References | 271 |
| 10. Quantitative aspects | 273 |
| Summary | 273 |
| 10.1. Introduction | 273 |
| 10.2. Theoretical | 274 |
| 10.3. Thermometric measurements | 275 |
| 10.3.1. Reproducibility | 275 |
| 10.3.2. Calibration constant | 275 |
| 10.4. Conductimetric measurements | 279 |
| 10.4.1. Reproducibility | 279 |
| 10.4.2. Calibration constant | 280 |
| 10.5. Conclusion | 281 |
| References | 282 |
| 11. Separation of cationic species in aqueous solutions | 283 |
| Summary | 283 |
| 11.1. Separation of cationic species in aqueous solutions using a thermocouple as detector | 283 |
| 11.1.1. The system $WHCl$ | 285 |
| 11.1.2. The system $WHIO_3$ | 286 |
| 11.1.3. The system $WKAC$ | 288 |
| 11.1.4. The system $WKCAC$ | 289 |
| 11.1.5. The system $WKDIT$ | 293 |
| 11.2. Separation of cationic species in water and deuterium oxide using a conductivity detector (a.c. method) and a UV absorption detector (256 nm) | 293 |
| 12. Separation of anionic species in aqueous solutions | 295 |
| Summary | 295 |
| 12.1. Separation of anionic species in aqueous solutions using a thermometric detector | 295 |
| 12.1.1. Operational system histidine/histidine hydrochloride (pH 6) | 295 |
| 12.1.2. Operational system imidazole/imidazole hydrochloride (pH 7) | 296 |
| 12.2. Separation of anionic species in aqueous solutions using a conductivity detector (a.c. method) and a UV absorption detector (256 nm) | 300 |
| 12.2.1. Introduction | 300 |

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----|
| 12.2.2. Applications | 301 |
| 13. Amino acids, peptides and proteins | 311 |
| Summary | 311 |
| 13.1. Amino acids | 311 |
| 13.1.1. Introduction | 311 |
| 13.1.2. Separation at low pH values in aqueous systems | 312 |
| 13.1.3. Separation at high pH values in aqueous systems | 312 |
| 13.1.4. Separation by use of complex formation | 318 |
| 13.1.5. Separation in aqueous propanal solutions | 319 |
| 13.2. Separation of proteins in ampholyte gradients | 322 |
| 13.2.1. Introduction | 322 |
| 13.2.2. Experimental | 325 |
| 13.3. Separation of small peptides | 335 |
| 13.3.1. Introduction | 335 |
| 13.3.2. Experimental | 336 |
| References | 336 |
| 14. Separation of nucleotides in aqueous systems | 337 |
| Summary | 337 |
| 14.1. Introduction | 337 |
| 14.2. Separation using a thermometric detector | 337 |
| 14.3. Separation using a conductivity detector (a.c. method) and a UV absorption detector (256 nm) | 342 |
| 15. Enzymatic reactions | 347 |
| Summary | 347 |
| 15.1. Introduction | 347 |
| 15.2. Enzymatic conversion of glucose (fructose) into glucose-6-phosphate (fructose-6-phosphate) with hexokinase from yeast | 348 |
| 15.3. Enzymatic conversion of pyruvate into lactate with lactate dehydrogenase from pig heart | 355 |
| References | 360 |
| 16. Separations in non-aqueous systems | 361 |
| Summary | 361 |
| 16.1. Introduction | 361 |
| 16.2. Separation of anionic species in methanol using a thermometric detector | 362 |
| 16.3. Separation of cationic species in methanol using a thermometric detector | 364 |
| 16.3.1. The operational system MHCl | 365 |
| 16.3.2. The operational system MKAC | 367 |
| 16.3.3. The operational system MTMAAC | 373 |
| 16.4. Experiments in aqueous methanolic systems using a conductimetric detector (a.c. method) and UV absorption detector (256 nm) | 373 |
| 17. Counter flow of electrolyte | 375 |
| Summary | 375 |
| 17.1. Introduction | 375 |
| 17.2. Experimental | 378 |
| 17.3. Conclusion | 384 |
| References | 384 |

APPENDICES

| | |
|----------------------------------------------------------------------------------------------------------|-----|
| A. Simplified model of moving-boundary electrophoresis for the measurement of effective mobilities | 387 |
|----------------------------------------------------------------------------------------------------------|-----|

| | |
|-----------------------------------------------------------------------|-----|
| A.1. introduction | 387 |
| A.2. Model of moving-boundary electrophoresis | 387 |
| A.2.1. Electroneutrality equations | 388 |
| A.2.2. Modified Ohm's law | 388 |
| A.2.3. Mass balances for all cationic species | 388 |
| A.3. Procedure of computation | 389 |
| A.4. Experimental | 390 |
| A.5. Discussion | 392 |
| References | 394 |
| B. Diameter of the narrow-bore tube, applied for separation | 395 |
| C. Literature | 397 |
| Symbols and abbreviations | 409 |
| Symbols | 409 |
| Subscripts | 410 |
| Superscripts | 411 |
| Examples | 411 |
| Abbreviations | 411 |
| Subject index | 413 |