

# Contents

Contributors to Volume 48 . . . . .	vii
Volumes in the Series . . . . .	xi
Preface . . . . .	xxv
Series Editor's Preface . . . . .	xxix
Foreword . . . . .	xxxix

## Part I: Air

### *Chapter 1. Theory of solid phase microextraction and its application in passive sampling*

Yong Chen and Janusz Pawliszyn

1.1 Introduction . . . . .	3
1.2 Calibration in solid phase microextraction. . . . .	6
1.2.1 Equilibrium extraction . . . . .	7
1.2.2 Exhaustive extraction. . . . .	8
1.2.3 Pre-equilibrium extraction . . . . .	9
1.2.4 Calibration based on first-order reaction rate constant . . . . .	10
1.2.5 Calibration based on diffusion . . . . .	12
References . . . . .	31

### *Chapter 2. The use of different designs of passive samplers for air monitoring of persistent organic pollutants*

Rosalinda Gioia, Kevin C. Jones and Tom Harner

2.1 Introduction . . . . .	33
2.2 The context: why develop passive air sampling techniques for POPS? . . . . .	35
2.3 What approaches can be used? . . . . .	38
2.4 The choice of sampler designs: features, advantages and potential problems . . . . .	40
2.4.1 Low-capacity sampling: polymer-coated glass . . . . .	42
2.4.2 Medium-capacity sampling devices: polyurethane foam disks . . . . .	43
2.4.3 High-capacity sampling devices: semipermeable membrane devices and XAD-2 resin . . . . .	44

## Contents

2.5	Case studies and applications of PAS for POPS. . . . .	46
2.5.1	POGs: case studies and applications. . . . .	46
2.5.2	SPMDs: case studies and applications. . . . .	47
2.5.3	PUF disks: case studies and applications . . . . .	49
2.5.4	XAD-2 resin: case studies and applications . . . . .	51
2.6	Future improvements and needs for PAS for POPS . . . . .	52
	References . . . . .	53
 <i>Chapter 3. Passive sampling in combination with thermal desorption and gas chromatography as a tool for assessment of chemical exposure</i>		
Anna-Lena Sunesson		
3.1	The applicability of passive sampling for chemical exposure assessment . . . . .	57
3.2	Passive sampling, basic theory . . . . .	58
3.3	Sampling rates . . . . .	60
3.4	Standards for evaluation of passive samplers . . . . .	60
3.5	Sampler designs for passive sampling–thermal desorption analysis. . . . .	61
3.6	Thermal desorption . . . . .	64
3.7	Adsorbents . . . . .	67
3.8	Analytical equipment for thermal desorption . . . . .	69
3.9	Applications using passive sampling–thermal desorption–gas chromatography for exposure assessment; examples and trends. . . . .	70
3.10	Possible limitations/sources of error when using passive sampling–thermal desorption–gas chromatography . . . . .	72
3.11	Self-assessment of exposure . . . . .	74
3.12	Practical considerations . . . . .	76
3.12.1	Selecting a suitable adsorbent for the analytes of interest . . . . .	76
3.12.2	Minimising artefacts. . . . .	77
3.12.3	Blank samples . . . . .	78
3.12.4	Personal (individual) exposure assessment . . . . .	78
3.13	Concluding remarks and future perspectives . . . . .	79
	References . . . . .	79
 <i>Chapter 4. Use of permeation passive samplers in air monitoring</i>		
Bożena Zabiegała and Jacek Namieśnik		
4.1	Introduction . . . . .	85
4.2	Theory . . . . .	86
4.2.1	Membrane . . . . .	88

## Contents

4.3	Design of the permeation passive sampler . . . . .	91
4.4	Calibration of gut permeation passive samplers. . . . .	92
4.5	Determination of the calibration constants of gut permeation passive samplers with silicone membranes based on physico- chemical properties of the analytes . . . . .	92
4.5.1	Number of carbon atoms . . . . .	95
4.5.2	Molecular mass . . . . .	96
4.5.3	Boiling point temperature . . . . .	96
4.5.4	Linear temperature-programmed retention index system . . . . .	98
4.5.5	Application of GUT permeation passive sample in indoor air analysis . . . . .	103
4.6	Conclusion . . . . .	104
	References . . . . .	105

### *Chapter 5. Membrane-enclosed sorptive coating as integrative sampler for monitoring organic compounds in air*

Peter Popp, Heidrun Paschke, Branislav Vrana, Luise Wennrich and Albrecht Paschke		
5.1	Introduction . . . . .	107
5.2	Theory . . . . .	108
5.3	Experimental . . . . .	110
5.3.1	Preparation and design of the MESCO samplers . . . .	110
5.3.2	Chemicals . . . . .	111
5.3.3	Generation of the standard gas mixtures and calibration of the samplers . . . . .	111
5.3.4	Thermodesorption/GC-MS analysis . . . . .	114
5.3.5	Field application. . . . .	116
5.4	Results . . . . .	116
5.4.1	Laboratory exposure experiments. . . . .	116
5.4.2	Comparison of the different MESCO types. . . . .	118
5.4.3	On-site exposure experiments. . . . .	119
5.5	Conclusions. . . . .	122
	References . . . . .	122

### *Chapter 6. Towards quantitative monitoring of semivolatile organic compounds using passive air samplers*

Michael E. Bartkow, Carl E. Orazio, Todd Gouin, James N. Huckins and Jochen F. Müller		
6.1	Introduction . . . . .	125
6.2	Estimating air concentrations . . . . .	126

## Contents

6.3 Environmental factors . . . . .	131
6.4 Conclusions. . . . .	133
Acknowledgments . . . . .	134
References . . . . .	134
<b>Part II: Water</b>	
<i>Chapter 7. Theory, modelling and calibration of passive samplers used in water monitoring</i>	
Kees Booij, Branislav Vrana and James N. Huckins	
7.1 Introduction . . . . .	141
7.2 Basic concepts and models for SPMDs . . . . .	142
7.3 Model application to other passive samplers . . . . .	146
7.4 Validity of the model assumptions. . . . .	147
7.5 Water boundary layer resistance . . . . .	149
7.6 Membrane resistance . . . . .	152
7.7 Biofouling layer . . . . .	156
7.8 Other intermediate phases . . . . .	157
7.9 Calibration . . . . .	158
7.9.1 Static exposure design . . . . .	158
7.9.2 Static renewal design . . . . .	159
7.9.3 Continuous flow design . . . . .	160
7.9.4 <i>In situ</i> calibration . . . . .	161
7.10 Conclusion and outlook. . . . .	162
References . . . . .	164
<i>Chapter 8. Tool for monitoring hydrophilic contaminants in water: polar organic chemical integrative sampler (POCIS)</i>	
David A. Alvarez, James N. Huckins, Jimmie D. Petty, Tammy Jones-Lepp, Frank Stuer-Lauridsen, Dominic T. Getting, Jon P. Goddard and Anthony Gravell	
8.1 Introduction . . . . .	171
8.2 Fundamentals of POCIS . . . . .	173
8.2.1 POCIS description and rationale . . . . .	173
8.2.2 Applicability of POCIS . . . . .	176
8.3 Theory and modeling . . . . .	176
8.4 Study considerations. . . . .	182
8.4.1 Use and processing. . . . .	182
8.4.2 Data quality consideration . . . . .	183
8.5 Case studies . . . . .	185
8.5.1 Application of POCIS for pharmaceutical monitoring in the United States. . . . .	185

## Contents

8.5.2	Comparison of POCIS and traditional sampling for wastewater monitoring. . . . .	186
8.5.3	Application of POCIS for pesticide monitoring in Denmark . . . . .	187
8.5.4	Application of POCIS for pharmaceutical monitoring in the United Kingdom. . . . .	189
8.6	Future research consideration. . . . .	192
8.6.1	Development of the PRC approach in POCIS . . . . .	192
8.6.2	Determination of sampling rate and kinetic data for chemicals of interest . . . . .	194
8.7	Conclusions. . . . .	195
	References . . . . .	196

### *Chapter 9. Monitoring of priority pollutants in water using Chemcatcher passive sampling devices*

Richard Greenwood, Graham A. Mills, Branislav Vrana, Ian Allan, Rocío Aguilar-Martínez and Gregory Morrison

9.1	Introduction . . . . .	199
9.2	Concept of Chemcatcher . . . . .	199
9.2.1	Receiving phases . . . . .	200
9.2.2	Diffusion membranes . . . . .	201
9.2.3	Sampler body . . . . .	203
9.3	Theory . . . . .	206
9.4	Calibration . . . . .	207
9.5	Sampling of hydrophobic organic contaminants. . . . .	207
9.5.1	Calibration data . . . . .	208
9.5.2	Performance reference compound concept . . . . .	210
9.5.3	Non-polar Chemcatcher/water distribution coefficients . . . . .	211
9.5.4	Empirical uptake rate model . . . . .	211
9.5.5	Estimation of <i>in situ</i> TWA concentrations . . . . .	212
9.6	Sampling of hydrophilic organic contaminants . . . . .	213
9.6.1	Integrative sampler . . . . .	213
9.6.2	Short pollution event detector . . . . .	215
9.7	Sampling of metals . . . . .	216
9.8	Sampling of organometallic compounds. . . . .	217
9.9	Field applications . . . . .	217
9.9.1	Pan-European field trials to compare the performances of the Chemcatcher and spot sampling in monitoring the quality of river water . . . . .	217
9.9.2	Monitoring pesticide runoff in Brittany, France . . . . .	219

## Contents

9.9.3	Field trial in the River Meuse in The Netherlands . . .	220
9.9.4	Field trial in the estuary of the River Ribble in the United Kingdom. . . . .	222
9.10	Comparison of the performance of the Chemcatcher with that of other sampling devices. . . . .	223
9.11	Future trends . . . . .	226
	Acknowledgments . . . . .	226
	References . . . . .	227
 <i>Chapter 10. Membrane-enclosed sorptive coating for the monitoring of organic compounds in water</i>		
Albrecht Paschke, Branislav Vrana, Peter Popp, Luise Wennrich, Heidrun Paschke and Gerrit Schüürmann		
10.1	Introduction . . . . .	231
10.2	Passive uptake model for MESCO sampler . . . . .	232
10.3	Design of the different MESCO formats . . . . .	233
10.3.1	PDMS-coated fibre enclosed in an LDPE membrane . . . . .	233
10.3.2	PDMS-coated stir bar enclosed in a dialysis membrane bag (MESCO I) . . . . .	233
10.3.3	Silicone material enclosed in an LDPE membrane (MESCO II) . . . . .	234
10.4	Laboratory-derived sampling rates of the various MESCO formats . . . . .	235
10.5	Field application of MESCO samplers . . . . .	237
10.5.1	A case study with MESCO I for monitoring of persistent organic pollutants in surface water. . . . .	237
10.5.2	Field trials with MESCO II—first results . . . . .	246
	Acknowledgments . . . . .	248
	References . . . . .	248
 <i>Chapter 11. In situ monitoring and dynamic speciation measurements in solution using DGT</i>		
Kent W. Warnken, Hao Zhang and William Davison		
11.1	Introduction . . . . .	251
11.2	Methodology . . . . .	253
11.2.1	Gel preparation . . . . .	253
11.2.2	Diffusive gel variants . . . . .	254
11.2.3	Alternative binding agents . . . . .	254
11.3	DGT theory. . . . .	256
11.3.1	DGT principles . . . . .	256
11.3.2	Potential sources of error when using DGT . . . . .	257

## Contents

11.4	Novel applications . . . . .	263
11.4.1	Analytes . . . . .	263
11.4.2	Kinetics . . . . .	265
11.4.3	Speciation . . . . .	266
11.4.4	Bioavailability . . . . .	271
11.4.5	The use of DGT as a routine monitoring tool . . . . .	273
11.4.6	Metal remobilization from settling particles . . . . .	274
11.5	Conclusion . . . . .	274
	References . . . . .	275

### *Chapter 12. Use of ceramic dosimeters in water monitoring*

Hansjörg Weiß, Kristin Schirmer, Stephanie Bopp and Peter Grathwohl

12.1	Introduction . . . . .	279
12.2	Ceramic dosimeter design . . . . .	280
12.2.1	Ceramic membrane . . . . .	280
12.2.2	Sorbent material . . . . .	282
12.2.3	Determination of time-weighted average chemical concentrations . . . . .	283
12.2.4	Effect of temperature . . . . .	285
12.3	Practical considerations . . . . .	285
12.3.1	Preparation of the ceramic dosimeter for field application . . . . .	285
12.3.2	Sampling rates . . . . .	286
12.3.3	Detection limits . . . . .	287
12.3.4	Long-term stability . . . . .	289
12.4	Example of field results and future work . . . . .	290
	Acknowledgment . . . . .	292
	References . . . . .	292

### *Chapter 13. Passive diffusion samplers to monitor volatile organic compounds in ground-water*

Don A. Vroblesky

13.1	Introduction . . . . .	295
13.2	Applications . . . . .	299
13.2.1	VOCs in ground-water at the ground-water/surface-water interface . . . . .	299
13.2.2	VOCs in ground-water in monitoring wells . . . . .	302
13.3	Conclusions . . . . .	306
	Acknowledgment . . . . .	307
	References . . . . .	307

## Contents

### *Chapter 14. Field study considerations in the use of passive sampling devices in water monitoring*

Per-Anders Bergqvist and Audrone Zaliauskiene

14.1	Introduction . . . . .	311
14.1.1	SPMD rationale and applicability . . . . .	312
14.2	Field study considerations . . . . .	315
14.2.1	Pre-exposure considerations . . . . .	315
14.2.2	SPMD storage considerations . . . . .	322
14.2.3	Precautions/procedures during deployment and retrieval of SPMDs . . . . .	323
14.3	Quality control . . . . .	325
	References . . . . .	327

### *Chapter 15. Techniques for quantitatively evaluating aquatic passive sampling devices*

B. Scott Stephens and Jochen F. Müller

15.1	Introduction . . . . .	329
15.2	Key parameters . . . . .	330
15.2.1	Equilibrium partitioning . . . . .	330
15.2.2	Time-integrated sampling . . . . .	330
15.3	Laboratory methods . . . . .	331
15.3.1	The concentration problem . . . . .	331
15.3.2	Batch techniques . . . . .	331
15.3.3	Flow through techniques . . . . .	335
15.4	<i>In situ</i> methods . . . . .	338
15.4.1	High-volume solid-phase extraction . . . . .	339
15.4.2	Grab sampling validation methods . . . . .	341
	References . . . . .	346

## Part III: Soils and Sediments

### *Chapter 16. Theory and applications of DGT measurements in soils and sediments*

William Davison, Hao Zhang and Kent W. Warnken

16.1	Introduction . . . . .	353
16.2	Principles in soils and sediments . . . . .	354
16.3	Modelling interactions of DGT with soils and sediments . . . . .	357
16.4	Soils . . . . .	360
16.4.1	Practicalities for deployments in soils . . . . .	360



## Contents

16.4.2	Soil dynamics . . . . .	361
16.4.3	Biological mimicry . . . . .	363
16.5	Sediments . . . . .	367
16.5.1	Practicalities for deployments in sediments. . . . .	368
16.5.2	Analyte distributions from gel slicing . . . . .	369
16.5.3	Direct measurements of analytes in the binding layer . . . . .	371
16.5.4	Sources of localised maxima . . . . .	373
16.5.5	Advances in understanding of soils and sediments using DGT . . . . .	374
References	. . . . .	374

### *Chapter 17. Passive sampling devices for measuring organic compounds in soils and sediments*

Gangfeng Ouyang and Janusz Pawliszyn

17.1	Introduction . . . . .	379
17.2	PETREX passive soil gas and sediment vapour sampling system . . . . .	380
17.3	GORE™ modules for passive soil gas collection . . . . .	381
17.4	Emflux™ passive soil gas sampling system. . . . .	382
17.5	Semipermeable membrane devices for passive sampling in sediment pore-water . . . . .	383
17.6	Solid-phase microextraction devices for passive sampling in soil and sediment . . . . .	384
17.7	Conclusion . . . . .	388
References	. . . . .	389

## Part IV: Ecotoxicology and Biomonitoring

### *Chapter 18. Use of passive sampling devices in toxicity assessment of groundwater*

Kristin Schirmer, Stephanie Bopp and Jacqueline Gehrhardt

18.1	Introduction . . . . .	393
18.2	Concepts and examples for linking passive sampling of groundwater with toxicological analysis. . . . .	394
18.2.1	The toximeter. . . . .	396
18.2.2	Toxicological analysis of solvent extracts obtained from passive sampling devices. . . . .	401
18.3	Potential future approaches . . . . .	403
Acknowledgments	. . . . .	404
References	. . . . .	404

## Contents

### *Chapter 19. Monitoring of chlorinated biphenyls and polycyclic aromatic hydrocarbons by passive sampling in concert with deployed mussels*

Foppe Smedes		
19.1	Introduction . . . . .	407
19.2	Monitoring . . . . .	408
19.2.1	General . . . . .	408
19.2.2	History of musselwatch programme . . . . .	409
19.2.3	Passive samplers. . . . .	409
19.2.4	Objectives. . . . .	412
19.3	Methods . . . . .	414
19.3.1	Materials . . . . .	414
19.3.2	Mussels. . . . .	414
19.3.3	Passive sampling . . . . .	417
19.3.4	QA data . . . . .	419
19.3.5	Partition coefficients. . . . .	424
19.4	Data handling and calculation. . . . .	425
19.4.1	Mussels. . . . .	425
19.4.2	Calculation of sampling rate . . . . .	426
19.4.3	Analytical precision of sampling rate . . . . .	426
19.4.4	Artefacts in sampling rates. . . . .	428
19.4.5	Results for $R_S$ . . . . .	430
19.4.6	Passive sampling and aqueous concentrations. . . . .	431
19.5	Results and discussion . . . . .	432
19.5.1	Concentrations in water and mussels . . . . .	432
19.5.2	Equilibrium or uptake phase . . . . .	434
19.5.3	BAF values. . . . .	438
19.6	Usefulness of PS in monitoring. . . . .	444
	Glossary . . . . .	446
	References . . . . .	447
	Subject Index . . . . .	449