

Contents

List of Figures	xiii
1. Introduction	1
1.1 Application fields	1
1.2 From a real scene to an image	3
1.3 Organisation of the book	4
2. Basic principles of two-dimensional graphics	7
2.1 Raster versus vector graphics	7
2.2 The first Java 2D program	10
2.3 Basic geometric objects	14
2.4 Basic geometric objects in Java 2D	17
2.5 Geometric transformations	23
2.6 Homogeneous coordinates	28
2.7 Applications of transformations	31
2.8 Geometric transformations in Java 2D	33
2.9 Animation and movements based on transformations	37
2.10 Movements via transformations in Java 2D	39
2.11 Interpolators for continuous changes	41
2.12 Implementation of interpolators in Java 2D	44
2.13 Single or double precision	45
2.14 Exercises	48
3. Drawing lines and curves	49
3.1 Lines and pixel graphics	49
3.2 The midpoint algorithm for lines	52

3.3	Structural algorithms	60
3.4	Pixel densities and line styles	63
3.4.1	Different line styles with Java 2D	66
3.5	Line clipping	67
3.6	The midpoint algorithm for circles	75
3.7	Drawing arbitrary curves	79
3.8	Antialiasing	80
3.8.1	Antialiasing with Java 2D	82
3.9	Drawing thick lines	83
3.9.1	Drawing thick lines with Java 2D	84
3.10	Exercises	86
4.	Areas, text and colours	87
4.1	Filling areas	87
4.2	Buffered images in Java 2D	91
4.2.1	Double buffering in Java 2D	92
4.2.2	Loading and saving of images with Java 2D	94
4.2.3	Textures in Java 2D	95
4.3	Displaying text	96
4.4	Text in Java 2D	97
4.5	Grey images and intensities	99
4.6	Colour models	101
4.6.1	Colours in Java 2D	106
4.7	Colour interpolation	107
4.8	Colour interpolation with Java 2D	110
4.9	Exercises	112
5.	Basic principles of three-dimensional graphics	113
5.1	From a 3D world to a model	113
5.2	Geometric transformations	115
5.2.1	Java 3D	118
5.2.2	Geometric transformations in Java 3D	119
5.3	The scenegraph	120
5.4	Elementary geometric objects in Java 3D	123
5.5	The scenegraph in Java 3D	124
5.6	Animation and moving objects	130
5.7	Animation in Java 3D	133
5.8	Projections	139
5.8.1	Projections in Java 3D	146
5.9	Exercises	147

6. Modelling three-dimensional objects	149
6.1 Three-dimensional objects and their surfaces	149
6.2 Topological notions	152
6.3 Modelling techniques	154
6.4 Surface modelling with polygons in Java 3D	159
6.5 Importing geometric objects into Java 3D	162
6.6 Parametric curves and freeform surfaces	163
6.6.1 Parametric curves	164
6.6.2 Efficient computation of polynomials	170
6.6.3 Freeform surfaces	171
6.7 Normal vectors for surfaces	173
6.7.1 Normal vectors in Java 3D	176
6.8 Exercises	178
7. Visible surface determination	179
7.1 The clipping volume	179
7.1.1 Clipping in Java 3D	182
7.2 Principles of algorithms for visible surface determination	183
7.2.1 Image-precision and object-precision algorithms	183
7.2.2 Back-face culling	184
7.2.3 Spatial partitioning	186
7.3 Image-precision techniques	187
7.3.1 The z-buffer algorithm	187
7.3.2 Scan line technique for edges	190
7.3.3 Ray casting	192
7.4 Priority algorithms	195
7.5 Exercises	199
8. Illumination and shading	201
8.1 Light sources	202
8.2 Light sources in Java 3D	206
8.3 Reflection	208
8.4 Shading in Java 3D	216
8.5 Shading	218
8.5.1 Constant and Gouraud shading in Java 3D	222
8.6 Shadows	222
8.7 Transparency	224
8.7.1 Transparency in Java 3D	226
8.8 Textures	227
8.9 Textures in Java 3D	229
8.10 The radiosity model	231
8.11 Ray tracing	236

8.12 Exercises	238
9. Special effects and virtual reality	239
9.1 Fog and particle systems	240
9.2 Fog in Java 3D	242
9.3 Dynamic surfaces	243
9.4 Interaction	245
9.5 Interaction in Java 3D	245
9.6 Collision detection	249
9.7 Collision detection in Java 3D	250
9.8 Sound effects	256
9.9 Sound effects in Java 3D	257
9.10 Stereoscopic viewing	258
9.11 Exercises	263
Appendix: Useful links	265
Appendix: Example programs	267
Appendix: References to Java 2D classes and methods	273
Appendix: References to Java 3D classes and methods	275
Bibliography	277
Index	281

List of Figures

1.1	From a scene to an image.....	3
2.1	Original image, vector and pixel graphics	8
2.2	The tip of an arrow drawn as raster graphics in two different resolutions	9
2.3	An alternative representation for pixels.....	10
2.4	The Java 2D API extends AWT	11
2.5	The result of the first Java 2D program	11
2.6	A self-overlapping, a nonconvex and a convex polygon.....	14
2.7	Definition of quadratic and cubic curves	15
2.8	Fitting a cubic curve to a line without sharp bends	16
2.9	Union, intersection, difference and symmetric difference of a circle and a rectangle.....	17
2.10	An example for a GeneralPath	19
2.11	An example for a rectangle and an ellipse.....	20
2.12	An arc of an ellipse, a segment and an arc with its corresponding chord	22
2.13	Scaling applied to a rectangle	24
2.14	A rotation applied to a rectangle	26
2.15	A shear transformation applied to a rectangle	26
2.16	Translation of a rectangle	27
2.17	Homogeneous coordinates	29
2.18	Differing results on changing the order for the application of a translation and a rotation	30
2.19	From world to window coordinates.....	32
2.20	A moving clock with a rotating hand.....	38

2.21	Changing one ellipse to another by convex combinations of transformations	42
2.22	Two letters each defined by five points and two quadratic curves	43
2.23	Stepwise transformation of two letters into each other	44
3.1	Pseudocode for a naïve line drawing algorithm	50
3.2	Lines resulting from the naïve line drawing algorithm	50
3.3	The two candidates for the next pixel for the line drawing algorithm	53
3.4	The new midpoint depending on whether the previously drawn pixel was <i>E</i> or <i>NE</i>	57
3.5	Drawing a line with the Bresenham algorithm	60
3.6	A repeated pixel pattern for drawing a line on pixel raster	61
3.7	Different pixel densities depending on the slope of a line	64
3.8	Different line styles	65
3.9	Different dash lengths for the same bitmask	66
3.10	Examples for different line styles	67
3.11	Different cases for line clipping	68
3.12	Bit code for Cohen-Sutherland clipping	70
3.13	Cohen-Sutherland line clipping	72
3.14	Cyrus-Beck line clipping	73
3.15	Potential intersection points with the clipping rectangle	74
3.16	Finding the pixel where a line enters the clipping rectangle	75
3.17	Exploiting symmetry for drawing circles	76
3.18	Midpoint algorithm for circles	76
3.19	Drawing arbitrary curves	80
3.20	Unweighted area sampling	81
3.21	Estimation of the area by sampling with refined pixels	81
3.22	Weighted area sampling	81
3.23	Pixel replication and the moving pen technique	83
3.24	Different line endings and joins	84
4.1	Odd parity rule	88
4.2	Scan line technique for filling polygons	89
4.3	A scan line intersecting two vertices of a polygon	89
4.4	Filling a polygon can lead to aliasing effects	90
4.5	Filling an area with a texture	90
4.6	Italic and boldface printing for letters given in raster graphics	97
4.7	Grey-level representation based on halftoning for a 2×2 (top line) and on 3×3 pixel matrices (3 bottom lines)	100
4.8	Distribution of the energies over the wavelengths for high (left) and low (right) saturation	102
4.9	RGB and CMY model	103

4.10 HSV model	105
4.11 HLS model	105
4.12 Compatible triangulations of two images	108
4.13 Computation of the interpolated colour of a pixel	110
5.1 A right-handed coordinate system	115
5.2 A chair constructed with elementary geometric objects	120
5.3 A scene composed of various elementary objects	121
5.4 The scenegraph for figure 5.3	122
5.5 The overall scenegraph for Java 3D	125
5.6 Excerpt of the scenegraph with dynamic transformations	131
5.7 Progression of the Alpha-values	134
5.8 Perspective and parallel projection	140
5.9 Mapping an arbitrary plane to a plane parallel to the x/y -plane	141
5.10 Derivation of the matrix for the perspective projection	141
5.11 Vanishing point for perspective projection	145
5.12 One-, two- and three-point perspective projections	145
6.1 Isolated and dangling edges and faces	150
6.2 Triangulation of a polygon	150
6.3 Orientation of polygons	151
6.4 A tetrahedron	152
6.5 A set $M \subset \mathbb{R}^2$ of points, its interior, boundary, closure and regularisation	152
6.6 Modelling a three-dimensional object with voxels	154
6.7 Recursive partition of an area into squares	155
6.8 The quadtree for figure 6.7	156
6.9 An object that was constructed using elementary geometric objects and set-theoretic operations shown on the right	157
6.10 Two objects and their sweep representations	157
6.11 Tesselation of the helicopter scene in figure 5.3	158
6.12 Representation of a sphere with different tesselations	158
6.13 Two curves obtained from a surface that is scanned along the coordinate axes	164
6.14 An interpolation polynomial of degree 5 defined by the control points $(0.0), (1.0), (2.0), (3.0), (4.1), (5.0)$	165
6.15 B-spline with knots P_1, P_4, P_7 and inner Bézier points P_2, P_3, P_5, P_6 ..	168
6.16 Condition for the inner Bézier points for a twice differentiable, cubic B-spline	169
6.17 A parametric freeform surface	172
6.18 A net of Bézier points for the definition of a Bézier surface	173
6.19 A triangular grid for the definition of a Bézier surface	174

6.20 Normal vectors to the original surface in the vertices of an approximating triangle	175
6.21 Interpolated and noninterpolated normal vectors	177
7.1 The angle α determines the range on the projection plane that corresponds to the width of the display window	180
7.2 The clipping volume for parallel projection (top) and perspective projection (bottom)	181
7.3 A front face whose normal vector forms an acute angle with the direction of projection and a back face whose normal vector forms an obtuse angle with the direction of projection	185
7.4 Partitioning of the clipping volume for image-precision (left) and object-precision algorithms (right)	186
7.5 Principle of the z -buffer algorithm	188
7.6 Determining the active edges for the scan lines v_1, v_2, v_3, v_4	191
7.7 Ray casting	192
7.8 Projection of a polygon to decide whether a point lies within the polygon	193
7.9 Supersampling	194
7.10 No overlap in the x -coordinate (left) or the y -coordinate (right)	196
7.11 Does one polygon lie completely in front or behind the plane induced by the other?	196
7.12 Determining whether a polygon lies completely in front of the plane induced by the other polygon	197
7.13 A case where no correct order exists in which the polygons should be projected	197
8.1 Objects with and without illumination and shading effects	201
8.2 Cone of light from a spotlight	204
8.3 The Warn model for a spotlight	205
8.4 The functions $(\cos \gamma)^{64}, (\cos \gamma)^8, (\cos \gamma)^2, \cos \gamma$	205
8.5 Light intensity depending on the angle of the light	210
8.6 Diffuse reflection	211
8.7 Diffuse and specular reflection	212
8.8 Computation of ideal specular reflection	213
8.9 The halfway vector \mathbf{h} in Phong's model	215
8.10 A sphere in different tessellations rendered with flat shading	218
8.11 The colour intensity as a function over a triangle for Gouraud shading	219
8.12 Scan line technique for the computation of Gouraud shading	220
8.13 Interpolated normal vectors for Phong shading	221
8.14 Shadow on an object	223
8.15 50% (left) and 25% (right) screen-door transparency	225

8.16 Using a texture	227
8.17 Modelling a mirror by a reflection mapping	228
8.18 Bump mapping	229
8.19 Illumination among objects	232
8.20 Determination of the form factors	234
8.21 Determination of the form factors according to Nusselt	235
8.22 Recursive ray tracing	237
9.1 Linear and exponential fog.....	241
9.2 Skeleton and skinning	244
9.3 Bounding volume in the form of a cube and a sphere	250
9.4 Parallax and accommodation for natural and artificial stereoscopic viewing	261
9.5 Parallax for stereoscopic viewing	261