

## Contens

|   | Page |
|---|------|
| Welcome   | 1    |
| <b>Leight weight applications and design principles</b>   |      |
| <i>G. Berchtold</i>   | 5    |
| CFC Infusion Technology –<br>the Future for Commercial CFC Fuselages?   |      |
| <i>J. Seeger, K. Wolf</i>   | 19   |
| Structural Optimization of Composite<br>Aircraft Panels with Large Cut-Outs   |      |
| <i>T. Havar,<br/>P. Middendorf,<br/>M. Lang</i>   | 29   |
| Design and Analysis of Advanced Composite Load<br>Introduction Structures for High Lift Devices                         |      |
| <i>B. Boursier</i>  | 37   |
| A new highly formable quasi-isotropic prepreg<br>for complex shape parts  |      |
| <i>K. Zimmermann,<br/>M. Siemetzki</i>  | 47   |
| Ultra Thick Laminates for Highly Loaded<br>Main Landing Gear Fittings   |      |
| <i>R. Gradinger,<br/>R. Schneider,<br/>F. Palm</i>  | 63   |
| "ScaLA" – 2nd generation of AlMgSc materials dedicated<br>for short manufacturing chains in the aerospace industry      |      |
| <i>Ph. Lequeu,<br/>F. Eberl,<br/>A. Rhenalu,<br/>S. Jambu,<br/>A. Aviatube,<br/>T. Warner,<br/>A. Danielou , B. Bes</i> | 77   |
| Latest generation of Al-Li alloys<br>developed by Alcan Aerospace   |      |
| <i>M. Miermeister,<br/>A. Bürger,<br/>S. Spangel,<br/>I. Kröpfl, A. Heinz</i>   | 85   |
| Aleris' Advanced Aluminium Sheet and Plate Products<br>for High-Performance Aircraft Applications                       |      |
| <i>S. Mileti, G. Bitetti,<br/>P. Coluzzi,<br/>P. Micciché,<br/>M. Marchetti</i>   | 101  |
| Mechanical and environmental validation of<br>a spherical multipurpose inflatable structure                             |      |

|  |   | Page |
|--|---|------|
| <i>W. Machunze,<br/>P. Middendorf,<br/>R. Keck, Y. C. Roth</i>   | Design, Analysis and Manufacturing<br>of a Thermoplastic Slat   | 121  |
| <i>W. Hufenbach,<br/>M. Gude, O. Helms,<br/>A. Ulbricht</i>  | Novel load-introduction systems for lightweight<br>aircraft components in composite-metal-hybrid design | 131  |
| <i>F. Hofmann,<br/>J. Hausmann</i>   | SiC-fibre reinforced titanium shafts under<br>multiaxial loading  | 141  |
| <i>M.-V. Uz, M. Koçak,<br/>F. Lemaitre,<br/>J.-C. Ehrström,<br/>S. Kempa, F. Bron</i>                                    | New Design Philosophy for Improvement of Damage<br>Tolerance of Welded Airframe Structure               | 149  |
| <b>Processing and manufacturing</b>  |   |      |
| <i>Ch. Weimer</i>  | New Approaches for the Flexible Manufacturing<br>of Helicopter FRP-structures                           | 161  |
| <i>J. Filsinger</i>  | Development of an innovative process for the<br>manufacture of composite components                     | 169  |
| <i>W. Dudenhausen,<br/>F. Kocian, R. Keck</i>  | Thermoplastic Technologies – An Alternative<br>for Aircraft Structures                                  | 171  |
| <i>Ch. Uhlig,<br/>M. Bauer, O. Kahle,<br/>R. Wurzel,<br/>Th. Mühlenberg,<br/>D. Völkle, V. Müller,<br/>B. Veihelmann</i> | New Prepreg Materials for Crushed Core Technology   | 173  |
| <i>M. Büscher,<br/>G. Terlinde,<br/>M. Knüwer,<br/>Y. Millet, G. Lütjering,<br/>J. Albrecht</i>                          | Influence of Heat Treatment on Mechanical<br>Properties of Ti-5Al-5V-5Mo-3Cr                            | 183  |
| <i>R. Velthuis,<br/>P. Mitschang</i>   | Manufacturing and Properties of Induction<br>Welded Metal/Composite Joints                              | 195  |

|  |  | Page |
|--|--|------|
| <i>D. Deloison,<br/>F. Marie, B. Guérin,<br/>D. Aliaga</i>                                       | Multi-Physics Modelling of Bobbin-Tool Friction Stir<br>Welding - Applications to a latest generation<br>aluminium alloy | 203  |
| <i>G. Pauly,<br/>R. Wilken</i>   | ABiTAS – Advanced Bonding Technologies for<br>Aircraft Structures  | 217  |
| <i>N. Weidlich,<br/>A. Grüninger,<br/>O. Meier,<br/>K. Emiljanow,<br/>P. Stippler, F. Seidel</i> | Individual Laser Cladding for High<br>Pressure Turbine Blades  | 227  |
| <i>K. Bobzin,<br/>F. Ernst,<br/>N. Bagcivan,<br/>A. Schlegel</i>                                 | Advanced high temperature repair brazing for single<br>crystal and directionally solidified turbine components           | 235  |
| <i>R. Schledjewski</i>   | Thermoplastic Tape Placement – Challenging<br>the Autoclave Process  | 245  |
| <i>R. Neugebauer,<br/>B. Lorenz,<br/>J. Steger, D. Holstein</i>                                  | Modern Methods of Preforming Titanium Alloys<br>for Forging Aero Engine Vanes  | 253  |
| <i>I. Crößmann</i>   | Ultrasonic Shot Peening for Ti-6Al-4V Aero-Engine<br>Components  | 261  |
| <i>J. Stüve, Th. Gries,<br/>F. Kruse</i>   | Stiffening spherical panels by means of modern<br>braiding processes   | 263  |
|  | <b>High temperature applications and design principles</b>   |      |
| <i>A. G. Razzell</i>   | Potential and Challenges of Fibre Reinforced Ceramics<br>in Gas Turbines   | 275  |
| <i>M. C. Hardy,<br/>R. J. Mitchell</i>   | Development of a nickel alloy for disc applications  | 285  |
| <i>K. Bobzin,<br/>E. Lugscheider,<br/>N. Bagcivan</i>  | Application of Thermal Barrier Coatings on<br>Intermetallic Turbine Blade Materials                                      | 293  |

|  |  |     |
|--|--|-----|
| <i>O. Roder,<br/>J.-P. Ferte,<br/>E. Gach, J. Mendez,<br/>M. Anglada</i> | Development and Validation of A Dual Titanium Alloy Dual-Microstructure BLISK  | 309 |
| <i>M. Bouchez,<br/>St. Beyer</i>   | PTAH-Socar Fuel-Cooled Composite Materials Structure   | 311 |
| <i>B. Heidenreich</i>  | Manufacturing Methods and Typical Applications of C/C-SiC Materials Based on the Liquid Silicon Infiltration Process (LSI) | 321 |
| <i>I. Mitelea, D. Utu,<br/>C. Pogan</i>                                  | Dilution phenomenon during coating of titanium alloys by Plasma Transferred Arc (PTA) process                              | 337 |
| <b>Optimization of design by simulation</b>                              |  |     |
| <i>D. Haddad</i>   | Tools, processes and examples of Space Structures Optimisation   | 347 |
| <i>M. Gräber</i>   | Topology Optimisation in the Design Process of Light Weight Structural Components for Aeroengines                          | 355 |
| <i>I. Scheider,<br/>W. Brocks</i>  | Residual strength prediction of integral structures using numerical crack extension analyses                               | 365 |
| <i>St. A. Ucsnik,<br/>D. H. Pahr,<br/>R. Gradinger,<br/>Ulf Noster</i>   | Finite element based optimization of a novel metal-composite-joint   | 371 |
| <b>Poster</b>  |  |     |
| <i>I. Mitelea,<br/>D. Stefan, D. Utu</i>                                 | Investigations on the pulsed MIG/MAG welding of dissimilar austenitic-ferritic steels (W7335-X10CrNiTi18.9)                | 383 |
| <i>A. Pfennig</i>  | Isothermal Oxidation Behaviour and Microstructure of the single crystal superalloy PWA 1483 at 950 °C                      | 391 |
| <i>A. Donchev,<br/>M. Schütze</i>  | The Use of Fluorine for the Protection of TiAl-Components against High-Temperature Oxidation                               | 393 |

|   | Page |
|---|------|
| <i>A. Reim,<br/>J. Hackius,<br/>P. Horst, Ch. Frank</i>                                 | 399  |
| <i>W. Michaeli,<br/>K. Fischer</i>  | 403  |
| <i>E. Langkabel,<br/>M. Bauer,<br/>G. Wachinger,<br/>A. Concord</i>                     | 405  |
| <i>J. Birkel, H. Rapp</i>   | 407  |
| <i>S. Vieth, M. Bauer,<br/>M. Uhlmann,<br/>T. Mühlberg</i>                              | 409  |
| <i>J. Hegels,<br/>G. Heinrich,<br/>M. Weck</i>  | 413  |
| <i>U. Hassler,<br/>St. Schloetzer,<br/>R. Hanke</i>                                     | 415  |
| <i>K. Bobzin, F. Ernst,<br/>N. Bagcivan,<br/>K. Richardt, M. Brühl</i>                  | 419  |
| <i>T. Ullmann, R. Aoki<br/>N. Toso-Pentecôte</i>  | 423  |
| <i>Th. Fuchs, T. Schön,<br/>M. Krumm,<br/>Ch. Schorr,<br/>St. Kasperl,<br/>R. Hanke</i> | 425  |
| <i>B. Chapuis,<br/>N. Terrien, A. Déom<br/>D. Royer</i>                                 | 431  |

|  | Page |
|--|------|
| <i>N. Terrien, A. Déom</i>   | 433  |
| A semi-integrated inspection method for detecting non visible impact damages in sandwich structures              |      |
| <i>D. Bettge,<br/>B. Günther,<br/>P. D. Portella,<br/>B. Skrotzki,<br/>J. Hemptenmacher,<br/>P. W. M. Peters</i> | 435  |
| Fatigue Behavior and Fatigue Damage of a Ti-6242/SCS-6 Metal Matrix Composite                                    |      |
| <i>D. Herrmann,<br/>F. Appel</i>   | 437  |
| Influence of Al- and Nb-content on the diffusion bonding behaviour of gamma-titanium aluminides                  |      |
| <i>T. Hammers,<br/>E. Kerscher,<br/>M. Schikorra,<br/>D. Löhe</i>  | 445  |
| Mechanical Properties of Compound Extruded Stringer Profiles   |      |
| <i>M. Wicklein</i>   | 447  |
| Numerical Impact Simulation of CFRP Aluminium Honeycomb Structures   |      |
| <i>W. P. P. Fischer</i>  | 449  |
| Merit: Metallic Thermal Protection System for future RLV's   |      |
| <i>K. Huber, A. Pempe,<br/>U. Zerbst</i>   | 455  |
| Aspects of Damage Tolerance of Aircraft Fuselage Structures  |      |
| <i>Ph. Lequeu,<br/>A. Rhenalu,<br/>J. C. Ehrstrom,<br/>I. Bordesoules,<br/>Ch. Hantrais</i>                      | 463  |
| Progress at Alcan Aerospace on the Friction Stir Welding of Al-Li 2050   |      |
| <i>I. Zalite, J. Grabis,<br/>E. Palcevskis,<br/>M. Herrmann</i>  | 465  |
| Plasma processed nanosize Si <sub>3</sub> N <sub>4</sub> -based powders for advanced ceramics in aerospace       |      |
| <i>M. Spiegel,<br/>J. Friedl</i>   | 467  |
| Design and Structural Assessment of a Super Lightweight Satellite Propellant Tank with Composite Overwrap        |      |

|  |  | Page |
|--|--|------|
| G. Schullerer,<br>K. Fiedler,<br>J. Albinger,<br>J. Petzold                  | Stability Strategies of High Loaded Space Structures<br>using Non-Linear Material Behaviour                    | 469  |
| H. Masny,<br>B. Szelinski,<br>S. Weiland,<br>M. Windisch,<br>D. Zell         | Future Space Tank Concepts   | 471  |
| H. Lange,<br>A. Steinacher   | Joining Elements and Components Made<br>of KERAMAN C/SiC   | 473  |
| D. Koch,<br>K. Tushtev,<br>Lotta Gaab,<br>Jürgen Horvath,<br>Georg Grathwohl | Evaluation of Mechanical Properties of<br>Ceramic Matrix Composites  | 475  |
| St. Schmidt,<br>St. Beyer,<br>St. Mittmann,<br>Ch. Wilhelmi                  | High Performance LPI-C/SiC Combustion<br>Chamber and Nozzle Extension for Next<br>Generation Satellite Engines | 477  |
| St. Schmidt,<br>St. Beyer,<br>M. Bouchez,<br>F. Maidl                        | Advanced Ceramic Matrix Composites Materials<br>for Propulsion Systems and Industrial Applications             | 479  |