TABLE OF CONTENTS

1 GENERAL INTRODUCTION 1

1.1 Chemistry of the Maillard reaction 1

1.1.1 Initial stage 1

1.1.2 Advanced stage 3

1.2 Non-enzymatic browning in foods 5

1.3 Non-enzymatic glycation in the human body 5

1.4 Preliminary investigations 7

1.5 Aims of the study 9

2 IDENTIFICATION AND QUANTITATIVE EVALUATION OF THE LYSINE-ARGININE CROSSLINKS GODIC, MODIC, DOGDIC, AND GLUCOSEPANE IN FOODS 10

2.1 Summary 10

2.2 Introduction 10

2.3 Materials and methods 11

2.3.1 General methods 11

2.3.2 Chemicals 12

2.3.3 Food samples 13

2.3.4 Syntheses of reference compounds 13

*2.3.4.1 6-{1-[(5S)-5-ammonio-6-oxido-6-oxohexyl]imidazolium-3-yl}-L-norleucinate (GOLD **26**)* 13

*2.3.4.2 6-{1-[(5S)-5-ammonio-6-oxido-6-oxohexyl]-4-methylimidazolium-3-yl}-L-norleucinate (MOLD **27**)* 13

2.3.5 Isolation and enzymatic cleavage of food proteins 14

2.4 Results and discussion 15

2.5 Conclusions 19

2.6 Acknowledgments 19

3 FORMATION PATHWAYS FOR LYSINE-ARGININE CROSSLINKS DERIVED FROM HEXOSES AND PENTOSES BY MAILLARD PROCESSES: UNRAVELING THE STRUCTURE OF A PENTOSIDINE PRECURSOR 20

3.1 Abstract 20

3.2 Introduction 21

3.3 Experimental procedures 23

3.3.1 Materials 23

3.3.2 Model reactions 23

3.3.3 Synthesis of N^6-{2-{[(4*S*)-4-ammonio-5-oxido-5-oxopentyl]amino}-5-[(2*S*,3*R*)-2,3,4-trihydroxybutyl]-3,5-dihydro-4*H*-imidazol-4-ylidene}-L-lysinate (DOGDIC **36**) 24

3.3.4 Synthesis of N^6-{2-{[(4*S*)-4-ammonio-5-oxido-5-oxopentyl]amino}-5-[(2*S*)-2,3-dihydroxypropyl]-3,5-dihydro-4*H*-imidazol-4-ylidene}-L-lysinate (DOPDIC **38**) ... 24
3.3.5 Synthesis of 6-((6*S*)-2-{[(4*S*)-4-ammonio-5-oxido-5-oxopentyl]amino}-6-hydroxy-5,6,7,7a-tetrahydro-4*H*-imidazo[4,5-*b*]pyridin-4-yl)-L-norleucinate (pentosinane **37**) ... 25
3.3.6 Transformation of the pentosinane derivatives **37** and **44** (cf. Fig. 3-4, p. 35) to pentosidine **21** ... 28
3.3.7 Reaction of D-glucose (**1**) and D-glucose-$^{13}C_6$ with N^{α}-*t*-Boc-L-lysine and N^{α}-*t*-Boc-L-arginine ... 28
3.3.8 D-Glucose (**1**)/ D-arabinose (**39c**)/ 3-DOG **6**/ 3-DOP **43** – bovine serum albumin (BSA) incubations ... 28
3.3.9 Preparative High Performance Liquid Chromatography (HPLC) ... 29
3.3.10 LC-(ESI)MS analyses ... 29
3.3.11 Nuclear Magnetic Resonance (NMR) Spectroscopy ... 30
3.3.12 UV Spectroscopy ... 30
3.3.13 Lyophilization ... 30
3.4 Results ... 30
3.4.1 Formation of the hexose-derived crosslinks ... 30
3.4.2 Formation of the pentose-derived crosslinks ... 31
3.4.3 Conservation of the original carbohydrate backbone during formation of the crosslinks **21**, **33**, and **36-38** ... 34
3.4.4 Structural assignments ... 35
3.4.5 Crosslink determination in 3-deoxyosone/carbohydrate-BSA incubations ... 36
3.5 Discussion ... 39
3.6 Acknowledgments ... 42
4 Unexpected Carbonyl Mobility in Aminoketoses: The Key to Major Maillard Crosslinks ... 43
4.1 Experimental section ... 47
4.1.1 Chromatographic and spectroscopic procedures ... 47
4.1.2 Glucosepane **33a-d** ... 48
4.1.3 Quinoxalines **56a,b**, **52**, and **53** ... 48
4.2 Acknowledgments ... 49
4.3 Supporting information ... 50
5 Formation Pathways for Lysine-Arginine Crosslinks Derived from Hexoses and Pentoses by Maillard Processes ... 58
5.1 Abstract ... 58
5.2 Introduction ... 58
5.3 Materials and Methods ... 60
5.3.1 Chromatographic and spectroscopic procedures ... 60
5.3.2 Triazines **55a,b** and **58** ... 60
5.4 Results ... 62

5.5 Discussion 63
5.6 Acknowledgments 64
6 IDENTIFICATION AND QUANTIFICATION OF MAJOR MAILLARD-CROSSLINKS IN HUMAN SERUM ALBUMIN AND LENS PROTEIN: EVIDENCE FOR GLUCOSEPANE AS THE DOMINANT COMPOUND 65
6.1 Abstract 65
6.2 Introduction 65
6.3 Experimental procedures 68
6.3.1 Materials 68
6.3.2 Synthesis of glucosepane **33a-d**-$^{13}C_6$, DOGDIC **36a,b**-$^{13}C_6$, MODIC **35**-$^{13}C_3$, and GODIC **34**-$^{13}C_2$ 68
6.3.3 Preparation of MOLD **27** and GOLD **26** 70
6.3.4 Stability of the crosslinks 72
6.3.5 Type-1 diabetics and control subjects 72
6.3.6 Water-insoluble proteins from human lenses 72
6.3.7 Isolation of human serum albumin 72
6.3.8 Enzymatic protein hydrolysis and LC clean-up of the crosslinks 73
6.3.9 Preparative High Performance Liquid Chromatography (HPLC) 73
6.3.10 LC-(ESI)MS analyses 73
6.3.11 Nuclear Magnetic Resonance (NMR) spectroscopy 74
6.3.12 Lyophylization 74
6.3.13 Statistics 74
6.4 Results 74
6.4.1 Synthesis of ^{13}C-labeled reference material and determination of the crosslinks by LC-(ESI)MS 74
6.4.2 Crosslinks in human serum albumin 77
6.4.3 Crosslinks in human lens proteins 79
6.4.4 Stability of the crosslinks **33-36** under quasi-physiological conditions. 81
6.5 Discussion 82
6.6 Acknowledgments 87
7 CONCLUDING REMARKS 88
7.1 Stereochemistry of the heterocyclic cores of glucosepane 33 and pentosinane 37 88
7.2 Maillard crosslinks in foods 88
7.3 Physiological significance of AGEs 89
8 SUMMARY 91
9 ZUSAMMENFASSUNG 94
10 REFERENCES 97