

Contents

Contents	v
List of Figures	viii
List of Tables	x
Abbreviations	xi
1 Introduction	1
1.1 Photosynthesis	1
1.2 Proton transfer	3
1.3 Investigating proton transfer	3
1.4 Overview of this work	5
Fundamentals	7
2 Potentials	7
2.1 Overview	7
2.1.1 The quantum mechanical many-body problem	8
2.1.2 Density functional theory	9
2.1.3 Density functional theory based tight binding	11
2.2 Molecular force fields	14
2.2.1 Concept	14
2.2.2 The CHARMM forcefield	15
2.3 Quantum mechanical – molecular mechanical coupling	18
2.3.1 Underlying idea	18
2.3.2 Embedding schemes	19
2.3.3 QM/MM and SCC-DFTB	20
2.3.4 Problems in the QM/MM approach	21
2.4 Long-range electrostatics	21
2.4.1 Description of electrostatics in molecular dynamics simulations	21

2.4.2	Generalized solvent boundary potential	22
2.4.3	Generalized solvent boundary potential in the SCC-DFTB/MM framework	25
3	Exploring the potential	27
3.1	Introduction	27
3.2	Minimum energy pathways	27
3.2.1	Adiabatic mapping	28
3.2.2	Refinement	29
3.2.3	Caveats	29
3.3	Molecular Dynamics	31
3.3.1	Ensembles	32
3.3.2	Langevin dynamics	33
3.3.3	Limitations of molecular dynamics simulations	33
3.4	Potential of mean force	33
3.4.1	Umbrella Sampling	35
	Results	37
4	Evaluation of different QM/MM frontier treatments	37
4.1	Introduction	37
4.2	Methods	40
4.2.1	Description of QM/MM electrostatics	40
4.2.2	Different link atom schemes	41
4.2.3	Computational details	43
4.3	Results and Discussion	44
4.3.1	Results for gas phase models	44
4.3.2	Results for Short-Range Proton Transfer Reactions	57
4.4	Concluding Discussions	62
5	A new reaction coordinate for proton transfer	67
5.1	Introduction	67
5.2	Previous suggestions	68
5.3	A new reaction coordinate	70
5.4	Comparison of different coordinates for linear proton wires	70
5.5	Generalization to complex proton wires in three dimensions	72

5.6	Test calculations: Application to proton transfer in carbonic anhydrase II	75
5.7	Concluding Remarks	80
6	Proton transfer in the bacterial reaction center	83
6.1	Introduction	83
6.2	Current state of knowledge: Theory and experiment	86
6.2.1	Structures	86
6.2.2	Proton and electron transfer reactions	86
6.3	Proton transfer from Asp210(L) to Glu212(L)	91
6.3.1	Computational details	91
6.3.2	Molecular Dynamics Simulations for the reactant	94
6.3.3	Potential of mean force computations	94
6.4	Discussion and Conclusion	100
7	Summary and conclusion	103
A	Benchmark computations	107
	References	111
	Acknowledgements	128
	Colophon	130

List of Figures

2.1	Example for multiscale partitioning	8
2.2	Relevant intramolecular geometry measures used in molecular force fields	16
2.3	Example for electrostatic embedding using the generalized solvent boundary potential (GSBP).	24
3.1	Schematic cross section through the potential energy surface.	28
3.2	Overlapping histograms from umbrella sampling simulations	35
4.1	QM/MM partitioning across a covalent bond.	38
4.2	Typical MM host group for amino acids and proteins and deoxyribose in the framework of CHARMM force field	44
4.3	Deprotonation energies and proton affinities for varying Gaussian blurring width σ using the DLA scheme.	50
4.4	Rotational profile around the QM/MM frontier for models of pentanol	52
4.5	Structure and label of atoms of nucleotides studied here: (a) 2'-deoxythymidine (b) 2'-deoxyadenosine. R=2'-deoxyribose	57
4.6	Tautomeric proton transfer in a Watson-Crick base pair.	59
4.7	First proton transfer step in TIM and MGS	61
4.8	Structures and important geometrical parameters for the reactant, transition state and product for the first proton transfer in TIM.	63
4.9	Structures and important geometrical parameters for the reactant, transition state and product for the first proton transfer in MGS.	64
5.1	Idealized structures of the a) Eigen- and b) solvated Zundel-ion	68
5.2	Water wire models for illustrating different reaction coordinates that describe long-range proton transfers.	71
5.3	Proton transfer to and through a carboxylic acid as an example of a coupled donor-acceptor pair for the modified center of excess charge coordinate	74
5.4	Atom labels and weights associated with the definition of the definition of the modified center of excess charge coordinate for CAII computations	76
5.5	Energy profiles for the proton transfer in carbonic anhydrase starting from a configurations with two and four bridging water molecules.	78
5.6	Critical geometrical parameters along the minimum energy path for the proton transfer in carbonic anhydrase starting from configurations with two bridging water molecules.	79

5.7	Overlay of transition state structures from adiabatic mapping and minimum energy path calculations for proton transfer through two and four bridging water molecules in carbonic anhydrase.	82
6.1	Structure of the bacterial reaction center in <i>Rb. sphaeroides</i>	85
6.2	Chemical structure of ubiquinone	85
6.3	Photocycle of the bacterial reaction center.	85
6.4	Overlay of protein structures of 1AIG and 1QOV	87
6.5	Proton transfer pathways in the BRC. Overview of amino acids participating in proton transfer and Water wire connecting Asp210(L) and Glu212(L). in the bacterial reaction center.	87
6.6	Atom labels and weights associated with the definition of the definition of the modified center of excess charge coordinate for the proton transfer from Asp210(L) to Glu 212(L) in the bacterial reaction center	93
6.7	Structure of the channel obtained from MD simulation. Water molecules described as MM in the QM/MM simulations are rendered in orange.	93
6.8	Rmsds for the molecular dynamics simulations of the bacterial reaction center	93
6.9	Evolution of the distance between Lys130(H):N ^Z and Glu122(H):O ^{ε1}	93
6.10	Structure around Lys130(H) before and after formation of the salt bridge	93
6.11	PMF for the proton transfer from Asp210(L) to Glu212(L) in the membrane model and the solvent model.	96
6.12	Trace of the mCEC through the channel connecting Asp210(L) and Glu212(L).	96
6.13	Bond order analysis for the proton transfer	98
6.14	Snapshots of umbrella sampling simulations of the $Q_A^- Fe^{2+} Q_B$ charge state.	99
6.15	Radial distribution function around Asp210(L)	100
A.1	Benchmark results for a one-water bridge between acetic acid and acetate	109
A.2	Benchmark results for a two-water bridge between acetic acid and acetate	109
A.3	Benchmark results for a three-water bridge between acetic acid and acetate	110
A.4	Benchmark results for a four-water bridge between acetic acid and acetate	110

List of Tables

4.1	Notations for atoms and groups used in QM/MM frontier treatments	38
4.2	Terms and interactions considered for various QM/MM schemes . . .	42
4.3	Deprotonation energies for QM fragments embedded in various MM environments (in kcal/mol) ^{a,b}	46
4.4	Deprotonation energies for varying QM zones (in kcal/mol) ^{a,b}	48
4.5	Proton affinities for varying QM zones (in kcal/mol) ^{a,b}	49
4.6	Dipole moments (magnitude) for small molecules in Debye ^a	53
4.7	Deprotonation energies for amino acids (in kcal/mol) ^{a,b}	55
4.8	Proton affinities for amino acids (in kcal/mol) ^{a,b}	56
4.9	Deprotonation energies for DNA bases	58
4.10	Proton affinities for DNA bases	58
4.11	Energy difference for the tautomers for DNA bases	58
4.12	Activation energies and endothermicities for the tautomeric proton transfer in the dT-dA base pair	60
4.13	Activation energies and endothermicities for the first proton transfer step in TIM.	61
4.14	Activation energies and endothermicities for the first proton transfer step in MGS.	61
5.1	Values for different reaction coordinates for the water wires displayed in Fig. 5.2.	70
5.2	Comparison of barrier heights E^\ddagger and exothermicities ΔE (in kcal/mol) for the proton transfers in carbonic anhydrase obtained using different protocols ^a	77
5.3	Comparison of critical distances (in Å) in the transition state for the proton transfer through two bridging water molecules in carbonic anhydrase obtained using different protocols ^a	81
5.4	Comparison of critical distances (in Å) in the transition state for the proton transfer through four bridging water molecules in carbonic anhydrase obtained using different protocols ^a	81
6.1	Exergonicities and barrier heights (in kcal/mol) obtained from the PMFs.	95
A.1	Proton affinities for relevant molecules in kcal/mol. ^a	107