

Contents

Invited Paper

	Page
1.1 Fiber optic sensors for industrial applications A.L. Harmer, Switzerland	17
Flow and laser Doppler anemometer (LDA)	23
1.2 Optical fiber flowmeters G.D. Pitt*, A. H. Prabakaran* [†] , R.J. Williamson*, D.N. Batchelder [#] [*] Standard Telecommunication Laboratories, U.K. [†] University of London, U.K. [#] University of Bradford, U.K.	
1.3 Glassfiber LDA-systems and their application to internal combustion engines F. Durst, H. Krebs University of Erlangen-Nürnberg, F.R.G.	29
1.4 Monomode fiber optic vortex shedding flowmeter P.A. Leilabady, J.D.C. Jones, D.A. Jackson The University of Kent, U.K.	35
1.5 Signal enhancement of a fiber-optic LDV using a high-power Ar-ion laser oscillating in Multi-longitudinal modes K.Kyuma, K. Kojima, M. Nunoshita, T. Nakayama Mitsubishi Electric Co., Japan	39
 Magnetometers	
2.1 Optical fiber magnetometer using a stabilized semiconductor laser source R.H. Pratt* ; R.E. Jones*, P. Extance , G.D. Pitt [*] Standard Telecommunication Laboratories, U.K. [†] University of Surrey, U.K.	45
2.2 Closed-loop d.c. field fiber-optic magnetometer A.D. Kersey, M. Corke, D.A. Jackson The University of Kent, U.K.	51

2.3 Design and application of fiber-optic electric and magnetic field sensor for high voltage electric systems

Y. Ohno*, K. Kurosawa⁺,

T. Yoshino[#]

*Nihon University, Japan

⁺Tokyo Electric Power Co.,

Japan

[#]The Tokyo University, Japan

2.4 Effects of nonlinear magnetostrictive properties in a fiber optic magnetometer

K.P. Koo, A. Dandridge,

G.H. Sigel, Jr.

Naval Research Laboratories,

U.S.A.

Chemical sensors

3.1 Single-mode fiber evanescent wave spectroscopy

71

A. Lew*, C. Depeursinge*,

F. Cochet[#], H. Berthou[#],

O. Parriaux[#]

*Swiss Federal Institute of Technology, Switzerland

[#]Swiss Foundation for Microtechnology Research, Switzerland

3.2 Detection of antibody-antigen reactions at a glass-liquid interface: A novel fiber-optic sensor concept

75

C. Dähne, R.M. Sutherland,

J.F. Place, A.S. Ringrose

Battelle, Switzerland

3.3 Resonant photoacoustic gas spectrometer fiber-sensor

81

Q. Munir, R. Bättig, H.P. Weber

University of Berne,

Switzerland

3.4 An infrared fiber optic gas detection system

87

S. Stueflotten, T. Christensen,

S. Iversen, J.O. Hellvik,

K. Almås, T. Wien, A. Graav

A/S Elektrisk Bureau, Norway

4.1 Optical fiber sensors in medicine A.M. Scheggi, Italy	93
4.2 A multipurpose cross-talk sensor using multimode fibers S. Ramakrishnan, R.Th. Kersten Fraunhofer-Institut für Physikalische Meßtechnik, F.R.G.	105
4.3 Wavelength encoded optical fiber sensors M.C. Hutley National Physical Laboratory, U.K.	111
4.4 A balancing technique for optical fiber intensity modulated transducers J.Foley [#] , I.P. Giles , B. Culshaw [#] University College London, U.K. University of Strathclyde, U.K.	117
4.5 Distributed sensing using stimulated Raman interaction in a monomode optical fiber M.C. Farries , A.J. Rogers [#] [#] King's College London, U.K. [#] Central Electricity Research laboratories, U.K.	121
4.6 Scintillating and fluorescent fibers sensors applications R.L. Allemand, J. Calvet, J.C. Cavan, J.C. Thevenin, B. Chiron Commissariat a l'Energie Atomique, France	133
4.7 Fiber Optic sensor for high energy radiation C.R. Batchellor, D. Carless Plessey Electronic Systems Research, U.K.	143

Temperature sensors

Page

- 5.1 Fiber-optic temperature probe
using fluorescence decay time:
sinusoidal oscillation
Th. Bosselmann[#], A. Reule[#],
J. Schröder[#]
Technische Universität
Hamburg-Harburg, F.R.G.
[#]Carl Zeiss, F.R.G.
- 5.2 Thermochromic transducer
optical fiber temperature
sensor
M. Brenci, G. Conforti, R. Falciai,
A.G. Mignani, A.M. Scheggi
IROE-CNR, Italy

- 5.3 Radiometric temperature
measurement using infrared
optical fibers
M. Shimizu, M. Shimoishizaka,
S. Yoshida
The Furukawa Electric Co.,
Japan

- 5.4 Fiber-Fabry-Perot (FFP)
thermometer for medical
applications
R. Kist, S. Drose,
H. Wölfelschneider
Fraunhofer-Institut für
Physikalische Meßtechnik,
F.R.G.

Fiber optic sensor market (Panel)

- Sensor markets
W.N. Bravard,
Market Intelligence Research
Company, U.S.A.

- Fiber sensor market
development
J. Zilber,
Kessler Marketing Intelligence,
U.S.A.

Poster Papers

- P1 withdrawn

- P2 Vibrations sensor using planar
integrated interferometric
circuit on oxidised silicon
substrate
P. Gidon, S. Valette,
P. Schweizer
LETI, France

151

155

161

165

173

177

187

P3 **Multimode fiber-optic accelerometers**
L.Jonsson, B. Hök
ASEA Innovation, Sweden

P4 **Fiber-optic polarization interferometer for temperature sensing using a polarization rotating coupler**
Y. Mitsuhashi, S. Ishihara
Electrotechnical Laboratory,
Japan

P5 **Displacement and temperature multimeasurant transducer**
E. Theocarous
Central Electricity Research Laboratories, U.K.

P6 **Novel fiber coupler for optical fiber temperature sensor**
G. Schöner, M. Steiner,
J.H. Bechtel, M.M. Salour
TACAN Corporation, U.S.A.

P7 **Sensitive liquid sensor for long distance leak detection**
M. Shimizu, M. Nagai, N. Oogi
NEC Corporation, Japan

P8 **All-optical remote gas sensor system over a 20 km range based on low-loss optical fibers in the near infrared**
H. Inaba, K. Chan, H. Ito
Tohoku University, Japan

P9 **Integrated optical humidity and gas sensors**
K. Tiefenthaler, W. Lukosz
Swiss Federal Institute of Technology, Switzerland

P10 **Film thickness monitoring with a fiber optic realtime spectrophotometer**
H.-E. Korth
IBM Germany, F.R.G.

P11 **Optical fiber pressure sensor using a shutter modulator and two-wavelength intensity referencing**
B.E. Jones, R.C. Spooncer
UMIST, U.K.

P12 **Remote spectroscopy with optical fibers: Development since ten years and perspectives in on-line control**
G. Boisde, J.J. Perez
Centre d'Etudes Nucleaires,
France

P13 **Accurate fiber-optical sensors using differential heterodyne method** 233
I. Yoshino, M. Nara
#University of Tokyo, Japan
#National Research Laboratory of Metrology, Japan

P14 **A multimode fiber heterodyne interferometer** 237
W.L. Glomb, Jr, F. Mottier
United Technologies Research Center, U.S.A.

P15 **Operation of a compensated polarimetric sensor with semiconductor light source** 241
J.P. Dakin, S. Broderick,
D.C. Carless, C.A. Wade
Plessey Electronic System Research, U.K.

P16 **Linearized remote sensing using a monomode fiber polarimetric sensor** 247
A.D. Kersey, M. Corke,
D.A. Jackson
The University of Kent, U.K.

P17 **Fiber optic gyro with digital data processing** 251
K. Böhm, P. Marten, L. Staudigel,
E. Weidel
AEG-Telefunken, F.R.G.

P18 **Fiber gyro with integrated-optic phase modulator and spectrally broad light source** 259
G. Domann
Standard Elektrik Lorenz AG,
F.R.G.

P19 **Fiber gyroscope with pseudo-heterodyne detection** 263
A.D. Kersey, A.C. Lewin
D.A. Jackson
The University of Kent, U.K.

P20 **Rotation sensors on the base
of monomode fibers with low
birefringence**
E.M. Dianov, A.Y. Karasik,
V.A. Kozlov, A.M. Prokhorov,
A.K. Senatorov, G.G. Devjatykh,
A.N. Gurjanov, D.D. Gusovsky
Akademy of Sciences of the
USSR, USSR

sP21 **Compact all-fiber gyroscope
brassboard** 271
H.C. Lefevre, H.J. Arditty*,
Ph. Graindorge
Thomson-CSF, France
now with: Photonetics, France

P22 **A family of multicore optical
fiber based sensors and
instrumentation systems** 275
R.S. Romaniuk, J. Dorosz#
Technical University of
Warsaw, Poland
#Glass Works of Bialystok,
Poland

P23 **Review of "all-fiber"
modulators for fiber optic
systems** 279
R.P. De Paula
Litton, U.S.A.

Invited paper:

6.1 **Signal processing for
distributed optical fiber
sensors** 285
D.E.N. Davies, U.K.

Gyroscopes

6.2 **Optical fiber gyroscope with
integrated optical frequency
modulator** 297
M. Shimizu, N. Oogi
NEC Corporation, Japan

6.3 Integrated optic fiber gyroscope with on-chip modulator and harmonic feedback operation	301
J.W. Parker, M.C. Bone, E. Jones Standard Telecommunication Laboratories, U.K.	
6.4 Thermal sensitivity of sensing coils for fiber gyroscopes	305
F. Mohr, W. Auch, P. Kiesel Standard Elektrik Lorenz AG, F.R.G.	
6.5 Polarisation control in resonant-ring fiber gyroscopes	309
R.J. Mears, M.P. Varnham, D.N. Payne, A.J. Barlow The University of Southampton, U.K.	
6.6 Rayleigh backscattering in optical passive ring-resonator gyro	313
K. Iwatsuki, K. Hotate, M. Higashiguchi University of Tokyo, Japan	
6.7 Coherent backscatter in optical fiber gyroscopes	317
I.P. Giles, B. Culshaw University of Strathclyde, U.K.	
6.8 Integrated-Optics fiber gyroscope: Progress towards a tactical application	321
H.J. Arditty, J.P. Bettini, Y. Bourbin, Ph. Graindorge, H.C. Lefevre, M. Papuchon, S. Vatoux Thomson-CSF, France now with: Photonetics, France	

Sensor components

7.1 Comparison between coil and taper fiber polarizers	329
M.P. Varnham,, F. de Fornel*, D.N. Payne, C.M. Ragdale, A.J. Barlow, E.J. Tavbox The University of Southampton, U.K. on leave from University of Limoges, France on leave from British Aerospace, U.K.	

- 7.2 YIG-sensor design for fiber optical magnetic field measurements
U. Holm, H. Sohlström,
T. Brogårdh
Royal Institute of Technology,
Sweden

- 7.3 Low frequency characterization of 1.3 μm C^3 lasers *
R.O. Miles*, A. Dandridge*,
A. Olssen
Naval Research Laboratories,
U.S.A.
Bell Laboratories, U.S.A.

- 7.4 Practical coherent OTDR at 1.3 μm
S. Wright, R.E. Epworth,
D.F. Smith, J.P. King
Standard Telecommunication Laboratories, U.K.

Invited paper:

- 8.1 Optical fibers for sensors
D.N. Payne, U.K.

Interferometers

- 8.2 High accuracy position-sensing with fiber-coupled white-light interferometers
Th. Bosselmann, R. Ulrich
Technische Universität
Hamburg-Harburg, F.R.G.

- 8.3 Interferometric investigation of monomode fibers under longitudinal stress
A. Bertholds, R. Dändliker
Institut de Microtechnique de l'Université de Neuchâtel,
Switzerland

- 8.4 Experimental performance of an optical hydrophone with downlead insensitivity
S.W. Thornton, M.L. Henning
Plessey Marine Ltd., U.K.

- 8.5 Optical fiber hydrophone array - recent progress
C.A. Wade, J.P. Dakin
Plessey Electronic System Research, U.K.

8.6 Digital single-sideband
detection for interferometric
sensors

D. Eberhard, E. Voges
Universität Dortmund, F.R.G.

Displacement, pressure,
vibration sensors

9.1 Displacement sensing using a
compensated fiber link

D.E.N. Davies, J. Chaimowicz,
G. Economou, J. Foley,
K. Mallalieu
University College London,
U.K.

387

9.2 Pressure sensor with
fluorescence decay as
information carrier

B. Hök, L. Jonsson
ASEA Innovation, Sweden

391

9.3 Polarimetric strain and
pressure sensor using
temperature independent
polarization maintaining optical
fiber

Y. Kikuchi, R. Yamauchi,
M. Akiyama, O. Fukuda, K. Inada
Fujikura Ltd., Japan

395

9.4 Fiberoptic strain measurement
for structural integrity
monitoring *

A.J.A. Bruinsma^{*},
³P. van Zuylen^z, C.W. Lamberts^z,
^AJ.T. Krijger
Institute of Applied Physics
TNO-TH, The Netherlands
⁴Physics Laboratory TNO, The
Netherlands

399

9.5 Fiber-optic vibrometer

M. Martinelli, A. Ceserani,
M. Polini
CISE S.p.A., Italy

403

9.6 Optical fiber sensing system
for three dimensional vibration
measurements

Y. Hirose, Y. Tsuzuki
Yokohama National University,
Japan

415