

Contents

Introduction	1
Scenario 1: Exploiting Locality in Networks of Limited Bandwidth	5
1.1 Formal description of the problem	6
1.1.1 Description of the static model	6
1.1.2 Description of the dynamic model	7
1.2 Previous and related work	8
1.3 Summary of new results	10
1.4 Data management on tree-connected networks	12
1.4.1 Static placement on trees	12
1.4.2 Dynamic data management on trees	16
1.5 Data management on meshes	18
1.5.1 Static placement on meshes	18
1.5.2 Dynamic data management on meshes	23
1.6 Data management on clustered networks	28
1.7 More general and other models	33
1.7.1 Non-uniform object sizes and slice-wise accesses	33
1.7.2 Other update policies	34
1.7.3 An alternative model for dynamic data management	36
1.8 Experimental evaluation of the access tree strategy	37
1.8.1 Matrix multiplication	40
1.8.2 Bitonic sorting	44
1.8.3 Barnes-Hut N-body simulation	48
1.9 Conclusions	54
Scenario 2: Contention Resolution on a Scalable Multimedia Data Server	57
2.1 Design objectives and constraints	58
2.2 A new proposal for a scalable data server architecture	59
2.3 Summary of new results	61
2.4 Previous and related results	62
2.5 Serving batches of distinct requests	65
2.5.1 The collision protocol	66
2.5.2 Asymptotical analysis of the collision protocol	66
2.5.3 Numerical analysis of the collision protocol	73
2.5.4 Simulation results	78
2.6 Serving batches including data hot spots	80

2.6.1	An algorithm for batches with small data hot spots	82
2.6.2	A counterexample for batches with large data hot spots	84
2.6.3	The solution for batches with arbitrary data hot spots	85
2.6.4	Simulation results	88
2.7	Serving infinite sequences of requests	90
2.7.1	The minimum protocol	90
2.7.2	Asymptotical analysis of the minimum protocol	91
2.7.3	Simulation results	95
2.8	Conclusions	96