TABLE OF CONTENTS

Preface V

Overall summary VIII

Chapter I. General introduction 1

I.1. Lake restoration and synoptic motivation of the present study 1

I.2. Causes and consequences of eutrophication and its remedies 2
I.2.a. Causes and effects of increased nutrient loading 2
I.2.b. Countermeasures: existing policies in Europe 2

I.3. The OECD project and eutrophication models 3

I.4. Restoration programmes: evaluation of effects and prediction 7

I.5. Guideline to reading of this book 9

References Chapter I 10

Chapter II. Introduction to the data base and preliminary data treatment 11

II.1. Introduction to the data base 11
II.1.a. Description of lakes and restoration techniques 11
II.1.b. Lake classification by means of physical and morphological criteria 11
II.1.c. Conceptual subdivision of the lake ecosystem: subsystem 1 and subsystem 2 26
II.1.d. Influence of sampling frequency on adequacy of data 26
II.1.e. Definition of 'restoration case' and steady state 29
II.1.f. Data choice for primary characterization of restoration cases . . . 32

II.2. Data choice and data treatment for subsystem-1 evaluation 33
II.2.a. Introduction 33
II.2.b. Definition and application principles of annual mass balance . . . 33
II.2.c. Respective relevance of *Sed*, *R* and σ 36
II.2.d. Evaluation method for periodic release and sedimentation processes 39
II.2.e. Analysis of measurement errors and inter-annual variability . . . 40
II.2.f. Expected behaviour after restoration: theoretical considerations and *a priori* assessment methods 43
II.2.g. Choice of variables and parameters for subsystem-1 analysis . . . 47

II.3. Data choice and data treatment for subsystem-2 evaluation 49
II.3.a. Analysis framework for subsystem 2 49
II.3.b. Choice of averages in space and time 52
II.3.c. Choice of variables and parameters for subsystem-2 analysis . . . 53

II.4 Statistical data treatment 54
II.4.a. Introduction 54
II.4.b. Simple regression analysis of individual lake behaviour 54
II.4.c. Analysis of group behaviour: pooling individual lake behaviour . 56

References Chapter II 58

Chapter III. The relation between external *P*-load and inlake-*P* concentration (Subsystem 1) 61

III.1. Introduction 61

III.2. Relation between inflow- and inlake-*P* concentration before and during recovery: qualitative analysis 62

III.3. Analysis of sediment behaviour during the transient recovery state . 67
III.3.a. Results of mass balance analysis 67
III.3.b. Analysis of release patterns occurring within the annual cycle . . 77
III.3.c. Results of sediment investigations and overall discussion 81

III.4. Relation between inlake-*P* concentration before and after restoration, in steady state 89
III.4.a. Introduction: prediction method for *post*-restoration P_l^y 89
III.4.b. Variability in steady-state parameters 90
III.4.c. Behaviour of the ratio $P_l^y:P_i^y$ before and after restoration 93

III.5. Behaviour of the factor β during changes in trophic state 98

References Chapter III 101

Chapter IV. The relation between inlake-*P* concentration and algal biomass indicators (subsystem 2) 102

IV.1. Introduction 102

IV.2. Data screening 102
IV.2.a. Introduction 102
IV.2.b. Application of *P*-limitation criterion 102
IV.2.c. Elimination of hidden variables from the regression analysis . . . 106
IV.2.d. Occurrence of delays in response 107
IV.2.e. Equivalence of chlorophyll-*a* and biovolume data 108
IV.2.f. Applicability of morphometric classification criterion to subsystem-2 data 109

IV.3. Regression analysis of subsystem-2 data 111
IV.3.a. Introduction 111
IV.3.b. Comparability with OECD study 111
IV.3.c. Regression analysis of chlorophyll-*a* and biovolume data against inlake-*P* concentration, for single lakes 113
IV.3.d. Regression analysis of transparency data against inlake-*P* concentration, for single lakes 121

IV.3.e. Pooling of single lake data: group behaviour 126
IV.3.f. Discussion and final analysis of the characteristics of *P*-limited and non-*P* limited response by chlorophyll-*a*, biovolume and transparency 130
1. The non-*P* limited situation: determination of algal response threshold 130
2. The *P*-limited situation: apparent discrepancy between biomass- vs. transparency-responses and differences between deep vs. shallow lakes 133

IV.4. Behaviour of cyanobacteria during the recovery process 137
IV.4.a. General properties and habitat selection of cyanobacteria 137
IV.4.b. Distribution of cyanobacteria among the study lakes 139
IV.4.c. Behaviour of cyanobacteria populations as a function of decreasing *P*-load 140

References Chapter IV 145

APPENDIX:
Description of individual case studies of lake recovery 149

1. Norrviken 151
2. Glumsø 171
3. Hylke Sø 185
4. Søbygard 205
5. Veluwemeer 225
6. Schlachtensee 245
7. Cockshoot Broad 263
8. Alderfen Broad 281
9. Lough Neagh 301
10. Gjersjøen 321
11. Wahnbach Talsperre 335
12. Bodensee 353
13. Lac Léman 377
14. Zürichsee 399
15. Walensee 417
16. Fuschlsee 433
17. Ossiachersee 447
18. Lago Maggiore 463

List of reference group members 481

Glossary of symbols 489

General index 492