

Contents

LIST OF TABLES	7
LIST OF FIGURES	9
CONTRIBUTORS	13
PREFACE	15
A NOTE ON DEMOGRAPHIC NOTATION	17
1 Mortality, poverty and the environment <i>Robert Woods and John Woodward</i>	19
2 Mortality patterns in the nineteenth century <i>Robert Woods</i>	37
3 Medicine and the city: the nineteenth-century experience <i>John Woodward</i>	65
4 Tuberculosis and mortality decline in England and Wales, 1851-1910 <i>Gillian Cronjé</i>	79
5 Evaluating the sanitary revolution: typhus and typhoid in London, 1851-1900 <i>Bill Luckin</i>	102
6 Infant mortality in nineteenth-century Bradford <i>Barbara Thompson</i>	120
7 Health, society and environment in nineteenth- century Manchester <i>Marilyn E. Pooley and Colin G. Pooley</i>	148
8 Mortality and sanitary conditions in late nineteenth-century Birmingham <i>Robert Woods</i>	176

NOTES	203
BIBLIOGRAPHY	237
INDEX	252

List of tables

1.1 Four life tables appropriate to nineteenth-century England and Wales (sexes combined)	22
1.2 Mean age at death for selected social classes, Manchester, Rutland and eleven districts, circa 1840	27
1.3 Life expectations at age 20 (e_{20}) and age 40 (e_{40}) amongst members of Manchester friendly societies	27
1.4 Generalized estimates of class-specific life expectation at birth (e_0), Sheffield, 1860-62	28
2.1 The probability of dying (${}_nq_x$) by age groups, England and Wales, 1861 (based on 631 registration districts)	43
2.2 Correlation coefficients between ${}_nq_x$ s for males (above the diagonal) and females (below the diagonal), England and Wales, 1861 (based on 631 registration districts)	56
2.3 Results of factor analysis on ${}_nq_x$ for males and females, England and Wales, 1861	58
2.4 Factor loadings from analysis of age-specific male mortality	59
2.5 Factor loadings from analysis of age-specific female mortality	59
4.1 Tuberculosis deaths as percentage of total deaths for males and females at all ages and at young adult ages (15-34), England and Wales, 1851-1910	84
4.2 Annual mortality from all forms of tuberculosis per thousand living at all ages among males and females, England and Wales, 1851-1910	85
4.3 Percentage decline in annual mortality from all forms of tuberculosis per thousand living among males and females (a) over 1851-60; (b) over previous decade, England and Wales, 1861-1910	85
4.4 Annual death rates from phthisis per thousand living among males and females, England and Wales, 1851-1910	86
4.5 Percentage decline in annual mortality from phthisis per thousand living among males and females (a) over 1851-60; (b) over previous decade, England and Wales, 1861-1910	86
4.6 Annual death rates from extra-pulmonary tuberculosis per thousand living among males and females, England and Wales, 1851-1910	87
4.7 Percentage decline in annual mortality from extra-pulmonary tuberculosis per thousand living among males and females (a) over 1851-60; (b) over previous decade, England and Wales, 1861-1910	87
4.8 Percentage of total tuberculosis deaths occurring in each age group among males and females, England and Wales, 1861-90	88
4.9 Age of peak phthisis mortality among males and females, and annual death rates per thousand living experienced at that age, England and Wales, 1851-1910	90
4.10 Annual tuberculosis death rates per thousand among males and females in Lancashire and Worcestershire Registration Counties, 1851-1910	92

4.11 Crude phthisis annual death rates per thousand living among males and females, urban and rural registration counties, 1851-1910	94
4.12 Age of peak phthisis mortality among males and females in urban and rural registration counties, and annual death rates per thousand living experienced at that age, 1881-1910	95
4.13 Crude extra-pulmonary tuberculosis death rates per thousand living among males and females, urban and rural registration counties, 1851-1910	96
5.1 Mortality from typhoid and typhus in London registration districts, 1851-1900 (death rates in parts per 100,000)	108
5.2 Mortality from typhus and typhoid in selected towns, 1851-80 (death rates in parts per 100,000)	114
6.1 Crude birth and death rates (in parts per thousand), Borough of Bradford, 1841-1900	136
6.2 Infant mortality (1,000 q_0), Borough of Bradford, 1861-80	137
6.3 Spatial variations in infant mortality (1,000 q_0), Borough of Bradford, 1883-99	138
6.4 Major causes of infant mortality (1,000 q_0), Borough of Bradford, 1876-99	139
6.5 Average number of births per year per thousand women aged 15-44 (child:woman ratio, CWR), Borough of Bradford, 1871-1900	145
7.1 Average annual crude and standardized mortality rates per decade, Manchester, Salford and Chorlton Registration Districts, 1841-1900	156
7.2 Average annual standardized mortality rates from selected infectious diseases, Manchester, Salford and Chorlton Registration Districts, 1851-1900	158
7.3 Average annual crude mortality rates from specific causes, selected townships, 1840-42	166
7.4 The relationship between mortality and selected socio-environmental variables, Manchester, 1841-80	172
8.1 Cause-specific death rates (per thousand), Birmingham Registration District, 1871-1910	181
8.2 Age-specific death rates, Birmingham Registration District, 1871-1910	182
8.3 Population and vital rates of Birmingham and four other large English towns, 1880-91	184
8.4 Stable age structure from West Model Life Table, Level 11, GRR 2.25, Birmingham Borough, 1880s	186
8.5 Age-specific mortality rates, Birmingham Borough, 1880-89	187
8.6 Deaths from seven diseases, Birmingham Borough, 1880-89	190
8.7 Death rates from individual diseases, Birmingham Borough, 1880-89	191
8.8 Relationship between disease mortality (1880-9) and sanitary variables (1885), Birmingham Borough	201

List of figures

1.1	A simple model of the factors affecting mortality levels	21
1.2	The probability of dying at particular ages (${}_nq_x$) for selected populations	23
1.3	The relationship between infant mortality (q_0) and Booth's estimates of the percentage of the population in poverty, London Registration Districts, 1880s and 1890s	25
1.4	Cause-specific influences on mortality decline, England and Wales, 1848-54 to 1901	29
1.5	A generalized model of Thomas McKeown's interpretation of the reasons for the decline of mortality in late nineteenth-century England and Wales	30
2.1	Changing level of life expectation at birth (e_0) for males and females, England and Wales, 1841-1970	38
2.2	Changing age-specific mortality (${}_nq_x$), England and Wales, 1841-1970	39
2.3	Registration district boundaries	42
2.4	Spatial variation in male life expectation at birth (e_0), England and Wales, 1861 (based on registration district units) (L—London has been excluded)	44
2.5	Spatial variation in male life expectation at birth (e_0), London, 1861 (based on registration district units)	45
2.6	Life expectation at birth (e_0), males against females, England and Wales registration districts, 1861	45
2.7	Spatial variation in male infant mortality (q_0) England and Wales, 1861 (based on registration district units) (L—London has been excluded)	46
2.8	Spatial variation in male infant mortality (q_0), London, 1861 (based on registration district units)	47
2.9	Infant mortality (q_0), males against females, England and Wales registration districts, 1861	48
2.10	Female infant mortality (q_0) against gross reproduction rate (GRR), England and Wales registration districts, 1861	49
2.11	Mortality of female children aged 1-4 (${}_4q_1$) against index of marital fertility (I_0), England and Wales registration districts, 1861	49
2.12	Gross reproduction rate (GRR) against life expectation at birth (e_0 , sexes combined), England and Wales registration districts, 1861 (r is the intrinsic rate of natural increase)	50
2.13	Classification of urban areas by population density, England and Wales, 1861	52
2.14	Life expectation at birth (e_0) against log population density, England and Wales registration districts, 1861	54
2.15	Male infant mortality (q_0) against log population density, England and Wales registration districts, 1861	55

2.16	Factor scores, male mortality (L—London has been excluded)	60
2.17	Factor scores, female mortality (L—London has been excluded)	61
2.18	Factor scores, male mortality, London, 1861	63
2.19	Factor scores, female mortality, London, 1861	63
5.1	Mortality rate (parts per 100,000) from typhus and typhoid, London and the rest of England and Wales, 1851-70	105
5.2	Typhus and typhoid admissions to the London Fever Hospital, 1851-70.	106
	<i>Source:</i> Charles Murchison, <i>The Continued Fevers of Great Britain</i> (London, 1884, third edition), pp. 52-3	
5.3	Mortality rate (parts per 100,000) from typhoid in London and the rest of England and Wales, 1871-1900	107
5.4	Mortality rate (parts per 100,000) from typhus and typhoid, London registration districts, 1851-60 and 1861-70	110
6.1	Location of wards with highest and lowest infant mortality, Bradford, 1882-1900	134
7.1	Manchester (including Prestwich), Salford and Chorlton registration districts, showing locations named in the text	150
7.2	Annual crude mortality rate (in parts per 1,000), Manchester (including Prestwich), Salford and Chorlton registration districts, 1838-1900	155
7.3	Average annual age-specific mortality rates (in parts per 1,000), Manchester (including Prestwich), Salford and Chorlton registration districts, 1851-60 to 1891-1900	157
7.4	Average annual crude mortality rates by sub-districts (in parts per 1,000), Manchester (including Prestwich), Salford and Chorlton registration districts, 1841-50 to 1861-70	162
7.5	Average annual crude mortality rates by sub-districts (in parts per 1,000), Manchester (including Prestwich), Salford and Chorlton registration districts, 1871-80 to 1891-1900	163
7.6	Average annual crude mortality rates by enumeration districts, Manchester Borough, 1861-75.	164
	<i>Source:</i> Medical Officer of Health for Manchester, <i>Annual Report</i> , 1876	
7.7	Net housing density (per acre) by enumeration districts, Manchester Borough and Salford Township, 1851 and 1871.	168
	<i>Source:</i> Census enumerators' books for Manchester and Salford, 1851 and 1871	
7.8	Multiple occupancy (households per 100 houses) by enumeration districts, Manchester Borough and Salford Township, 1851 and 1871.	170
	<i>Source:</i> see Figure 7.7	
8.1	Crude birth, death and marriage rates, Birmingham Borough, 1873-91	185
8.2	Weekly deaths by age, Birmingham Borough, 1880-89	188
8.3	Weekly deaths from five diseases, Birmingham Borough, 1880-89	192
8.4	Weekly deaths from two diseases, Birmingham Borough, 1880-89	192
8.5	Reported cases of deaths from smallpox by quarters, Birmingham Borough, 1871-91	193

8.6 Birmingham Borough wards and areas used in the Medical Officer of Health's survey of sanitary conditions, 1885	194
8.7 Location of the principal hospitals, the jail and the workhouse, Birmingham Borough, 1880s	194
8.8 Measles deaths location quotients, Birmingham Borough, 1881-89	195
8.9 Scarlet fever deaths location quotients, Birmingham Borough, 1881-89	196
8.10 Typhoid fever deaths location quotients, Birmingham Borough, 1881-89	197
8.11 Location of wells (one dot per well), Birmingham Borough, 1885	198
8.12 Percentage of houses that were 'back houses', Birmingham Borough, 1885	199
8.13 Water closets location quotients, Birmingham Borough, 1885	200