CONTENTS

Contributors xiii Introduction xv

1 / Choosing the Coating Method

Edward D. Cohen

- 1.1 Coating Components and Structures 1
- 1.2 Coating Technologies 5
- 1.3 Coating Methods 6
 - 1.3.1 Single Layer Methods 6
 - 1.3.2 Multilayer Coating Methods 9
- 1.4 Selecting a Coating Method: Basic Considerations 10
 - 1.4.1 Number of Layers 11
 - 1.4.2 Wet Layer Thickness 11
 - 1.4.3 Viscosity (and Viscoelasticity) 11
 - 1.4.4 Coating Weight Accuracy 12
 - 1.4.5 Coating Support 12
 - 1.4.6 Coating Speed 12
 - 1.4.7 Other Factors 13
 - 1.4.8 Drying 13
- 1.5 Choosing the Coating Method 13
- 1.6 Information Sources 19
- 1.7 Coating Facilities 19

Literature 21

2 / Fluid Handling and Preparation

Peter M. Schweizer

- 2.1 Introduction 23
- 2.2 Purpose of Fluid Handling and Preparation 25 2.2.1 Statistical Considerations 28
- 2.3 Fluid Displacement 29
 - 2.3.1 Purpose of Fluid Displacement 30
 - 2.3.2 Operating Modes of Displacement Systems 30
 - 2.3.3 Displacement Characteristics 31
 - 2.3.4 Net Positive Suction Head (NPSH) Value 31
 - 2.3.5 Power Requirement 32

- 2.4 Flow Measurement 33
 - 2.4.1 Types of Flow Measurement 33
 - 2.4.2 Measurement Principles 33
 - 2.4.3 Accuracy of Flow Rate Measurements 34
 - 2.4.4 Measurement of Two-Phase Flows 35
- 2.5 Gas Removal 35
 - 2.5.1 Principal Aspects of Gas Removal 35
 - 2.5.2 Solubility of Gases in Liquids 35
 - 2.5.3 Bubble Removal 36
 - 2.5.4 Practical Implications and Applications 37
 - 2.5.5 Bubble Removal from Solid Walls 39
- 2.6 Filtration 40
 - 2.6.1 Filtration Mechanisms 40
 - 2.6.2 Filter Types 41
 - 2.6.3 Filter Life 42
 - 2.6.4 Requirements for Filter Specification 42
 - 2.6.5 Filtration Problems 43
- 2.7 Online Injection and Homogenization 43
 - 2.7.1 Purpose 43
 - 2.7.2 Online Injection 43
 - 2.7.3 Homogenization 44
 - 2.7.4 Mixing Homogeneity 44
 - 2.7.5 Pressure Drop 46
- 2.8 Temperature Control 46
 - 2.8.1 Isothermal Operating Conditions 46
 - 2.8.2 Temperature Change of the Coating Solution during Flow along the Distribution Cavity 47
 - 2.8.3 Temperature Control Requirements 50
 - 2.8.4 Temperature Control Systems 50
- 2.9 System Perturbations 51
 - 2.9.1 Example 54
- 2.10 Residence Time 54
 - 2.10.1 Mean (Average) Residence Time 55
 - 2.10.2 Residence Time Spectrum 55
 - 2.10.3 Transfer Function 56
- 2.11 Systems Cleaning 57
 - 2.11.1 Mechanisms of Cleaning 57
 - 2.11.2 Practical Aspects 59

Literature 61

3 / Roll Coating

DENNIS J. COYLE

- 3.1 Introduction 63
- 3.2 Classification of Roll Coating Flows 64
- 3.3 Analysis of Roll Coating Flows 69

- 3.3.1 Goals of Analysis 69
- 3.3.2 Lubrication Theory 70
- 3.3.3 Asymptotic Analysis 71
- 3.3.4 Finite Element Analysis 72
- 3.4 Forward Roll Coating 72
 - 3.4.1 Introduction 72
 - 3.4.2 Mechanisms of Flow 73
 - 3.4.3 Analysis of the Flow 73
 - 3.4.4 Flow Fields 74
 - 3.4.5 Non-Newtonian Effects 78
 - 3.4.6 Conclusions 79
- 3.5 Ribbing Instability 79
 - 3.5.1 Introduction 79
 - 3.5.2 The Mechanism of Ribbing 81
 - 3.5.3 Critical Conditions for the Onset of Ribbing 82
 - 3.5.4 Non-Newtonian Effects 84
 - 3.5.5 Conclusions 85
- 3.6 Reverse Roll Coating 86
 - 3.6.1 Introduction 86
 - 3.6.2 Fluid Flow in the Metering Gap 86
 - 3.6.3 Flow Instabilities 90
 - 3.6.4 Non-Newtonian Effects 93
 - 3.6.5 Conclusions 94
- 3.7 Deformable Rolls 94
 - 3.7.1 Introduction 94
 - 3.7.2 The Mechanics of Deformable Nip Flow 95
 - 3.7.3 Analysis of Deformable Nip Flow 97
 - 3.7.4 Results and Discussion 98
 - 3.7.5 Conclusions 102
- 3.8 Gravure Coating 103
 - 3.8.1 Introduction 103
 - 3.8.2 Flexible Blade Doctoring 105
 - 3.8.3 Coating Transfer (Pick-Out) 107
 - 3.8.4 Conclusions 108
- Literature 109

4 / Premetered Coating

EDGAR B. GUTOFF

- 4.1 Review of Premetered Coaters 117
 - 4.1.1 Slot or Extrusion Coaters 118
 - 4.1.2 Slide or Cascade Coaters 119
 - 4.1.3 Curtain Coaters 120
- 4.2 Surface Tension and Wettability 122
 - 4.2.1 Introduction 122
 - 4.2.2 Origin of Surface Tension 123

- 4.2.3 Effects of Surfactants and Dynamic Surface Tension 124
- 4.2.4 Capillary Pressure 124
- 4.2.5 Shape of the Coating Bead on a Slide Coater 125
- 4.3 Shear and Elongation Rates 127
- 4.4 Contact Angles and Spreading 129
 - 4.4.1 Static Contact Angles and Spreading Coefficient 129
 - 4.4.2 Surface Tension Requirements in Multilayer Coatings 130
 - 4.4.3 Surface Tension-Driven Defects 131
 - 4.4.4 Contact Angles on a Moving Web 133
- 4.5 Low Flow Limits of Coatability 141
 - 4.5.1 Introduction and Background 141
 - 4.5.2 More Data on Low Flow Limits in Slide Coating 142
 - 4.5.3 Balance of Forces 145
 - 4.5.4 Explanation of Factors Affecting the Limits of Coatability 149
 - 4.5.5 Multilayer Coatings and Carrier Coatings 150
 - 4.5.6 Low Flow Limits in Slot Coating 151
- 4.6 Instabilities in Slide Coating 156
 - 4.6.1 Wave Formation 156
 - 4.6.2 Chatter 161
 - 4.6.3 Ribbing 162
 - 4.6.4 Streaks 163

Literature 164

5 / Air Knife Coating

Neil I. Steinberg

- 5.1 Overview 169
- 5.2 Typical Operating Range 170
- 5.3 Mechanism 170
 - 5.3.1 Qualitative Description 170
 - 5.3.2 Basic Laminar Film Flow 171
- 5.4 A Coating Thickness Correlation 175
 - 5.4.1 The Momentum Balance 175
 - 5.4.2 Correlation of Experimental Photographic Coatings 176
- 5.5 Defects and Flow Stability 186

Literature 192

6 / Drive Systems for Off-Machine Coaters

Gerald I. Kheboian

Abbreviations and Definitions 193

6.1 Writing Specifications 194

- 6.1.1 The Project Team 195
- 6.1.2 Terminology 196
- 6.2 Selecting a Winding Machine for a Coating Operation 200
 - 6.2.1 A Constant Tension System for the #24 Winder 205
- 6.3 The Master or Lead Section and Factors That Reduce Its Effectiveness on a Coating Machine 206
 - 6.3.1 Problems with Maintaining the Effectiveness of a Lead Section 207
 - 6.3.2 Defects That Cause Operators to Bypass Sections or Open Nips 209
- 6.4 Influence of Unwind and Winder on Web Control 210
- 6.5 A Speed Monitoring System 210
- 6.6 Tension in a Coating Machine 211
 - 6.6.1 Differential Tension 211
 - 6.6.2 Tension Zone 212
 - 6.6.3 Typical Tension Values 212
 - 6.6.4 Typical Problem of Establishing Tension for a Critical Process 212
 - 6.6.5 Stall Tension 213
 - 6.6.6 Selecting a Tension Indicating System 214
 - 6.6.7 Need for Tension Control 215
- 6.7 Effects of Wiring Practices on Tension Control 217
- 6.8 When to Use Pure Speed Control 218
- 6.9 Types of Tension Control Systems 219
 - 6.9.1 Motor Current Regulation 220
 - 6.9.2 Use of a Current Regulator to Control Winder Tension 222
 - 6.9.3 Use of a Current Controller on Constant-Diameter Sections 222
 - 6.9.4 Dancer Roll Control 223
 - 6.9.5 Tension Regulation with Force Transducers 224
 - 6.9.6 Tension Control Systems—Advantages and Disadvantages 225
 - 6.9.7 Tension Control of Constant Diameter Sections 226
- 6.10 Isolation 226
 - 6.10.1 Isolation and the Need for Tension Control 227
- 6.11 Sections That Can Control Tension 227
 - 6.11.1 Sections That Provide Limited or No Tension Control 228
 - 6.11.2 How to Deal with Sections with Limited Ability to Control Tension 228
 - 6.11.3 Typical Speed Trim Values for Constant Diameter Sections 229

- 6.12 Integral versus Proportional Control 230
- 6.13 The Need for Motoring and Regeneration 230
 - 6.13.1 Characteristics of Power Units 231
 - 6.13.2 Effect of Gear Reducers on Power Supply Selection 232
- 6.14 Sizing Power Supplies for Off-Machine Coater Drives 233
 - 6.14.1 Power Unit Overload Capacity 233
 - 6.14.2 Getting the Most from the Power Supply 234
 - 6.14.3 Continuous or Intermittent Processes 235
- 6.15 Web 235
 - 6.15.1 Causes of Wrinkles in the Base Web 235
 - 6.15.2 Web Attributes 237
- 6.16 Web Guides and Web Spreaders 238
 - 6.16.1 Unwind Guiding 239
 - 6.16.2 Rewind Guiding 239
 - 6.16.3 Intermediate Guiding 239
 - 6.16.4 Web Spreaders 240
 - 6.16.5 Spreader Roller Applications 241
- 6.17 Defects—Sources and Solutions 243
 - 6.17.1 Sources of Coating Chatter 243
 - 6.17.2 Backlash within a Gearbox, a Geared Coupling, or Timing Belts 243
 - 6.17.3 Chatter Caused by the Roll 244
 - 6.17.4 Roll Unbalance 244
 - 6.17.5 Nonconcentric Roll 244
 - 6.17.6 Effects of Coupling Selection on Feedback Devices 246
 - 6.17.7 Other Factors That Affect Coating Quality 246
- 6.18 Application Considerations for Off-Machine Coater Sections 247
 - 6.18.1 Unwind Stand 247
 - 6.18.2 Types of Center Unwinds 248
 - 6.18.3 Need for a Drive Motor on Unwind Stands 249
 - 6.18.4 Preference for Large Diameter Cores on Any Type of Unwind 249
 - 6.18.5 Wound Roll Defects Make Acceleration and Splicing Difficult 250
 - 6.18.6 Selecting Horsepower for Unwind Drives 250
 - 6.18.7 Draw Rolls 251
 - 6.18.8 Coaters 255
 - 6.18.9 Dryers 255
 - 6.18.10 Dryer Doctor Loading 256
 - 6.18.11 Dryer Tension 256

- 6.18.12 Small Dryer Sections as Lead Sections 257
- 6.18.13 Dryer Condensation Problems 257
- 6.18.14 Coating Web Defects due to Web Wrinkling 257
- 6.18.15 Flotation and Air Impingement Dryers 257
- 6.18.16 Calender 258
- 6.18.17 Rewind: The Web's Exit Point 258
- 6.18.18 Centerwind Windups 259
- 6.18.19 Taper Tension Systems for Center-Drive Unwinds and Rewinds 261
- 6.18.20 Transient Conditions Can Cause Winding Problems 261
- 6.18.21 Role of Quality Assurance in Improved Machine Performance 262
- 6.19 Summary 263
 - 6.19.1 Power Requirements 263
 - 6.19.2 Use of NRL and RDC Constants 264
- Literature 265

7 / Thin Film Drying

Edward D. Cohen

- 7.1 Introduction 267
- 7.2 Basic Principles 268
 - 7.2.1 Coating–Drying Interactions 268
 - 7.2.2 Basic Equations 269
 - 7.2.3 Psychrometric Definitions 272
- 7.3 Drying Regimes 274
 - 7.3.1 Predryer 275
 - 7.3.2 Constant Rate 275
 - 7.3.3 Falling Rate 276
 - 7.3.4 Equilibration 277
- 7.4 Hardware 277
 - 7.4.1 Air Convection Dryers 278
 - 7.4.2 Selecting a Dryer Type 284
 - 7.4.3 Other Energy Sources 285
- 7.5 Dryer Control 286
- 7.6 Drying Defects 287
 - 7.6.1 Defects Caused by Motion of Air 287
 - 7.6.2 Defects Caused by Surface Forces 289
 - 7.6.3 Other Dryer-Related Defects 290

Literature 296

Nomenclature 299 Contributors 303 Index 305