

Contents

Preface	vii
Acknowledgements	xi
List of Algorithms	xxi
List of Figures	xxv
List of Tables	xxxii

Part I Fundamental Concepts

1. Introduction	3
1.1 Climate archives, variables and dating	5
1.2 Noise and statistical distribution	6
1.3 Persistence	11
1.4 Spacing	14
1.5 Aim and structure of this book	24
1.6 Background material	26
2. Persistence Models	33
2.1 First-order autoregressive model	33
2.1.1 Even spacing	34
2.1.1.1 Effective data size	36
2.1.2 Uneven spacing	37
2.1.2.1 Embedding in continuous time	38
2.2 Second-order autoregressive model	39
2.3 Mixed autoregressive moving average model	41
2.4 Other models	42
2.4.1 Long-memory processes	42

xiii

2.4.2	Nonlinear and non-Gaussian models	43
2.5	Climate theory	44
2.5.1	Stochastic climate models	45
2.5.2	Long memory of temperature fluctuations?	47
2.5.3	Long memory of river runoff	51
2.6	Background material	54
2.7	Technical issues	63
3.	Bootstrap Confidence Intervals	65
3.1	Error bars and confidence intervals	66
3.1.1	Theoretical example: mean estimation of Gaussian white noise	68
3.1.2	Theoretical example: standard deviation estimation of Gaussian white noise	69
3.1.3	Real world	71
3.2	Bootstrap principle	74
3.3	Bootstrap resampling	76
3.3.1	Nonparametric: moving block bootstrap	78
3.3.1.1	Block length selection	78
3.3.1.2	Uneven spacing	80
3.3.1.3	Systematic model parts and nonstationarity	81
3.3.2	Parametric: autoregressive bootstrap	83
3.3.2.1	Even spacing	83
3.3.2.2	Uneven spacing	83
3.3.3	Parametric: surrogate data	86
3.4	Bootstrap confidence intervals	86
3.4.1	Normal confidence interval	87
3.4.2	Student's t confidence interval	88
3.4.3	Percentile confidence interval	88
3.4.4	BCa confidence interval	88
3.5	Examples	89
3.6	Bootstrap hypothesis tests	91
3.7	Notation	94
3.8	Background material	99
3.9	Technical issues	106

Part II Univariate Time Series

4. Regression I	113
4.1 Linear regression	114
4.1.1 Weighted least-squares and ordinary least-squares estimation	114
4.1.1.1 Example: Arctic river runoff	115
4.1.2 Generalized least-squares estimation	116
4.1.3 Other estimation types	118
4.1.4 Classical confidence intervals	119
4.1.4.1 Prais–Winsten procedure	121
4.1.4.2 Cochrane–Orcutt transformation	121
4.1.4.3 Approach via effective data size	123
4.1.5 Bootstrap confidence intervals	124
4.1.6 Monte Carlo experiments: ordinary least-squares estimation	124
4.1.7 Timescale errors	129
4.1.7.1 Nonparametric: pairwise-moving block bootstrap	131
4.1.7.2 Parametric: timescale-autoregressive bootstrap	131
4.1.7.3 Hybrid: timescale-moving block bootstrap	136
4.1.7.4 Monte Carlo experiments	136
4.2 Nonlinear regression	141
4.2.1 Climate transition model: ramp	142
4.2.1.1 Estimation	143
4.2.1.2 Example: Northern Hemisphere Glaciation	145
4.2.1.3 Bootstrap confidence intervals	146
4.2.1.4 Example: onset of Dansgaard–Oeschger event 5	146
4.2.2 Trend-change model: break	150
4.2.2.1 Estimation	150
4.2.2.2 Example: Arctic river runoff (continued)	152
4.2.2.3 Bootstrap confidence intervals	152
4.3 Nonparametric regression or smoothing	153
4.3.1 Kernel estimation	153
4.3.2 Bootstrap confidence intervals and bands	156

4.3.3	Extremes or outlier detection	157
4.3.3.1	Example: volcanic peaks in the NGRIP sulfate record	159
4.3.3.2	Example: hurricane peaks in the Lower Mystic Lake varve thickness record	159
4.4	Background material	161
4.5	Technical issues	173
5.	Spectral Analysis	177
5.1	Spectrum	177
5.1.1	Example: AR(1) process, discrete time	180
5.1.2	Example: AR(2) process, discrete time	180
5.1.3	Physical meaning	181
5.2	Spectral estimation	183
5.2.1	Periodogram	183
5.2.2	Welch's Overlapped Segment Averaging	186
5.2.3	Multitaper estimation	188
5.2.3.1	F test	190
5.2.3.2	Weighted eigenspectra	191
5.2.3.3	Zero padding	192
5.2.3.4	Jackknife	192
5.2.3.5	Advanced topics: CI coverage accuracy and uneven spacing	194
5.2.3.6	Example: radiocarbon spectrum	195
5.2.4	Lomb-Scargle estimation	196
5.2.4.1	Bias correction	197
5.2.4.2	Covariance	199
5.2.4.3	Harmonic filter	199
5.2.4.4	Advanced topics: degrees of freedom, bandwidth, oversampling and highest frequency	201
5.2.5	Peak detection: red-noise hypothesis	202
5.2.5.1	Multiple tests	202
5.2.6	Example: peaks in monsoon spectrum	205
5.2.7	Aliasing	205
5.2.8	Timescale errors	208
5.2.9	Example: peaks in monsoon spectrum (continued)	209
5.3	Background material	215
5.4	Technical issues	225

6. Extreme Value Time Series	229
6.1 Data types	229
6.1.1 Event times	230
6.1.1.1 Example: Elbe winter floods	230
6.1.2 Peaks over threshold	230
6.1.2.1 Example: volcanic peaks in the NGRIP sulfate record (continued)	231
6.1.3 Block extremes	231
6.1.4 Remarks on data selection	232
6.2 Stationary models	232
6.2.1 Generalized Extreme Value distribution	232
6.2.1.1 Model	233
6.2.1.2 Maximum likelihood estimation	233
6.2.2 Generalized Pareto distribution	235
6.2.2.1 Model	235
6.2.2.2 Maximum likelihood estimation	235
6.2.2.3 Model suitability	237
6.2.2.4 Return period	238
6.2.2.5 Probability weighted moment estimation	239
6.2.3 Bootstrap confidence intervals	240
6.2.4 Example: Elbe summer floods, 1852 to 2002	241
6.2.5 Persistence	243
6.2.5.1 Condition $D(u_n)$	243
6.2.5.2 Extremal index	243
6.2.5.3 Long memory	244
6.2.6 Remark: tail estimation	244
6.2.7 Remark: optimal estimation	246
6.3 Nonstationary models	246
6.3.1 Time-dependent Generalized Extreme Value distribution	247
6.3.2 Inhomogeneous Poisson process	248
6.3.2.1 Model	248
6.3.2.2 Nonparametric occurrence rate estimation	249
6.3.2.3 Boundary bias reduction	250
6.3.2.4 Bandwidth selection	251
6.3.2.5 Example: Elbe winter floods (continued)	252

6.3.2.6	Bootstrap confidence band	253
6.3.2.7	Example: Elbe winter floods (continued)	256
6.3.2.8	Example: volcanic peaks in the NGRIP sulfate record (continued)	257
6.3.2.9	Example: hurricane peaks in the Lower Mystic Lake varve thickness record (continued)	257
6.3.2.10	Parametric Poisson models and hypothesis tests	258
6.3.2.11	Monte Carlo experiment: Cox–Lewis test versus Mann–Kendall test	260
6.3.3	Hybrid: Poisson–extreme value distribution	264
6.4	Sampling and time spacing	266
6.5	Background material	269
6.6	Technical issues	279

Part III Bivariate Time Series

7. Correlation		285
7.1	Pearson's correlation coefficient	286
7.1.1	Remark: alternative correlation measures	287
7.1.2	Classical confidence intervals, non-persistent processes	287
7.1.3	Bivariate time series models	289
7.1.3.1	Bivariate white noise	289
7.1.3.2	Bivariate first-order autoregressive process	290
7.1.4	Classical confidence intervals, persistent processes	291
7.1.5	Bootstrap confidence intervals	293
7.1.5.1	Pairwise-moving block bootstrap	293
7.1.5.2	Pairwise-autoregressive bootstrap	295
7.2	Spearman's rank correlation coefficient	295
7.2.1	Classical confidence intervals, non-persistent processes	298
7.2.2	Classical confidence intervals, persistent processes	300
7.2.3	Bootstrap confidence intervals	301
7.2.3.1	Pairwise-moving block bootstrap	301
7.2.3.2	Pairwise-autoregressive bootstrap	302
7.3	Monte Carlo experiments	302

Contents	xix
7.4 Example: Elbe runoff variations	309
7.5 Unequal timescales	311
7.5.1 Binned correlation	312
7.5.2 Synchrony correlation	314
7.5.3 Monte Carlo experiments	316
7.5.3.1 Optimal estimation	321
7.5.4 Example: Vostok ice core records	322
7.6 Background material	323
7.7 Technical issues	338
8. Regression II	339
8.1 Linear regression	340
8.1.1 Ordinary least-squares estimation	340
8.1.1.1 Bias correction	341
8.1.1.2 Prior knowledge about standard deviations	341
8.1.2 Weighted least-squares for both variables estimation	343
8.1.2.1 Prior knowledge about standard deviation ratio	343
8.1.2.2 Geometric interpretation	344
8.1.3 Wald–Bartlett procedure	345
8.2 Bootstrap confidence intervals	346
8.2.1 Simulating incomplete prior knowledge	348
8.3 Monte Carlo experiments	350
8.3.1 Easy setting	350
8.3.2 Realistic setting: incomplete prior knowledge	353
8.3.3 Dependence on accuracy of prior knowledge	355
8.3.4 Mis-specified prior knowledge	357
8.4 Example: climate sensitivity	359
8.5 Prediction	362
8.5.1 Example: calibration of a proxy variable	364
8.6 Lagged regression	367
8.6.1 Example: CO ₂ and temperature variations in the Pleistocene	368
8.7 Background material	373
8.8 Technical issues	379

Part IV Outlook

9. Future Directions	383
9.1 Timescale modelling	383
9.2 Novel estimation problems	384
9.3 <i>Higher dimensions</i>	385
9.4 Climate models	385
9.4.1 Fitting climate models to observations	387
9.4.2 Forecasting with climate models	388
9.4.3 Design of the cost function	389
9.4.4 Climate model bias	390
9.5 Optimal estimation	391
References	397
Subject Index	455
Author Index	467