

Contents

Part I: Control Reconfiguration Problem

1	Introduction to Reconfigurable Control	3
1.1	Fault-tolerant Control	3
1.2	Reconfigurable Control	6
1.3	Key Aspects Specific to Reconfigurable Control	7
1.4	Contributions and Structure of This Monograph	8
1.5	Running Examples	12
1.6	Survey of Fault-tolerant Control	17
2	Preliminaries	23
2.1	Notation	23
2.2	Linear Matrix Inequalities	24
2.3	Polyhedra and Polytopes	26
2.4	Stability Theory	27
3	Reconfigurable Control Problem and Fault-Hiding Approach	33
3.1	General Dynamical Operators	33
3.2	Nominal Nonlinear Systems	33
3.3	Nominal Closed-Loop System and Assumptions	35
3.4	Faults in Nonlinear Systems	36
3.5	Reconfiguration Problems Based on the Model-Matching Idea	40
3.6	Fault-hiding Idea	42
3.7	Stability, Tracking, and Performance Recovery in the Fault-hiding Approach	46
3.8	Basic Structure of Fault-hiding Solutions	47
3.9	General Properties of Fault-hiding Solutions	50

4	Linear Reconfiguration Solutions Based on the Fault-Hiding Approach	55
4.1	Nominal Linear Systems	55
4.2	Nominal Closed-Loop System and Assumption	59
4.3	Faults in Linear Systems	59
4.4	Reconfiguration Problems	61
4.5	Linear Virtual Sensor	63
4.6	Linear Virtual Actuator	72
4.7	Combination of Virtual Sensor with Virtual Actuator	79
4.8	Comparison of Virtual Actuator and Dual Observer	81
4.9	Extensions and Discussion	85

Part II: Reconfigurable Control of Hammerstein-Wiener Systems

5	Control Reconfiguration Problem for Hammerstein-Wiener Systems	89
5.1	Nominal Hammerstein-Wiener Systems	89
5.2	Nominal Closed-Loop System and Assumptions	90
5.3	Faults in Hammerstein-Wiener Systems	92
5.4	Specific Reconfiguration Problems	93
5.5	Bibliographic Notes on Hammerstein-Wiener Systems	95
6	Stability Recovery after Actuator and Sensor Faults in Hammerstein-Wiener Systems	97
6.1	Hammerstein-Wiener Virtual Actuator and Virtual Sensor	97
6.2	Main Stability Result	100
6.3	Duality between Hammerstein-Wiener Virtual Sensor and Hammerstein-Wiener Virtual Actuator	105
6.4	Special Case: Hammerstein Systems and Actuator Faults	106
6.5	Special Case: Hammerstein-Wiener Systems and Sensor Faults ...	112
6.6	Summary and Discussion	117
7	Setpoint Tracking Recovery after Actuator Faults in Saturated Systems	119
7.1	The Setpoint Tracking Problem	119
7.2	Concept for Setpoint Tracking Recovery	121
7.3	Main Setpoint Tracking Recovery Result	124
7.4	Setpoint Supervision and Input Matrix Reduction	125
7.5	Summary and Discussion	129

8	Performance Recovery after Actuator Faults in Saturated Systems	131
8.1	Overview of the Performance Recovery Problem and Its Solution	131
8.2	Output Trajectory Recovery	133
8.3	Input Energy Limitation	134
8.4	Weighed Multi-objective Synthesis	135
8.5	Summary and Discussion	139

Part III: Reconfigurable Control of Piecewise Affine Systems

9	Control Reconfiguration Problem for Piecewise Affine Systems	143
9.1	Nominal Piecewise Affine Systems	143
9.2	Nominal Closed-Loop System and Assumptions	148
9.3	Faults in Piecewise Affine Systems	149
9.4	Specific Reconfiguration Problems	153
9.5	Bibliographic Notes on Piecewise Affine Systems	154
10	Stability Recovery after Actuator and Sensor Faults in Piecewise Affine Systems	157
10.1	Piecewise Affine Virtual Actuator and Virtual Sensor	157
10.2	Main Stability Result	160
10.3	Reconfigurability Considerations	165
10.4	Robustness against Piecewise Affine Model Uncertainties	166
10.5	Duality between Piecewise Affine Virtual Sensor and Piecewise Affine Virtual Actuator	167
10.6	Summary and Discussion	168
11	Setpoint Tracking Recovery after Actuator and Sensor Faults in Piecewise Affine Systems	169
11.1	Rejection of Measured Disturbances	169
11.2	Extended Piecewise Affine Virtual Sensor and Extended Piecewise Affine Virtual Actuator	171
11.3	Transformation of the Problem	175
11.4	Main Stability and Tracking Result	176
11.5	Robustness against Piecewise Affine Model Uncertainties and Disturbance Variation	182
11.6	Robustness against Uncertainties of the Fault Diagnosis Result ..	186
11.7	Duality between Extended Piecewise Affine Virtual Sensor and Virtual Actuator	188
11.8	Summary and Discussion	188

Part IV: Applications

12	Application Framework	193
	12.1 Information Structure of a Real-Time Control Framework	193
	12.2 Physical Realisation within Modern Control Architectures	195
	12.3 Rapid Prototyping Toolbox for MATLAB and Simulink	197
	12.4 Further Applications	199
13	Fault-Tolerant Control of a Thermofluid Process	203
	13.1 Pilot Plant VERA	203
	13.2 Thermofluid Process	205
	13.3 Fault Scenarios and Redundancy	209
	13.4 Reconfigurability Analysis	213
	13.5 Reconfiguration Applications	218
	13.6 Summary and Discussion	228
14	Conclusion	229
	14.1 Summary	229
	14.2 Open Problems	230
	References	233

Part V: Appendices

A	Acronyms and Symbols	249
B	Glossary of Fault-Tolerant Control	253
C	Linear Subspaces	255
D	Proofs	257
	D.1 Proofs of Chapter 4	257
	D.1.1 Proof of Theorem 4.6 and Theorem 4.13	257
	D.2 Proofs of Chapter 6	259
	D.2.1 Proof of Theorem 6.1	259
	D.2.2 Proof of Theorem 6.2	262
	D.2.3 Proof of Theorem 6.4	262
	D.2.4 Proof of Theorem 6.5	262
	D.2.5 Proof of Theorem 6.6	263
	D.3 Proofs of Chapter 7	263
	D.3.1 Proof of Theorem 7.1	263
	D.4 Proofs of Chapter 8	264

D.4.1	Proof of Theorem 8.1	264
D.4.2	Proof of Theorem 8.2	264
D.4.3	Proof of Theorem 8.3	265
D.5	Proofs of Chapter 10	265
D.5.1	Proof of Theorem 10.1	265
D.5.2	Proof of Theorem 10.2	268
D.5.3	Proof of Theorem 10.3	268
D.6	Proofs of Chapter 11	269
D.6.1	Proof of Theorem 11.1	269
D.6.2	Proof of Theorem 11.2	270
D.6.3	Proof of Theorem 11.3	271
D.6.4	Proof of Theorem 11.4	271
E	Models of the Thermofluid Process	273
E.1	Nonlinear Process Model	273
E.2	Piecewise Affine Process Model	277
Index	289