1 Introduction	1
	-
1.1 Two-phase model for inhibition of plant growth under salt stress	
1.2 Physiological adaption to salinity	3
1.2.1 Osmotic stress resistance	3
1.2.2 Ionic toxicity avoidance	4
1.2.2.1 Na exclusion by the root	5
a) Restricted Na <sup>+</sup> influx	5
b) $Na^+$ efflux and $Na^+$ inclusion in the root vacuoles	6
1.2.2.2 Na exclusion from the shoot	7
1.2.2.3 Na <sup>+</sup> compartmentation in leaf vacuoles	9
1.3 Objectives	11
1.4 Hypotheses	12
2 Material and Methods	13
2.1 Development of salt-resistant maize hybrids	
2.2 Growth conditions and plant cultivations	14
2.2.1 Screening of SR hybrids for ion toxicity	14
2.2.2 Plant harvest and analysis	. 15
2.2.3 Parameters of Na <sup>+</sup> exclusion	16
2.3 Chemical analysis (cation analysis)	
2.4 Identification of salt resistance	16
2.4.1 Plant harvest and cation analysis in single leaf blades	17
2.5 Collection of plant materials for molecular methods	
2.5.1 Isolation and purification of total RNA from root and single leaf b	lades 17
2.5.2 Estimating RNA quality and quantity with spectrophotometer	20
2.5.3 Messenger RNA isolation	20
2.5.4 First-strand cDNA synthesis	23
2.5.5 PCR amplification of cDNA	25
2.5.6 DNA-Gel Electrophoresis	27
2.5.7 Real-time PCR protocols	28
2.5.8 Relative quantification of the real-time PCR data	29



I

## Contents

2.6 The effect of salt stress on tonoplast membrane H <sup>+</sup> -ATPase activity				
	of	two maize genotypes	30	
	2.6.1	Isolation of tonoplast membrane vesicles	30	
	2.6.2	Proton-pumping activity	31	
	2.6.3	Determination of the purity and V-H $^+$ -ATPase hydrolytic activity		
		of tonoplast membrane	32	
	2.7 St	atistical analysis	33	
3	Result	ts	34	
	3.1 Sc	reening of SR hybrids for ion toxicity	34	
	3.1.1	Effect of salt stress on plant growth parameters in the first phase of salt stress	34	
	3.1.2	$Na^{+}$ accumulation in roots and shoots under salt stress	43	
	3.1.3	Na <sup>+</sup> uptake and Na <sup>+</sup> translocation from root to shoot	44	
	3.1.4	Relationship between Na <sup>+</sup> concentration in shoots and number of necrotic		
		spots per leaf	46	
	3.1.5	Ion concentrations in shoots and roots of maize hybrids	48	
	<b>3.2</b> Ef	fect of different salinity levels on Na $^{\star}$ exclusion at the root surface and		
	Na	<sup>+</sup> exclusion from the shoot	51	
	3.2.1	Plant growth parameters	51	
	3.2.2	Na <sup>+</sup> accumulation in shoots and roots under salt stress	55	
	3.2.3	Correlation between Na <sup>+</sup> concentrations in shoots and shoots fresh weight,		
		and the number of necrotic leaves	56	
	3.2.4	Na <sup>+</sup> uptake and Na <sup>+</sup> translocation from root to shoot under salt stress	58	
	3.2.5	Cation analysis in shoots and roots	60	
	<b>3.3</b> Co	ntribution of $Na^+$ inclusion in leaf vacuoles to salt resistance of newly		
	de	veloped maize hybrids in the second phase of salt stress	62	
	3.3.1	Effect of salt stress on plant growth in the second phase of salt stress	62	
	3.3.2	Effect of salt stress on Na <sup>+</sup> accumulation in maize leaf blades	65	
	3.3.3	Relative transcription of tonoplast $Na^+/H^+$ antiporters in roots and leaves	67	
	3.4 Ef	fect of salinity and Na <sup><math>+</math></sup> on H <sup><math>+</math></sup> -ATPase activity in tonoplast vesicles isolated		
	fro	m control and salt-treated maize genotypes	69	
	3.4.1	Effects of various inhibitors on H <sup>+</sup> -ATPase hydrolytic activity	69	

II

Co	Contents		<u> III</u>		
	3.4.2	Effect of salt stress on the tonoplast ATPase hydrolytic activity	72		
	3.4.3	Stimulation of proton pumping activity by malate and chloride	72		
	3.4.4	Measurement of Na <sup><math>+</math></sup> transport in tonoplast vesicles of SR 05	74		
4	Discu	ssion	77		
	4.1 Sc	reening of SR maize hybrids during the second phase of salt stress	77		
	4.1.1	Identification of salt resistance based on shoot growth parameters: Genotypic			
		variation	78		
	4.1.2	Severity of leaf symptoms and shoot $Na^+$ concentration in the second			
		phase of salt stress	79		
	4.2 St	rategies of Na <sup>+</sup> exclusion from the shoot for salt resistance in the second phase	80		
	<b>4.3</b> Strategies of Na <sup>+</sup> inclusion: Transcription level of tonoplast Na <sup>+</sup> /H <sup>+</sup> antiporter				
	an	d salt resistance	83		
	4.4 St	rategies of Na <sup><math>+</math></sup> inclusion: Tonoplast H <sup><math>+</math></sup> -ATPase activity	85		
	4.4.1	Effect of nitrate on proton pumping activity	86		
	4.4.2	The activity of tonoplast H <sup>+</sup> -ATPase and H <sup>+</sup> -PPase	86		
	4.4.3	a monstant and a set as a set of a monstant cartons	88		
-	4.4.4	Tonoplast H <sup>+</sup> -ATPase activity and transcription level of $ZmNHX$	88		
5	Sumr	•	91		
6	Zusa	nmenfassung	93		
7	Refer	ences	95		
	Ackn	owledgment	114		
	Curr	iculum Vitae	116		