

Contents

| | |
|-----------------------------|-------------|
| Preface | <i>XIII</i> |
| List of Contributors | <i>XVII</i> |

| | | |
|----------|---|----------|
| 1 | Cell-free Protein Synthesis Systems: Historical Landmarks, Classification, and General Methods | 1 |
| | <i>A. S. Spirin and J. R. Swartz</i> | |
| 1.1 | Introduction: Historical Landmarks | 1 |
| 1.1.1 | Discovery of Protein Synthesis in Cell Extracts | 1 |
| 1.1.2 | Translation of Exogenous Messages | 1 |
| 1.1.3 | Coupled Transcription-translation in Bacterial Extracts | 2 |
| 1.1.4 | Combined Transcription-translation Systems | 3 |
| 1.1.5 | Continuous Flow/Continuous Exchange Principle | 3 |
| 1.2 | Prokaryotic and Eukaryotic Types of Cell-free Expression Systems | 5 |
| 1.2.1 | Cell Extracts | 5 |
| 1.2.1.1 | <i>E. coli</i> extract (ECE) | 5 |
| 1.2.1.2 | Wheat Germ Extract (WGE) | 6 |
| 1.2.1.3 | Rabbit Reticulocyte Lysate (RRL) | 6 |
| 1.2.2 | Genetic Constructs (Expression Vectors) | 7 |
| 1.2.2.1 | Prokaryotic Systems | 7 |
| 1.2.2.2 | Eukaryotic Systems | 8 |
| 1.3 | Preparing Cell Extracts | 11 |
| 1.3.1 | <i>E. coli</i> Extracts | 11 |
| 1.3.1.1 | Genetics | 11 |
| 1.3.1.2 | Cell Growth | 13 |
| 1.3.1.3 | Extract Preparation | 14 |
| 1.3.2 | Wheat Germ Extracts | 15 |
| 1.4 | Designing Reaction Composition | 16 |
| 1.4.1 | Mg ²⁺ and Phosphate | 16 |
| 1.4.2 | Other Salts | 18 |
| 1.4.3 | Nucleotides and Amino Acids | 18 |
| 1.4.4 | Stabilization Reagents | 18 |

Cell-free Protein Synthesis. Edited by Alexander Spirin and James Swartz
 Copyright © 2008 WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim
 ISBN: 978-3-527-31649-6

| | | |
|----------|---|-----------|
| 1.4.5 | Other Factors | 19 |
| 1.5 | Providing Energy | 19 |
| 1.5.1 | Direct Nucleotide Regeneration | 20 |
| 1.5.2 | Indirect Nucleotide Regeneration | 20 |
| 1.6 | Enhancing Protein Folding | 21 |
| 1.6.1 | Temperature Effects | 21 |
| 1.6.2 | Cell Extract Concentration | 23 |
| 1.6.3 | Effects of Folding Ligands | 23 |
| 1.6.4 | Effects of Chaperones and Foldases | 24 |
| 1.6.5 | Effects of Detergents | 24 |
| 2 | The Constructive Approach for Cell-free Translation | 35 |
| | <i>T. Ueda</i> | |
| 2.1 | Introduction | 35 |
| 2.2 | The Process of Protein Synthesis | 36 |
| 2.2.1 | Polypeptide Synthesis | 36 |
| 2.2.2 | Protein Maturation | 38 |
| 2.3 | A Constructive Approach to Protein Synthesis | 40 |
| 2.3.1 | <i>In Vitro</i> Reconstitution of Polypeptide Synthesis | 40 |
| 2.3.2 | Protocol of Protein Synthesis using PURE System | 41 |
| 2.3.3 | Addition of Protein Folding Machinery to the PURE System | 42 |
| 2.3.4 | Integration of a Membrane Targeting System with the PURE system | 46 |
| 2.3.5 | Protein Synthesis using the PURE System containing Molecular Chaperones | 48 |
| 2.4 | Conclusion | 49 |
| 3 | Functional Genomic Analysis using Sequential Cell-free Protein Synthesis | 51 |
| | <i>K. A. Woodrow and J. R. Swartz</i> | |
| 3.1 | Introduction | 51 |
| 3.1.1 | The Post-genomic Era | 51 |
| 3.1.2 | Cell-free Protein Synthesis (CFPS) as a Functional Proteomic Tool | 52 |
| 3.2 | Developing an enabling Technology for Sequential Expression Analysis | 54 |
| 3.2.1 | Improving Linear Template Stability | 55 |
| 3.2.2 | Improving PCR Reactions for generating Genomic Linear Templates | 56 |
| 3.2.3 | Optimizing Cofactor Concentrations for Enzyme Activation | 58 |
| 3.3 | Demonstrating Functional Genomic Analysis with CFPS | 61 |
| 3.3.1 | Isolation and Expression of Genomic Targets | 62 |

| | | |
|----------|--|-----------|
| 3.3.2 | Effects of Sample Library on β -Lactamase Expression and Activity | 62 |
| 3.4 | Conclusions and Projections | 64 |
| 4 | Cell-free Technology for Rapid Production of Patient-specific Fusion Protein Vaccines | 69 |
| | <i>A. R. Goerke, J. Yang, G. Kanter, R. Levy and J. R. Swartz</i> | |
| 4.1 | Introduction | 69 |
| 4.1.1 | Lymphoma and Fusion Protein Vaccine Treatments | 69 |
| 4.1.2 | Comparing Cell-free and <i>In Vivo</i> Production Systems | 70 |
| 4.2 | Developing the Fusion Protein Construct and the Cell-free Production Process | 71 |
| 4.2.1 | Fusion-protein Production in the Cell-free System | 71 |
| 4.2.2 | Oxidized Reaction Conditions and DsbC Increase Soluble Protein Yield | 71 |
| 4.2.3 | GM-CSF is more Active at the N-terminus of the Fusion Protein Vaccine | 73 |
| 4.2.4 | New Linker Improves Fusion Protein Stability | 75 |
| 4.2.5 | Expression and Purification Scale-up for Vaccine Protein Production | 77 |
| 4.3 | Fusion Proteins Raise Protective Antibodies | 78 |
| 4.3.1 | Design of Vaccine Constructs and Mouse Studies | 78 |
| 4.3.2 | Fusion Protein Vaccination Protects against Aggressive Tumors | 79 |
| 4.3.3 | Antibody Generation is enhanced by Fusion Partners | 79 |
| 4.4 | Conclusions and Projections | 80 |
| 5 | Bacterial Cell-free System for Highly Efficient Protein Synthesis | 83 |
| | <i>T. Kigawa, T. Matsuda, T. Yabuki and S. Yokoyama</i> | |
| 5.1 | Overview | 83 |
| 5.2 | Introduction | 83 |
| 5.3 | Coupled Transcription–Translation System based on <i>E. coli</i> Extract | 84 |
| 5.4 | DNA Template Construction | 84 |
| 5.5 | Preparation of Cell Extract from <i>E. coli</i> | 85 |
| 5.6 | Batch-mode Cell-free Reaction | 87 |
| 5.7 | Dialysis-mode Cell-free Reaction | 88 |
| 5.8 | Template DNA | 91 |
| 5.9 | Reaction Temperature | 92 |
| 5.10 | Surface Area of the Dialysis Membrane | 93 |
| 5.11 | Stable-isotope Labeling for NMR Spectroscopy | 93 |
| 5.12 | Selenomethionine Incorporation for X-Ray Crystallography | 94 |
| 5.13 | Automation | 95 |
| 5.14 | Conclusion | 95 |

- 6 The Use of the *Escherichia coli* Cell-free Protein Synthesis for Structural Biology and Structural Proteomics 99**
T. Kigawa, M. Inoue, M. Aoki, T. Matsuda, T. Yabuki, E. Seki, T. Harada, S. Watanabe and S. Yokoyama
- 6.1 Overview 99
- 6.2 Introduction 100
- 6.3 High-throughput Expression by PCR-based Small-scale Cell-free Protein Synthesis 100
- 6.4 Fully Automated Protein Production using Middle-scale Cell-free Protein Synthesis 103
- 6.5 NMR Screening 104
- 6.6 Large-scale Protein Production for Structure Determination 105
- 6.7 Discussion 107
-
- 7 The Wheat Germ Cell-free Protein Synthesis System 111**
T. Sawasaki and Y. Endo
- 7.1 Overview 111
- 7.2 Development of a Highly Efficient Eukaryotic Cell-free Protein Synthesis System 111
- 7.2.1 Preparation of a Highly Active and Robust Extract from Wheat Embryos 112
- 7.2.1.1 Protocol for the Preparation of Wheat Germ Extract [12] 115
- 7.2.2 mRNA 5' and 3' UTRs which Enhance Translation 115
- 7.2.3 Split-primer PCR for Genome-wide Generation of DNAs for Transcription 119
- 7.2.3.1 Protocol for "Split-primer" PCR [13] 121
- First PCR 122
- 7.2.4 Bilayer Translation Reaction Method 122
- 7.2.5 Transcription and Translation in One Tube 123
- 7.2.5.1 Protocol for One-tube Protein Synthesis Reaction 124
- 7.2.6 Reaction Methods for Large-scale Protein Production 125
- 7.3 Completion of Protocols for the Wheat Cell-free System 126
- 7.3.1 Performance of the Wheat Cell-free System 127
- 7.3.2 Robotic Automation of the Cell-free Protein Synthesis 132
- 7.4 Application to High-throughput Biochemical Annotation of Genetic Information 132
- 7.4.1 Genome-wide Functional Analysis 132
- 7.4.2 Preparation of Protein for NMR Spectroscopy 134
- 7.5 Conclusion 136

| | | |
|----------|--|------------|
| 8 | Cell-free Expression of Integral Membrane Proteins for Structural Studies | 141 |
| | <i>C. Klammt, D. Schwarz, I. Lehner, S. Sobhanifar, F. Löhr, J. Zeelen, C. Glaubitz, V. Dötsch and F. Bernhard</i> | |
| 8.1 | Overview | 141 |
| 8.2 | Introduction | 141 |
| 8.3 | Specific Characteristics for the Cell-free Expression of Membrane Proteins | 143 |
| 8.3.1 | Cell-free Expression of Membrane Proteins in the Presence of Detergents or Lipids | 145 |
| 8.3.2 | Detergents for the Efficient Resolubilization of Cell-free Produced Membrane Proteins | 149 |
| 8.4 | Case Studies for the High Level Cell-free Expression of Membrane Proteins | 150 |
| 8.4.1 | α -Helical Transporters | 150 |
| 8.4.2 | G-Protein Coupled Receptors | 152 |
| 8.4.3 | β -Barrel Proteins | 153 |
| 8.5 | Structural Characterization of Cell-free Produced Membrane Proteins | 154 |
| 8.5.1 | Crystallization of Cell-free Produced Membrane Proteins | 154 |
| 8.5.2 | Cell-free Expression as a Tool for High-resolution NMR Spectroscopy | 155 |
| 8.5.3 | Applications of Cell-free Expression for Solid-state NMR | 159 |
| | | |
| 9 | Cell-free Production of Membrane Proteins in the Presence of Detergents | 165 |
| | <i>J.-M. Betton and M. Miot</i> | |
| 9.1 | Introduction | 165 |
| 9.2 | Histidine Protein Kinases | 166 |
| 9.3 | Materials and Methods | 168 |
| 9.3.1 | Plasmids | 168 |
| 9.3.2 | Cell-free Protein Production | 168 |
| 9.3.3 | Protein Purification | 168 |
| 9.3.4 | Structural and Functional Protein Characterizations | 169 |
| 9.4 | Results and Discussion | 169 |
| 9.4.1 | Analytical Cell-free Production of His ₆ -tagged Proteins | 169 |
| 9.4.2 | Detergents Compatible with Cell-free Synthesis | 171 |
| 9.4.3 | Fidelity of <i>In Vitro</i> Biosynthesis Reactions in the Presence of Brij35 | 173 |
| 9.4.4 | High-level Production of Functional HPKs in CECF Technology | 174 |
| 9.5 | Conclusions | 177 |

| | | |
|-----------|--|------------|
| 10 | Novel Techniques using PCR and Cell-free Protein Synthesis Systems for Combinatorial Bioengineering | 179 |
| | <i>H. Nakano and T. Yamane</i> | |
| 10.1 | Introduction | 179 |
| 10.2 | Improvements in the <i>Escherichia coli</i> Cell-free Protein Synthesis Systems | 180 |
| 10.3 | High-throughput Construction of a Protein Library by SIMPLEX | 180 |
| 10.3.1 | Development of SIMPLEX | 180 |
| 10.3.2 | Quality of the SIMPLEX-based Protein Library | 182 |
| 10.3.3 | Expansion of the SIMPLEX-based Library | 182 |
| 10.3.4 | Application of SIMPLEX for Combinatorial Engineering of Proteins | 184 |
| 10.4 | Development and Application of SICREX | 186 |
| 10.5 | Conclusion | 188 |
| | | |
| 11 | Gene Cloning and Expression in Molecular Colonies | 191 |
| | <i>A. B. Chetverin, T. R. Samatov and H. V. Chetverina</i> | |
| 11.1 | A Gap in Cell-free Biotechnology | 191 |
| 11.2 | Molecular Colony Technique | 192 |
| 11.3 | Gene Cloning in Molecular Colonies | 193 |
| 11.4 | Gene Expression in Molecular Colonies: Transcription | 196 |
| 11.5 | Gene Expression in Molecular Colonies: Translation | 196 |
| 11.6 | Gene Expression in Molecular Colonies: The Role of Thiol Compounds | 198 |
| 11.7 | Conclusions | 200 |
| 11.8 | Molecular Colony Protocols | 201 |
| 11.8.1 | Amplification Gels | 201 |
| 11.8.2 | Growing DNA Colonies | 202 |
| 11.8.3 | Detection of Molecular Colonies | 202 |
| 11.8.4 | Transcription in Molecular Colonies | 203 |
| 11.8.5 | Protein Synthesis in Molecular Colonies | 203 |
| | | |
| 12 | Large-Scale Batch Reactions for Cell-free Protein Synthesis | 207 |
| | <i>A. M. Voloshin and J. R. Swartz</i> | |
| 12.1 | Introduction | 207 |
| 12.1.1 | Cell-free Protein Synthesis | 207 |
| 12.1.2 | Comparing Cell-free Reaction Configurations; Advantages of Batch Mode | 208 |
| 12.2 | Challenges for Extending Batch Duration and Productivity | 210 |
| 12.2.1 | Providing Energy | 210 |
| 12.2.2 | Stabilizing the Substrates | 213 |
| 12.3 | Scale-up of Reactions not Requiring Oxygen in Batch Mode | 216 |
| 12.3.1 | Test-tube Scale-up Results are Disappointing | 216 |

| | | |
|--------|---|-----|
| 12.3.2 | Thin-film Format Conserves Performance | 216 |
| 12.3.3 | Investigating Fundamental Influences | 218 |
| 12.4 | Scale-up of Reactions Requiring Oxygen | 218 |
| 12.4.1 | Test-tube Scale up is Disastrous | 218 |
| 12.4.2 | Thin-film Format Conserves Performance | 222 |
| 12.4.3 | Stirred Tank Aerated Reactor Format Requires Antifoaming Agents | 222 |
| 12.4.4 | Enhanced O ₂ Transfer Increases ATP Concentrations | 226 |
| 12.4.5 | Protein Production in 1-liter Batch Reactions | 228 |
| 12.5 | Conclusions and Projections | 231 |
| 12.5.1 | Personalized Medicine | 231 |
| 12.5.2 | Large-scale Pharmaceutical Production | 232 |

| | |
|--------------|------------|
| Index | 237 |
|--------------|------------|